

ONKOLOŠKI INŠTITUT V LJUBLJANI
INSTITUTE OF ONCOLOGY, LJUBLJANA

REGISTER RAKA ZA SLOVENIJO
CANCER REGISTRY OF SLOVENIA

INCIDENCA RAKA V SLOVENIJI
CANCER INCIDENCE IN SLOVENIA
1996

POROČILO RR Št. 38
REPORT No. 38

LJUBLJANA 1998

ISSN 1318-2471

Uredniški odbor

Editorial Board

Vera Pompe Kirn, glavna urednica - Editor-in-chief

Rastko Golouh

Jurij Lindtner

Maja Primic Žakelj

Božena Ravnihar

Zvonimir Rudolf

Branko Zakotnik

Osebjje Registra raka

Staff of the Cancer Registry

Vera Pompe Kirn, vodja - Head

Neva Volk, mlada raziskovalka - Junior researcher

Jurij Modic, računalniška obdelava - EDP analysis

Mojca Brus

Marjeta Bukovec

Neža Milčič

Nataša Robek

Fani Škrlec

Vanja Černilec, slike - figures

Tone Žakelj, oblikovanje tabel in priprava za tisk - desk-top publishing

Izdal

Published by

Direktor

Director

Onkološki inštitut, Ljubljana

Institute of Oncology, Ljubljana, Slovenia

Zvonimir Rudolf

Naslov

Correspondence to

Prof. Vera Pompe Kirn, M.D., D.Sc.

Institute of Oncology

Zaloška c. 2, 1001 Ljubljana, p.p. 2217, Slovenia

Tel.: +386 (0)61 13-24-113

E-mail: vpompe@onko-i.si

Tisk

Printed by

Grafis

VSEBINSKO KAZALO

CONTENTS

	Stran Page
Uvod in pojasnila	7
Introduction and Comments	10
 Slike	
Figures	
1. Breme raka - Slovenija 1996 Cancer burden - Slovenia 1996	13
2. Najpogostejše rakave bolezni po spolu - Slovenija 1996 The leading cancer sites by sex - Slovenia 1996	14
3. Groba in kumulativna letna incidenca vseh rakov po spolu - Slovenija 1950-96 Crude and cumulative annual cancer incidence; all sites by sex - Slovenia 1950-96	15
4. Groba letna incidenca izbranih rakov po spolu - Slovenija 1950-96 Crude annual cancer incidence by selected primary sites and sex - Slovenia 1950-96	16
5. Relativno 5-letno preživetje bolnikov za izbrane rake po stadiju bolezni - Slovenija 1973-92 Relative 5-year survival of patients with selected cancer sites by stage - Slovenia 1973-92	17
6. Število bolnikov z rakom, prvič obravnavanih na Onkološkem inštitutu, 1939-97 Number of cancer patients first admitted to the Institute of Oncology, 1939-97	18
7. Število bolnikov, prvič obravnavanih na Onkološkem inštitutu, po skupinah rakavih bolezni, 1986-96 Number of patients first admitted to the Institute of Oncology - by cancer site groups, 1986-96	18
8. Število vseh novih bolnikov z rakom v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996 Number of all new cancer patients in Slovenia and number of patients referred to the Institute of Oncology by regions, 1996	19
9. Število vseh novih bolnikov z rakom dojk v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996 Number of all new breast cancer patients in Slovenia and number of patients referred to the Institute of Oncology by regions, 1996	19
10. Število vseh novih bolnikov z rakom želodca v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996 Number of all new stomach cancer patients in Slovenia and number of patients referred to the Institute of Oncology, 1996	20

11. Število vseh novih bolnikov z rakom debelega črevesa v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996 Number of all new colon cancer patients in Slovenia and number of patients referred to the Institute of Oncology, 1996	20
12. Število vseh novih bolnikov z rakom danke v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996 Number of all new rectal cancer patients in Slovenia and number of patients referred to the Institute of Oncology, 1996	21
13. Število vseh novih bolnikov s pljučnim rakom v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996 Number of all new lung cancer patients in Slovenia and number of patients referred to the Institute of Oncology by regions, 1996	21

Tabele

Tables

1. Prebivalstvo Slovenije po starosti in spolu na dan 30. junija 1996 Population of Slovenia by age and sex on June 30th, 1996	23
2. Prebivalstvo Slovenije po zdravstvenih regijah po spolu na dan 30. junija 1996 Population of Slovenia by health regions by sex on June 30th, 1996	24
3. Število novih primerov raka ter število in odstotek primerov, registriranih samo iz zdravniških poročil o vzroku smrti, po lokaciji in spolu - Slovenija 1996 Total number of new cancer cases, number and percentage of cases registered from death certificates only, by site and sex - Slovenia 1996	25
4a. Število novih primerov raka po lokaciji (MKB-8), spolu in starosti - Slovenija 1996 Number of new cancer cases by primary site (ICD-8), sex, and age - Slovenia 1996	29
4b. Število novih primerov raka po lokaciji (MKB-10), spolu in starosti - Slovenija 1996 Number of new cancer cases by primary site (ICD-10), sex, and age - Slovenia 1996	33
5. Incidenca raka na 100 000 prebivalcev po spolu in starosti ter kumulativna stopnja po lokaciji - Slovenija 1996 Cancer incidence per 100 000 population by sex and age, and cumulative rate by site - Slovenia 1996	39
6. Število novih primerov raka po zdravstvenih regijah, po najpogostejših lokacijah in spolu - Slovenija 1996 Number of new cancer cases by health regions, by most frequent sites and sex - Slovenia 1996	45
7. Število novih primerov raka, ugotovljenih v bolnišnicah, ter število in odstotek mikroskopsko potrjenih primerov, po lokaciji in spolu - Slovenija 1996 Total number of new cancer cases diagnosed in hospitals and number and percentage of microscopically confirmed cases - by site and sex - Slovenia 1996	46

8.	Število histološko (in citološko) potrjenih novih primerov raka - po histološki vrsti in lokaciji - Slovenija 1996 Number of histologically (and cytologically) confirmed new cancer cases by histologic type and site - Slovenia 1996	50
9.	Število primerov ne-Hodgkinovih limfomov po lokaciji, spolu in starosti - Slovenija 1996 Total number of non-Hodgkin's malignant lymphomas by site, sex, and age - Slovenia 1996	56
10.	Število novih primerov raka po bolnišnicah ugotovitve diagnoze ter število in odstotek primerov, napotenih na Onkološki inštitut - Slovenija 1996 Number of new cancer cases diagnosed by reporting hospitals, and number and percentage of cases referred to the Institute of Oncology, Ljubljana - Slovenia 1996	57
11.	Število in odstotek novih primerov raka, ugotovljenih v bolnišnicah, po stadiju, lokaciji in spolu - Slovenija 1996 Number and percentage of new cancer cases reported by hospitals by stage, site and sex - Slovenia 1996	59
12.	Število umrlih za rakom in drugimi neoplazmami po lokaciji, spolu in starosti - Slovenija 1996 Number of cancer and other neoplasms deaths by site, sex and age - Slovenia 1996	63
13.	Število vseh živih bolnikov z rakom po spolu in izbrani primarni lokaciji - Slovenija, 31. december 1996 Prevalence of cancer patients by sex and selected primary site - Slovenia, Dec. 31, 1996	67

UVOD

Register raka za Republiko Slovenijo (Register) je bil ustanovljen pri Onkološkem inštitutu v Ljubljani leta 1950 na pobudo in pod vodstvom profesorice dr. Božene Ravnihar kot posebna služba za zbiranje in obdelavo podatkov o incidenci raka in o preživetju bolnikov z rakom. Prijavljanje raka je od takrat dalje v Republiki Sloveniji obvezno, z zakonom predpisano (*Ur. l. SRS*, št. 10/50, št. 29/50, št. 14/65, št. 1/80, št. 45/82, št. 42/85 in *Ur. l. RS*, št. 9/92). Podrobneje ga zaenkrat še vedno določa Pravilnik o prijavi in kontroli rakavih bolnikov in o drugih tehničnih vprašanjih boja proti raku (*Ur. l. SRS*, št. 4/66).

Incidenca raka je po svetu zelo različna. Tudi **Republika Slovenija kaže v zbolewnosti za rakom svojo posebno sliko**. Zbrani podatki so številčna podlaga za ocenjevanje družbenega bremena rakavih bolezni v republiki, programiranje in ocenjevanje onkološkega varstva na področju primarne preventive, detekcije, diagnostike, zdravljenja, rehabilitacije, načrtovanje zmogljivosti in sredstev zdravstvenega varstva, ki so potrebna za obvladovanje rakavih bolezni (kadri, medicinska oprema, posteljne zmogljivosti), ter za klinične in epidemiološke raziskave v Sloveniji in v sklopu širših mednarodnih raziskav.

Populacijski register raka opravičuje svoj obstoj le, če se zbrani podatki tudi redno obdelujejo in objavljajo. Ena izmed stalnih oblik vračanja obdelanih informacij so prav letna poročila. Ker je virov informacij več, leta povsod po svetu navadno izhajajo z najmanj dveletnim zamikom.

Register je prva letna poročila izdajal že v letih 1953-57 za leta 1951-55. Prva analiza podatkov za leto 1950 je bila objavljena v *Zdravstvenem vestniku* leta 1951 (*Zdrav. Vestn.* 1951: 20, 264-277). Podatki za leta 1957-71 so bili objavljani v periodičnih publikacijah Svetovne zdravstvene organizacije *Epidemiological and Vital Statistics Report* Vol. 14, No. 11, 1961; Vol. 16, No. 12, 1963; Vol. 17, No. 12, 1964; Vol. 19, No. 12, 1966; Vol. 20, No. 12, 1967) in v *World Health Statistics Report* (Vol. 23, No. 3, 1970; Vol. 24, No. 2, 1971; Vol. 25, Nos. 4, 5, 1972; Vol. 26, No. 8, 1973; Vol. 27, Nos. 6, 7, 1974). Podatki od leta 1965 dalje so bili spet redno objavljani v posebnih letnih poročilih z naslovom *Rak v Sloveniji* (1965-77) oziroma ***Incidenca raka v Sloveniji (1978-95)*** v slovenskem in angleškem jeziku. Glede na želje in pripombe uporabnikov poizkušamo ta letna poročila iz leta v leto dopolnjevati. V uredniškem odboru smo zbrani specialisti različnih vej onkologije (kliniki, epidemiologi in patologi).

Naš Register je ena prvih tovrstnih služb v Evropi. Pred letom 1950 so bili populacijski registri raka ustanovljeni le v Hamburgu, na Danskem, v Veliki Britaniji, v Belgiji in v tedanji ZSSR. Prav zato so in so bili naši podatki o incidenci raka zanimivi tudi za širši svet. Leta 1957 je izšlo prvo obsežnejše poročilo za leta 1950-55 v angleščini *Cancer in Slovenia 1955* (B. Ravnihar, A. Valentin, T. Božič, J. Doič, D. Pečirer). Podatke za leta 1956-60, 1961-65, 1968-72, 1973-76, 1978-81, 1982-87 in 1988-92 so objavili tudi v vseh sedmih zvezkih knjige ***Cancer Incidence in Five Continents***, UICC, Ženeva (Vol. 1-1966, eds. Doll R., Payne P., Waterhouse J.; Vol. 2-1970, eds. Doll R., Muir C., Waterhouse J.), in IARC, Lyon (Vol. 3-1976, eds. Waterhouse J., Muir C., Correa C., Powell J.; Vol. 4-1982, eds. Waterhouse J., Muir C., Shanmugaratnam K., Powell J.; Vol. 5-1987, eds. Muir C., Waterhouse J., Mack T., Powell J., Whelan S.; Vol. 6-1992, eds. Parkin DM., Muir C., Whelan S., Gao Y., Ferlay J., Powell J.; Vol. 7-1997, eds. Parkin DM., Whelan S., Ferlay J., Raymond L., Young J.). Podatki o incidenci in umrljivosti za rakom za leta 1983-94 so vključeni tudi v podatkovno bazo *Mreže evropskih registrov raka EUROCIM*, ki jo vzdržujeta Evropska komisija programa *Evropa proti raku* in Mednarodna agencija za raziskovanje raka.

V letu 1993 smo prešli na s programom *Oracle* podprto računalniško obdelavo podatkov na lastnem računalniku *Unix*, *SiliconGraphics IRIS4D/310S*. Zbrane podatke tako lažje obdelujemo še podrobneje v skladu s trenutno perečo problematiko v Sloveniji, našim raziskovalnim programom in željami naših uporabnikov. Ti podatki so objavljeni v domačem in tujem strokovnem tisku ter po potrebi tudi v dnevnikih časopisih. V letu 1991 je izredno veliko število uporabnikov zanimalo pojavljanje raka na območju posameznih občin. Ker je za tovrstno analizo v enem letu v Sloveniji premalo primerov, smo leta 1992 izdali še posebno publikacijo za desetletno obdobje, ***Zemljevidi incidence raka v Sloveniji, 1978-1987***. Leta 1995 je izšla s slovensko-angleškim besedilom knjiga ***Preživetje bolnikov z rakom v Sloveniji 1963-1990***. Barvne slike in tabele s podatki o pričakovanem, opazovanem in relativnem preživetju bolnikov z rakom v šestih časovnih obdobjih spremljajo komentarji klinikov-onkologov. Izsledki študije ***Napoved incidence raka v Sloveniji do leta 2009*** so v poljudni obliki objavljeni v časopisu *Onkologija* (1998; 2 (2)), strokovni članek z opisom metod pa poslan v recenzirano mednarodno onkološko revijo.

GRADIVO IN POJASNILA

Podatke dobivamo iz posebnih Prijavnic rakave bolezni iz vseh bolnišnic in diagnostičnih centrov v Sloveniji. Dopolnjujemo jih še z zdravniškimi poročili o vzroku smrti in s podatki iz obdukcijских zapisnikov, v katerih je navedena diagnoza rak, ter s prijavniciami iz zdravstvenih domov. **Zbiranje podatkov smo zaključili 11. novembra 1998.** Njihovo zanesljivost osvetljujeva dva kazalca: odstotek primerov raka, registriranih samo iz zdravniških poročil o vzroku smrti (tabela 3), in odstotek mikroskopsko (histološko ali citološko) potrjenih primerov (tabela 7).

Incidenca pomeni število vseh v enem koledarskem letu na novo ugotovljenih primerov raka. V incidenco ne štejemo novih primarnih rakov parnega organa iste lokacije, če je bila histološka vrsta obeh rakov, npr. leve in desne dojke, enaka. Prav tako v incidenco ne štejemo novega pojava raka iste histološke vrste na istem organu, npr. multiple lezije v debelem črevesu. Tabele prikazujejo podatke o prebivalcih in incidenci raka v Sloveniji v letu 1996 po spolu, starosti, lokaciji, histološki vrsti in stadiju bolezni ob diagnozi ter o incidenci po zdravstvenih regijah in območjih zdravstvenih domov, kot tudi podatke o številu novih primerov raka, ugotovljenih v tem letu po posameznih bolnišnicah. V tabele so vključeni le podatki o bolnikih, ki imajo stalno bivališče na območju Republike Slovenije, ne glede na to, kje so bili zdravljeni.

Slike 1-5 prikazujejo tiste podatke, ki naše uporabnike največkrat zanimajo: število vseh zbolelih in umrlih za rakom v letu 1996, najpogostnejše rakave bolezni po spolu, trende incidence vseh in izbranih rakov po spolu ter petletno preživetje zbolelih v letih 1988-92 za vse in izbrane rake.

Slike 6-13 so nastale ob **60-letnici Onkološkega inštituta**. Kažejo večanje števila vseh vsako leto prvič obravnavanih bolnikov na Onkološkem inštitutu za vse in glavne skupine rakavih bolezni (slike 6 in 7) ter delež bolnikov, poslanih na Onkološki inštitut iz posameznih regij RS (slike 8-13).

V letu 1993 smo uvedli obvezno prijavljanje vseh sprememb materničnega vratu označenih kot CIN III. V tabelah 3-7 tako letos že četrtoč navajamo število vseh primerov, prijavljenih kot CIN III. Mednje so šteti tudi ti, ki so bili označeni kot intraepitelijski in so bili v preteklih letih navedeni v teh tabelah pod šifro 2340. Število vseh primerov CIN III je dvakrat večje od števila primerov, prijavljenih kot intraepitelijski karcinom. Primerjava s podatki za obdobje 1961-92 tako ni možna. Na željo klinikov smo dodali še število vseh prijavljenih intraepitelijskih karcinomov mehurja in vseh malignih melanomov Clark I.

Zanesljivost podatkov za leto 1996, 2 % primerov, registriranih samo s pomočjo zdravniških poročil o vzroku smrti (**tabela 3**), je realen delež rakavih bolnikov, ki v Sloveniji zaradi starosti in/ali napredovale bolezni ni bil preiskovan in zdravljen v bolnišnici.

Lokacije raka smo tako kot v prejšnjem tudi v tem poročilu v **tabeli 4** šifrirali po 8. (tabela 4a) in po 10. (tabela 4b) reviziji *Mednarodne klasifikacije bolezni* (MKB), da bi bralca opozorili na razlike med obema revizijama. Zaradi razlik tudi vsoti tabel 4a in 4b nista enaki. Po 10. reviziji MKB namreč policitemija rubra vera in mieiofibroza nista uvrščeni med rakave bolezni. Število zbolelih otrok je mejah pričakovanega.

V vseh ostalih tabelah so lokacije raka šifrirane po 8. reviziji, da je primerjava s poročili od vključno 1970. leta dalje še možna.

Tabela 5 prikazuje grobo in starostno specifično incidenčno stopnjo na 100.000 prebivalcev ter kumulativno stopnjo na 100. Število vseh novih primerov raka iz leta 1996 je preračunano na število prebivalcev R Slovenije na dan 30. junija tega leta (**tabela 1**). Groba incidenčna stopnja je število novih primerov na 100.000 oseb, starostno specifična stopnja pove to relativno število v posamezni petletni starostni skupini. Kumulativna stopnja do 74. leta pa pove, kolikšna je glede na podatke za leto 1996 verjetnost pri novorojenčku, da bo zbolel do vključno 74. leta starosti. Pomembna je pri primerjanju populacij z različno starostno strukturo. Day jo opredeljuje kot direktno, na dejansko populacijo posamezne petletne starostne skupine standardizirano incidenco (*Cancer Incidence in Five Continents*, Vol. 5, 1987: 787-789). Izračunamo jo kot petkratno vsoto starostno specifičnih incidenc na 100 prebivalcev posameznih petletnih starostnih skupin. Kumulativna incidenca 6/100 za raka dojk pri ženskah pomeni npr., da bo 6 % novorojenk do 75. leta starosti verjetno zbolelo za rakom dojk. Razred velikosti kumulativnih incidenčnih stopenj na 100 prebivalcev je drugačen kot pri grobih incidenčnih stopenjah na 100.000 prebivalcev. Primerjava oblike krivulj na **sliki 2** pa nam kaže, da lahko staranju našega prebivalstva pripišemo naraščanje raka predvsem pri ženskah, medtem ko pri moških očitno k temu prispevajo še drugi dejavniki tveganja.

Na različno starostno strukturo območij zdravstvenih regij moramo pomisliti tudi pri uporabi in razlagi podatkov **tabele 6**. Njen namen je prikazati število novozbolelih za operativne namene načrtovanja zmogljivosti

in sredstev zdravstvenega varstva na območjih zdravstvenih regij. Tako v tej tabeli prikazujemo tudi podatke o številu novih primerov CIN III. Za druge namene, predvsem za iskanje vzrokov takšnega ali drugačnega pojavljanja raka, je treba podatke najprej starostno standardizirati. Kako vpliva različna starostna struktura na incidenčne stopnje, je razvidno iz že omenjene knjige *Zemljevidi incidence raka v Sloveniji*, ki prikazuje tako grobe kot kumulativne incidenčne stopnje za vse in najpogostejše rake po območjih bivših občin.

Število vseh mikroskopsko, to je histološko ali citološko potrjenih novih primerov raka je navedeno v **tabelah 7 in 8**. V tabeli 8 so ločeno navedeni primeri, ki so histološko potrjeni, in tisti, ki so potrjeni samo citološko (ti primeri so navedeni v oklepaju). Vsota vseh je enaka številu vseh mikroskopsko potrjenih primerov, navedenemu v tabeli 7. Histološke vrste v tabeli 8 so šifrirane po 2. reviziji šifranta ICD-O (WHO, 1991). Združili smo jih v smiselne skupine za namene tega poročila. To pa ne izključuje individualne obdelave po katerikoli šifri navedenega šifranta ICD-O, npr. izpisa redkih histoloških vrst, kot so Burkittovi limfomi. Iz te tabele lahko razberemo tudi primarne lokacije ekстранodalnih malignih limfomov in njihovo število. Ekстранodalni maligni limfomi so namreč po 8. reviziji MKB dosledno uvrščeni med ustrezne šifre primarne lokacije raka.

Starostno porazdelitev ekстранodalnih in nodalnih lokacij ne-Hodgkinovih malignih limfomov pa kaže še posebej **tabela 9**. Zaradi majhnega števila prikazujemo le absolutna števila.

Klinike in bolnišnice prve prijave rakave bolezni so navedene v **tabeli 10**.

Poenostavljeno opredelitev stadijev ob ugotovitvi bolezni prikazuje **tabela 11**. Opredelitev stadijev solidnih tumorjev sicer praviloma sledi *klasifikaciji TNM*. Poenostavljena opredelitev stadijev upošteva vse preiskovalne metode, vključno operacijo; če bolnik ni bil predhodno zdravljen, pa tudi obdukcijo. V uporabi je zato, ker so podatki o stadiju bolezni po klasifikaciji TNM na prijavnica pogosto pomanjkljivi. Maligni limfomi so opredeljeni po klasifikaciji *Ann-Arbor*. Podobno kot za histološke vrste je možen tudi izpis podatkov po klasifikaciji TNM, v kolikor so bili podatki ustrezno šifrirani na prijavnica oziroma že v popisih bolezni.

Uradni podatki o umrljivosti za rakom so v **tabeli 12**. Tabela je pripravila dr. Jožica Šelb-Šemrl z Inštituta za varovanje zdravja RS. Podatki o prevalenci vseh in najpogostejših rakov so prikazani v **tabeli 13**. Dodali smo jo na željo številnih uporabnikov.

ZAHVALA

Zahvaljujemo se vsem zdravnikom, medicinskim sestram in administrativnemu osebju, ki so nam vestno in redno pošiljali podatke o novozbolelih rakavih bolnikih in njihovi nadaljnji usodi, ter Inštitutu za varovanje zdravja RS in Centralnemu Registru prebivalstva RS za dolgoletno sodelovanje. Prav posebej se zahvaljujemo sodelavkam Bolnišničnega registra Onkološkega inštituta v Ljubljani: Ani Dotzauer, Maruški Ferjančič in Nadi Jamšek, ki so z vodenjem evidence in s skrbnim izpisovanjem in šifriranjem podatkov iz popisov bolezni prispevale vsaj polovico v tem poročilu obdelanih podatkov, ter gospe Olgi Shresta za angleški prevod.

Uredniški odbor

Ljubljana, 11. 11. 1998

INTRODUCTION

The Cancer Registry of Slovenia (Registry) was founded in 1950 at the Institute of Oncology in Ljubljana, on the initiative and under the leadership of Prof. Božena Ravnihar, MD, as a special service for collecting and processing data on cancer incidence and cancer patients' survival. Since then notification of cancer has been compulsory in Slovenia (*Official Gazette of SRS*, No. 10/50, No. 29/50, No. 14/65, No. 1/80, No. 45/82, No. 42/85, and *Official Gazette of RS*, No. 9/92). Detailed definition on this is given in the Regulations on notification and follow-up of cancer patients and other technical aspects of anticancer activities (*Official Gazette of SRS*, No. 4/66).

Cancer incidence in the world varies greatly. The Republic of Slovenia also shows its specific cancer incidence pattern. The collected data serve as a basis for the assessment of cancer burden, for programming and evaluation of primary prevention, detection, diagnosis, treatments, rehabilitation, for planning facilities and funding needed for cancer control, hospital capacities and equipment, as well as for clinical and epidemiological research in Slovenia and in different multicentric international projects.

The existence of a population-based cancer registry is justified only by regular processing and publication of the collected data. The Registry's Annual Reports represent a permanent feed-back information. Because of a variety of data sources and contributors, almost all cancer registries practise at least a two year period delay before publishing.

The first analysis of data for 1950 was published in *Zdravstveni vestnik* in 1951, whereas the first annual reports of the Registry for the period 1951-55 were issued during the years 1953-57. The data for the period 1957-71 appeared in periodicals edited by World Health Organization - *Epidemiological and Vital Statistics Report*, Vol. 14, No. 11, 1961; Vol. 16, No. 12, 1963; Vol. 17, No. 12, 1964; Vol. 19, No. 12, 1966; Vol. 20, No. 12, 1967), as well as in *World Health Statistics Report* (Vol. 23, No. 3, 1970; Vol. 24, No. 2, 1971; Vol. 25, Nos. 4, 5, 1972; Vol. 26, No. 8, 1973; Vol. 27, Nos. 6, 7, 1974). The data from 1965 on have again appeared regularly in special annual reports, first entitled *Cancer in Slovenia* (1965-77), and afterwards *Cancer Incidence in Slovenia* (1978-95); the publication appears in Slovene and English. Our constant endeavours are directed into further improvement of these publications, taking into account the requests and comments of the users. The editorial board consisting of experts - oncologists of different specialities (i.e. clinicians, epidemiologists and a pathologist) proves to be very helpful.

Our Registry is one of the oldest services of this type in Europe. Before 1950, population-based cancer registries existed only in Hamburg (Germany), Denmark, Great Britain, Belgium and in the former Soviet Union. Therefore, our data on cancer incidence are interesting for a wide circle of professionals abroad. In 1957, the first comprehensive report in English for the period 1950-55 entitled *Cancer in Slovenia* was issued (B. Ravnihar, A. Valentin, T. Božič, J. Doič, D. Pečirer). The data for periods 1956-60, 1961-65, 1968-72, 1973-76, 1978-81, 1982-87 and 1988-92 were reported in all seven volumes of the publication *Cancer Incidence in Five Continents* issued by UICC, Geneva (Vol. 1, 1966, eds. Doll R., Payne P., Waterhouse J.; Vol. 2, 1970, eds. Doll R., Muir C., Waterhouse J.), and IARC, Lyon (Vol. 3, 1976, eds. Waterhouse J., Muir C., Correa C., Powell J.; Vol. 4, 1982, eds. Waterhouse J., Muir C., Shanmugaratnam K., Powell J.; Vol. 5, 1987, eds. Muir C., Waterhouse J., Mack T., Powell J., Whelan S.; Vol. 6, 1992, eds. Parkin D.M., Muir C., Whelan S., Gao Y., Ferlay J., Powell J.; Vol. 7-97, eds. Parkin D.M., Whelan S., Ferlay J., Raymond L., Young J.). The data on cancer incidence and mortality for the years 1983-94 are also included in EUROCIM, the data base of the Network of European cancer registries, maintained by the European Commission of Europe Against Cancer program, and IARC (International Agency for Research on Cancer).

In 1993 we started to perform computer data analyses with the Oracle relational data base support on our own Unix - Silicon Graphics IRIS4D/310S server. This facilitates detailed analyses of the collected data, in accordance with the current problems in Slovenia, as well as with respect to our research program and individual needs of our users. These data are published in the national and foreign medical literature and in the daily print, when necessary. In 1992, a special publication covering a ten-year period, *Atlas of Cancer Incidence in Slovenia, 1978-1987* was published. In 1995, a book entitled *Cancer patients survival in Slovenia, 1963-1990* with Slovene-English text was published. The color pictures and tables presenting the data on expected, observed and

relative survival of cancer patients in 6 time periods are explained by clinicians-oncologists' comments. The results of the study **Prediction of Cancer Incidence in Slovenia till 2009** were submitted for publication in a peer reviewed international journal.

MATERIAL AND COMMENTS

The main sources of data are notifications gathered from all hospitals and diagnostic centers in Slovenia. This information is completed by death certificates and autopsy protocols stating cancer diagnosis, and by notifications from regional health centres. **Data collecting was completed on 11 November 1998.** The reliability of information can be assessed by two parameters: 1) the percentage of cancer cases registered solely on the basis of death certificates (Table 3), and 2) by the percentage of microscopically (histologically or cytologically) confirmed cases (Table 7).

Incidence represents the number of newly diagnosed cancer cases reported to the Registry in a given calendar year. New primary cancers of the same histology in paired organs were not comprised in the incidence figures, neither were any new cancers of the same histology appearing in the same organ, e.g. multiple lesions of the colon. In tables, data on population and on cancer incidence in Slovenia in 1996 by sex, age, site, histologic type, stage at diagnosis, as well as by health regions and health centre districts are presented along with data on the number of new cancer cases diagnosed in the same year in individual hospitals. Only the data on patients with permanent residence in Slovenia, regardless of the place of treatment, have been included.

Figures 1-5 present the data our readers are most frequently interested in: the number of new, deceased and prevalent cancer patients in 1996, the most frequent cancer sites by sex, the incidence trends for all and selected sites by sex, as well as 5-year relative survival rates for selected cancer sites for patients diagnosed in 1988-92.

Figures 6-13 were made on the **60th anniversary of the Institute of Oncology.** The number of first admissions to the Institute of Oncology for all and major cancer groups are presented (Figs. 6 and 7) along with the percentage of patients referred to the Institute from individual regions of R Slovenia (Figs. 8-13).

In 1993, compulsory registration of all cervical intraepithelial displasias classified as CIN III was introduced. Thus, in the present report for the fourth time the number of all CIN III cases reported is given in Tables 3-7. CIN III include also the types classified as intraepithelial cancers, previously listed in these tables under the code 2340. The number of all CIN III cases is twofold that of the cases reported as intraepithelial carcinomas. Therefore, any comparison with the data for the period 1961-92 is not possible. Since last year the number of all reported intraepithelial carcinomas of the bladder and all malignant melanomas Clark I has been added on clinician's request.

The reliability of the data for 1996 is reflected in 2% of cases registered only on the basis of death certificates (**Table 3**), which represent the actual rate of cancer patients in Slovenia who failed to be diagnosed or treated at hospital due to their old age and/or advanced disease.

As in the last report in **Table 4** cancer sites were coded according to the 8th (Table 4a) and the 10th (Table 4b) revision of the *International Classification of Disease (ICD)* in order to point out differences between the two revisions. Due to the differences also the totals in Tables 4a and 4b are not equal. Namely, according to the 10th revision of ICD, polycythemia rubra vera and myelofibrosis are not classified among cancer diseases. The number of childhood cancers has been within the limits of values expected.

In all other tables cancer sites were coded according to the 8th revision in order to render the comparison with reports from incl. 1970 on feasible.

Crude and age-specific incidence per 100 000 population is presented in **Table 5** together with cumulative rate per 100. The number of all new cancer cases registered in 1996 has been calculated per Slovenian population census on 30 June, 1996 (**Table 1**). Crude incidence rate represents the number of new cases per 100.000 population, while the age specific rate expresses this relative number in an individual 5-year age group. Thus cumulative rate (0 to 74 years) expresses a newborn's risk of developing cancer by his completed 74th year of age. It is important in comparing populations with different age structure. Day defines it as direct incidence, standardized to the actual population of an individual five-year group (*Cancer Incidence in Five Continents*, Vol. 5, 1987: 787-789). Cumulative incidence represents five times the sum of the age-specific incidence rates in 5-year age groups. Thus, the cumulative incidence of 6 / 100 for breast cancer in females means that e.g. 6 % of

female newborns are expected to develop breast cancer till their 75th year of age. The cumulative incidence figures per 100 inhabitants differ from those of crude incidence per 100 000 population. The comparison of the curves on **Figure 2** indicates that the increasing cancer incidence rate in females can be attributed to the aging of population, whereas in males obviously additional risk factors should be considered as well.

When using and interpreting the data in **Table 6**, different age structure in regional health centre districts should be taken into account. It is intended to present the number of newly diagnosed cancers, as needed for planning of facilities and funding of health care in the regions and health centre districts. Therefore, in this table the data on all new CIN III cases by health centres are presented. When used for other purposes, particularly for the search of possible risk factors of different cancers, the data require previous age standardization. The influence of different age structures on the incidence rates is evident also from maps drawn in the mentioned *Atlas of Cancer Incidence in Slovenia, 1978-1987*, presenting crude as well as cumulative incidence rates for all and most frequent cancers by communes.

All microscopically, i.e. cytologically and histologically confirmed new cancer cases are presented in **Tables 7 and 8**. In **Table 8** histologically verified cases are presented separate from those confirmed cytologically (the latter are given in brackets). The total amounts to the number of all microscopically confirmed cases given in **Table 7**. Histological types in **Table 8** are coded according to the 2nd revision of ICD-O (WHO, 1991). For the purpose of this report, they have been joined to form sensible groups. This, however, does not exclude individual processing by any ICD-O code, e.g. outprint of rare histologic types such as Burkitt lymphomas. The table also provides information on primary sites of extranodal malignant lymphomas and their number, as the extranodal malignant lymphomas are strictly categorized among primary sites by corresponding codes in the 8th revision of ICD.

Age distribution of extranodal and nodal sites of non-Hodgkin malignant lymphomas is presented in **Table 9**. Owing to a small number of extranodal sites only the absolute numbers are given.

In **Table 10** university and general hospitals of first admission of cancer patients are cited.

A simplified definition of stages at diagnosis is presented in **Table 11**. Otherwise, solid tumor stage is classified according to *TNM Classification System*. In the simplified stage determination all investigation methods, incl. surgery, are considered. In the case that the patient has not been treated previously, autopsy report is considered as well. Malignant lymphomas are classified according to *Ann-Arbor System*. Similarly as for the histologic type, outprint of data by TNM classification is possible as well, provided that the data were coded correctly in patient records as well as on notification forms.

Official data on cancer mortality are given in **Table 12**. The table has been prepared by Dr. Jožica Šelb-Šemrl from the Institute of Public Health of the Republic of Slovenia. Data on prevalence of all and most frequent cancers are presented in **Table 13**. Both tables have been added on request of numerous users.

ACKNOWLEDGMENT

We thank the physicians, nurses and administrative staff who have provided the data on new cancer patients and their further history as well as the Institute of Public Health of the Republic of Slovenia and the Population Registry of the Republic of Slovenia for their longstanding collaboration. We owe special thanks to the co-workers at the Hospital Registry of the Institute of Oncology: Mrs. Ana Dotzauer, Maruška Ferjančič, and Nada Jamšek, whose accurate evidence keeping, registration and coding of data from patients records have contributed at least a half of the information presented in this report. We also thank Mrs. Olga Shrestha for translation and language proof-reading.

Editors

Ljubljana, November 11, 1998


Slika 1. Breme raka - Slovenija 1996

Figure 1. Cancer burden - Slovenia 1996

	<i>Skupaj</i> <i>Total</i>	<i>Moški</i> <i>Male</i>	<i>Ženske</i> <i>Female</i>
Incidenca Incidence	7 412	3 676	3 736
Umrljivost Mortality	4 548	2 527	2 021
Prevalenca Prevalence	40 019	14 813	25 206


Slika 2. Najpogostejše rakave bolezni po spolu - Slovenija 1996

Figure 2. The leading cancer sites by sex - Slovenia 1996




Slika 3. Groba in kumulativna letna incidenca vseh rakavih bolezni po spolu - Slovenija 1950-96

Figure 3. Crude and cumulative annual cancer incidence; all sites by sex - Slovenia 1950-96



Slika 4. Groba letna incidenca izbranih rakov po spolu - Slovenija 1950-96

Figure 4. Crude annual cancer incidence by selected primary sites and sex - Slovenia 1950-96




Slika 5. Relativno 5-letno preživetje bolnikov za izbrane rake glede na stadij bolezni - Slovenija 1988-92

Figure 5. Relative 5-year survival of patients with selected cancer sites by stage - Slovenia 1973-92

	<i>O m e j e n i s t a d i j</i> <i>Relativno 95-odstotni</i> <i>preživetje interval zaupanja</i>		<i>V s i s t a d i j i</i> <i>Relativno 95-odstotni</i> <i>preživetje interval zaupanja</i>	
	<i>L o c a l i z e d s t a g e</i> <i>Relative survival</i> <i>(%)</i>		<i>A l l s t a g e s</i> <i>Relative survival</i> <i>(%)</i>	
Akutna limfatična levkemija, otroci Acute lymphatic leukemia, children	-	-	65.7	53.5-77.9
Modo Testis	95.7	90.5-100.8	89.7	85.3-94.2
Hodgkinova bolezen Hodgkin's disease	95.7	85.7-105.7	83.0	76.8-89.2
Dojka Breast	87.0	84.5-89.5	67.6	65.7-69.5
Debelo črevo Colon	62.4	53.9-70.9	37.3	34.5-40.1
Danka Rectum	57.7	50.3-65.1	34.7	32.0-37.4
Želodec Stomach	50.4	45.0-55.8	19.3	17.4-21.2
Pljuča Lung	23.6	20.7-26.5	9.6	8.6-10.6

Slika 6. Število bolnikov z rakom, prvič obravnavanih na Onkološkem inštitutu, 1939-97


Figure 6. Number of cancer patients first admitted to the Institute of Oncology, 1939-97



* preliminarni podatki

Slika 7. Število bolnikov, prvič obravnavanih na Onkološkem inštitutu, po skupinah rakavih bolezni, 1986-96


Figure 7. Number of patients first admitted to the Institute of Oncology - by cancer site groups, 1986-96



◆ prebavila - digestive organs □ dojka - breast △ pljuča - lung
 × rodila - female genital organs * glava, vrat - head&neck ● mal. limfomi - mal. lymphomas
 ◇ koža - skin ■ melanom - melanoma ▲ sečila - bladder&kidney
 ■ modo - testis


Slika 8. Število vseh novih bolnikov z rakom v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996

Figure 8. Number of all new cancer patients in Slovenia and number of patients referred to the Institute of Oncology by regions, 1996




Slika 9. Število vseh novih bolnikov z rakom dojk v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996

Figure 9. Number of all new breast cancer patients in Slovenia and number of patients referred to the Institute of Oncology by regions, 1996




Slika 10. Število vseh novih bolnikov z rakom želodca v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996

Figure 10. Number of all new stomach cancer patients in Slovenia and number of patients referred to the Institute of Oncology by regions, 1996




Slika 11. Število vseh novih bolnikov z rakom debelega črevesa v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996

Figure 11. Number of all new colon cancer patients in Slovenia and number of patients referred to the Institute of Oncology, 1996



Slika 12. Število vseh novih bolnikov z rakom danke v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996

Figure 12. Number of all new rectal cancer patients in Slovenia and number of patients referred to the Institute of Oncology, 1996



Slika 13. Število vseh novih bolnikov s pljučnim rakom v Sloveniji in število poslanih na Onkološki inštitut po regijah, 1996

Figure 13. Number of all new lung cancer patients in Slovenia and number of patients referred to the Institute of Oncology, 1996




Tabela 1. Prebivalstvo Slovenije po starosti in spolu na dan 30. 6. 1996***Table 1. Population of Slovenia by age and sex on June 30th, 1996***

<i>Starost</i> <i>Age</i>	<i>Skupaj</i> <i>Total</i>	<i>Moški</i> <i>Males</i>	<i>Ženske</i> <i>Females</i>
0 - 4	97 467	50 092	47 375
5 - 9	119 213	61 084	58 129
10 - 14	133 997	68 549	65 448
15 - 19	150 288	77 306	72 982
20 - 24	145 798	74 388	71 410
25 - 29	142 226	71 108	71 118
30 - 34	152 891	76 106	76 785
35 - 39	153 533	76 994	76 539
40 - 44	161 422	82 462	78 960
45 - 49	144 948	73 874	71 074
50 - 54	111 566	55 537	56 029
55 - 59	111 436	54 492	56 944
60 - 64	105 534	48 415	57 119
65 - 69	94 733	39 728	55 005
70 - 74	71 702	24 382	47 320
75 - 79	36 064	11 716	24 348
80 in več and over	49 447	14 263	35 184
Vse starosti Total	1 982 265	960 496	1 021 769

* Vir: Centralni register prebivalstva pri Statističnem uradu Republike Slovenije
 Source: Population Registry at the Statistical Office of the Republic of Slovenia

Tabela 2. Prebivalstvo Slovenije po zdravstvenih regijah po spolu na dan 30. junija 1996*

Table 2. Population of Slovenia by health regions by sex on June 30th, 1996*

<i>Zdravstvena regija</i> <i>Health region</i>	<i>Skupaj</i> <i>Total</i>	<i>Moški</i> <i>Males</i>	<i>Ženske</i> <i>Females</i>
Celje	240 866	116 988	123 878
Gorica	102 296	49 793	52 503
Koper	135 346	66 130	69 216
Kranj	195 040	94 429	100 611
Ljubljana	587 588	280 934	306 654
Ljubljanske občine	321 405	151 146	170 259
Maribor	324 487	157 578	166 909
Mariborske občine	185 704	89 394	96 310
Murska Sobota	129 138	62 762	66 376
Novo mesto	133 468	65 534	67 934
Ravne	134 036	66 348	67 688
R Slovenija skupaj Total	1 982 265	960 496	1 021 769

* Vir: Centralni register prebivalstva pri Statističnem uradu Republike Slovenije
Source: Population Registry at the Statistical Office of the Republic of Slovenia

Tabela 3. Število novih primerov raka ter število in odstotek primerov, registriranih samo iz zdravniških poročil o vzroku smrti, po lokaciji in spolu - Slovenija 1996

Table 3. Total number of new cancer cases and number and percentage of cases registered from death certificates only, by site and sex - Slovenia 1996

<i>Šifra MKB*</i>	<i>Primarna lokacija</i>	<i>Spol</i>	<i>Število novih primerov</i>	<i>Registrirani samo iz zdravniških poročil o vzroku smrti</i>	
<i>ICD* No.</i>	<i>Primary site</i>	<i>Sex</i>	<i>Number of new cases</i>	<i>Registered from death certificates only</i>	<i>Odstotek**</i>
				<i>Number</i>	<i>Per cent**</i>
140	Vse lokacije	Skupaj	7 412	158	2
-	All sites	Total			
209		Moški	3 676	79	2
		Male			
		Ženske	3 736	79	2
		Female			
140	Ustnica	M	15	-	-
	Lip	Ž	4	-	-
141	Jezik	M	37	1	3
	Tongue	Ž	11	1	
142	Slinavke	M	9	-	-
	Salivary glands	Ž	9	-	-
143	Dlesni	M	4	-	-
	Gum	Ž	2	-	-
144	Ustno dno	M	26	-	-
	Floor of mouth	Ž	9	-	-
145	Usta, drugo	M	30	-	-
	Mouth, other parts	Ž	3	-	-
146	Orofarinks	M	82	-	-
	Oropharynx	Ž	9	-	-
147	Epifarinks	M	14	-	-
	Epipharynx	Ž	5	-	-
148	Hipofarinks	M	50	1	2
	Hypopharynx	Ž	2	-	-
149	Žrelo, neoznačeno	M	1	-	-
	Pharynx, not specified	Ž	-	-	-
150	Požiralnik	M	84	4	5
	Esophagus	Ž	11	1	
151	Želodec	M	284	10	4
	Stomach	Ž	195	9	5
152	Tanko črevo	M	9	-	-
	Small intestine	Ž	6	-	-

cont. ↓

Tabela 3. Nadaljevanje - continued

<i>Šifra MKB*</i>	<i>Primarna lokacija</i>	<i>Spol</i>	<i>Število novih primerov</i>	<i>Registrirani samo iz zdrav- niških poročil o vzroku smrti</i>	
<i>ICD* No.</i>	<i>Primary site</i>	<i>Sex</i>	<i>Number of new cases</i>	<i>Število Registered from death certificates only Number</i>	<i>Odstotek** Per cent**</i>
153	Debelo črevo	M	258	5	2
	Colon	Ž	240	4	2
154	Rektum	M	218	1	-
	Rectum, anus	Ž	181	8	4
155	Jetra	M	40	-	-
	Liver	Ž	30	-	-
156	Žolčnik, žolčni vodi	M	33	4	12
	Gall bladder, bile ducts	Ž	69	2	3
157	Trebušna slinavka	M	81	4	5
	Pancreas	Ž	114	5	4
158	Retro-, peritonej	M	9	-	-
	Retro-, peritoneum	Ž	9	1	-
159	Prebavila, drugo	M	3	-	-
	Digestive organs, other	Ž	1	-	-
160	Nos, obnosne votline, drugo	M	13	-	-
	Nose, sinuses, etc.	Ž	10	-	-
161	Grlo	M	90	1	1
	Larynx	Ž	10	-	-
162	Sapnik, sapnica, pljuča	M	788	17	2
	Trachea, bronchus, lung	Ž	170	8	5
163	Plevra, mediastin., drugo	M	9	-	-
	Pleura, mediastinum, etc.	Ž	3	-	-
170	Kosti	M	4	-	-
	Bone	Ž	5	-	-
171	Mehka tkiva	M	15	-	-
	Soft tissues	Ž	20	-	-
172	Koža, maligni melanom	M	80	1	1
	Skin, malignant melanoma	Ž	101	3	3
173	Koža, drugi malignomi	M	354	-	-
	Skin, other malignancies	Ž	394	1	-
174	Dojka	M	5	-	-
	Breast	Ž	840	6	1
180	Maternica, vrat	Ž	211	-	-
	Uterus, cervix				
181	Horioepiteliom	Ž	-	-	-
	Chorioepithelioma				

cont. ↓

Tabela 3. Nadaljevanje - continued

<i>Šifra MKB*</i>	<i>Primarna lokacija</i>	<i>Spol</i>	<i>Število novih primerov</i>	<i>Registrirani samo iz zdravniških poročil o vzroku smrti</i>	
<i>ICD* No.</i>	<i>Primary site</i>	<i>Sex</i>	<i>Number of new cases</i>	<i>Število</i> <i>Registered from death certificates only</i> <i>Number</i>	<i>Odstotek**</i> <i>Per cent**</i>
182	Maternica, telo, drugo Uterus, corpus, etc.	Ž	262	3	1
183	Jajčnik, jajcevod, drugo Ovary, Fallopian tube, etc.	Ž	178	-	-
184	Nožnica, vulva, drugo Vagina, vulva, etc.	Ž	42	1	2
185	Prostata Prostate	M	305	14	5
186	Modo Testis	M	75	-	-
187	Penis, obmodek, drugo Penis, epididymis, etc.	M	8	-	-
188	Mehur Bladder	M Ž	124 52	4 3	3 6
189	Ledvica, sečevod, drugo Kidney, ureter, etc.	M Ž	108 75	2 4	2 5
190	Oko Eye	M Ž	7 7	- -	- -
191	Možgani Brain	M Ž	56 50	- 2	- 4
192	Živčevje, drugo Nervous system, other	M Ž	4 10	- -	- -
193	Ščitnica Thyroid	M Ž	16 47	- -	- -
194	Endokrine žleze, druge Endocrine glands, other	M Ž	6 4	- -	- -
195	Slabo opredeljena lokaliz. Ill-defined site	M Ž	7 23	- -	- -
196	Metastaze v bezgavkah Lymph node metastases	M Ž	17 17	- -	- -
197	Met. v dihalih, prebavilih Respiratory, digestive tract met.	M Ž	74 73	6 3	8 4
198	Metastaze, drugje Metastases, other	M Ž	28 19	- -	- -
199	Malignomi, neopredeljeni Malignancies, unspecified	M Ž	43 43	3 8	7 19

cont. ↓

Tabela 3. Nadaljevanje - continued

Šifra MKB*	Primarna lokacija	Spol	Število novih primerov	Registrirani samo iz zdrav- niških poročil o vzroku smrti	
				Število	Odstotek**
ICD* No.	Primary site	Sex	Number of new cases	Registered from death certificates only Number	Per cent**
200	Ne-Hodgkinovi limfomi	M	43	1	2
202	Non-Hodgkin's lymphomas	Ž	55	1	2
201	Hodgkinov limfom	M	19	-	-
	Hodgkin's disease	Ž	19	-	-
203	Plazmacitom	M	19	-	-
	Plasmacytoma	Ž	29	3	10
204.0	Levkemija, limfat., akutna	M	6	-	-
	Leukaemia, lymphatic acute	Ž	8	-	-
204.1	Levkemija, limfat., kronična	M	24	-	-
	Leukaemia, lymphatic chronic	Ž	20	-	-
205	Levkemija, mieloična	M	30	-	-
	Leukaemia, myeloid	Ž	24	1	4
206	Levkemija, monocitna	M	1	-	-
	Leukaemia, monocytic	Ž	-	-	-
207	Levkemije, druge	M	4	-	-
	Leukaemias, other	Ž	1	-	-
208	Policitemija, prava	M	6	-	-
	Polycythemia vera	Ž	2	1	-
209	Mielofibroza	M	1	-	-
	Myelofibrosis	Ž	2	-	-
Zgoraj neupoštevani					
Not included above					
-	Dojka, in situ	Ž	17	-	-
	Breast, in situ				
-	Maternica, vrat, CIN III	Ž	664	-	-
	Uterus, cervix, CIN III				
-	Maligni melanom, in situ	M	2	-	-
	Malignant melanoma, in situ	Ž	13	-	-
-	Mehur, in situ	M	42	-	-
	Urinary bladder, in situ	Ž	14	-	-
2250	Možgani, benigni tumor	M	19	-	-
2252	Brain, benign tumor	Ž	32	-	-
2381	Možgani, neopredeljeno	M	8	1	-
	Brain, unspecified	Ž	11	2	-

* Mednarodna klasifikacija bolezni, osma revizija, 1965
International Classification of Diseases, Eighth Revision, 1965

** Odstotki niso računani pri številih pod 15
Percentages are not calculated for less than 15 cases

*** Vse spremembe CIN III, vključno šifra 2340 (in situ)
All CIN III changes including 2340 (in situ)

Tabela 4a. Število novih primerov raka po lokaciji (MKB-8), spolu in starosti - Slovenija 1996

Table 4a. Number of new cancer cases by site (ICD-8), sex, and age - Slovenia 1996

Šifra Lokacija MKB		Spol	Vse starosti	Starost																		
ICD Site No.		Sex	All ages	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?	
				Age																		
140	Vse lokacije	Skupaj																				
209	All sites	Total	7 412	18	9	21	24	38	47	125	171	300	454	530	702	1021	1251	1087	632	982	-	
		Moški Male	3 676	7	6	7	16	23	28	46	57	114	196	276	402	605	684	526	282	401	-	
		Ženske Female	3 736	11	3	14	8	15	19	79	114	186	258	254	300	416	567	561	350	581	-	
140	Ustnica	M	15	-	-	-	-	-	-	-	-	1	1	-	1	4	2	1	1	4	-	
	Lip	Ž	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	
141	Jezik	M	37	-	-	-	-	-	-	-	2	-	2	8	8	6	6	2	3	-	-	
	Tongue	Ž	11	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	-	2	-	
142	Slinavke	M	9	-	-	-	-	-	-	-	-	-	2	-	-	3	2	1	-	1	-	
	Salivary glands	Ž	9	-	-	-	-	-	-	-	1	1	1	-	2	2	-	-	-	2	-	
143	Dlesni	M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	
	Gum	Ž	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
144	Ustno dno	M	26	-	-	-	-	-	-	-	-	1	3	4	2	11	2	1	2	-	-	
	Floor of mouth	Ž	9	-	-	-	-	-	-	-	1	-	1	1	-	1	3	-	-	2	-	
145	Usta, drugo	M	30	-	-	-	-	-	-	-	2	7	2	5	4	5	2	2	1	-	-	
	Mouth, other parts	Ž	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	
146	Orofarinks	M	82	-	-	-	-	-	-	-	1	4	13	11	21	15	11	5	1	-	-	
	Oropharynx	Ž	9	-	-	-	-	-	-	-	1	2	-	1	1	-	1	-	1	2	-	
147	Epifarinks	M	14	-	-	1	-	-	1	-	-	1	1	2	1	2	1	3	-	1	-	
	Epipharynx	Ž	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	
148	Hipofarinks	M	50	-	-	-	-	-	-	-	-	4	7	10	11	8	7	2	1	-	-	
	Hypopharynx	Ž	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
149	Žrelo, neoznačeno	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
	Pharynx, not specified	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
150	Požiralnik	M	84	-	-	-	-	-	-	-	1	2	4	8	20	15	18	7	3	6	-	
	Esophagus	Ž	11	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	3	-	
151	Želodec	M	284	-	-	-	-	-	-	1	3	7	13	16	25	43	52	45	29	50	-	
	Stomach	Ž	195	-	-	-	-	-	-	4	11	5	7	14	12	13	32	33	18	46	-	
152	Tanko črevo	M	9	-	-	-	-	-	-	-	-	-	-	1	3	2	1	1	-	1	-	
	Small intestine	Ž	6	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	2	-	
153	Debelo črevo	M	258	-	-	-	-	-	-	-	3	5	12	17	30	41	53	35	23	39	-	
	Colon	Ž	240	-	-	-	-	-	-	1	2	3	10	13	12	26	39	41	30	63	-	
154	Rektum	M	218	-	-	-	-	-	1	-	2	3	9	11	30	37	48	36	21	20	-	
	Rectum, anus	Ž	181	-	-	-	-	-	-	1	4	5	5	13	11	25	31	30	21	35	-	
cont ↓																						

cont. ↓

Tabela 4a. Nadaljevanje - continued

Šifra L o k a c i j a MKB		Spol	Vse starosti	S t a r o s t																	
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?
ICD	S i t e	Sex	All ages	A g e																	
No.																					
155	Jetra	M	40	-	-	-	-	-	-	-	-	-	-	5	5	11	7	7	2	3	-
	Liver	Ž	30	-	-	-	-	-	-	-	-	1	1	3	1	2	12	6	1	3	-
156	Žolčnik, žolčni vodi	M	33	-	-	-	-	-	-	-	1	-	1	4	-	7	7	4	4	5	-
	Gall bladder, bile ducts	Ž	69	-	-	-	-	-	-	1	-	-	1	2	6	8	14	12	8	17	-
157	Trebušna slinavka	M	81	-	-	-	-	-	-	1	2	1	5	3	10	13	18	13	8	7	-
	Pancreas	Ž	114	-	-	-	-	-	-	1	-	1	2	5	6	10	15	24	16	34	-
158	Retro-, peritonej	M	9	-	-	-	1	1	1	1	-	1	-	-	-	1	2	1	-	-	-
	Retro-, peritoneum	Ž	9	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	1	-
159	Prebavila, drugo	M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	Digestive organs, other	Ž	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
160	Nos, obnosne votl., drugo	M	13	-	-	-	-	-	-	1	1	-	3	-	1	4	2	-	-	1	-
	Nose, sinuses, etc.	Ž	10	-	-	1	-	-	-	-	-	2	-	-	-	1	3	-	-	3	-
161	Grlo	M	90	-	-	-	-	-	-	1	-	7	8	7	15	20	17	6	2	7	-
	Larynx	Ž	10	-	-	-	-	-	-	-	1	1	-	1	-	2	2	3	-	-	-
162	Sapnik, sapnica, pljuča	M	788	-	-	-	-	-	-	-	7	14	50	72	89	164	164	129	46	53	-
	Trachea, bronchus, lung	Ž	170	-	-	-	-	-	-	-	1	4	9	18	14	20	30	36	18	20	-
163	Plevra, mediastin., drugo	M	9	-	-	-	-	-	-	-	-	1	-	-	1	1	5	1	-	-	-
	Pleura, mediastinum, etc.	Ž	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
170	Kosti	M	4	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Bone	Ž	5	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
171	Mehka tkiva	M	15	-	-	-	1	-	-	-	1	3	-	3	-	2	2	2	1	-	-
	Soft tissues	Ž	20	-	-	2	1	-	-	1	2	5	1	1	-	-	2	2	1	2	-
172	Koža, maligni melanom	M	80	-	-	-	1	2	1	5	4	9	8	9	7	12	5	9	4	4	-
	Skin, malignant melanoma	Ž	101	-	-	-	1	1	2	3	7	6	13	10	5	11	11	12	7	12	-
173	Koža, drugi malignomi	M	354	-	-	-	1	-	3	3	5	6	23	25	41	43	63	52	30	59	-
	Skin, other malignancies	Ž	394	-	-	-	-	-	-	4	3	11	16	18	17	45	40	80	51	109	-
174	Dojka	M	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-
	Breast	Ž	840	-	-	-	-	3	2	17	30	63	91	70	94	100	124	113	59	74	-
180	Maternica, vrat	Ž	211	-	-	-	-	1	5	26	27	32	25	19	15	17	15	11	7	11	-
	Uterus, cervix																				
181	Horioepiteliom	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Chorioepithelioma																				
182	Maternica, telo, drugo	Ž	262	-	-	-	-	-	-	1	2	9	23	24	26	49	51	33	25	19	-
	Uterus, corpus, etc.																				
183	Jajčnik, jajcevod, drugo	Ž	178	-	-	2	1	-	3	3	1	13	21	13	22	26	31	17	13	12	-
	Ovary, Fallopian tube, etc.																				
184	Nožnica, vulva, drugo	Ž	42	-	-	-	-	-	-	-	2	2	1	-	4	2	6	6	8	11	-
	Vagina, vulva, etc.																				

cont. ↓

Tabela 4a. Nadaljevanje - continued

Šifra MKB	L o k a c i j a Site	Spol Sex	Vse starosti All ages	S t a r o s t A g e																		
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?	
185	Prostata Prostate	M	305	-	-	-	-	-	-	-	1	1	1	9	14	38	67	70	40	64	-	
186	Modo Testis	M	75	-	-	1	2	10	13	23	10	7	2	3	1	2	-	1	-	-	-	
187	Penis, obmodek, drugo Penis, epididymis, etc.	M	8	1	-	-	-	-	-	-	1	-	-	-	-	1	4	1	-	-	-	
188	Mehur Bladder	M	124	-	-	-	-	-	-	-	-	1	-	4	5	27	26	27	11	23	-	
		Ž	52	-	-	-	-	-	-	-	2	-	1	5	3	3	10	11	5	12	-	
189	Ledvica, sečevod, drugo Kidney, ureter, etc.	M	108	1	-	-	-	-	-	1	-	7	8	10	16	12	25	11	10	7	-	
		Ž	75	1	-	-	-	-	-	3	-	1	2	2	9	8	16	21	3	9	-	
190	Okno Eye	M	7	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	-	-	
		Ž	7	1	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	
191	Možgani Brain	M	56	2	3	1	3	2	4	4	2	3	6	3	9	3	6	2	2	1	-	
		Ž	50	2	-	5	-	-	1	1	2	2	4	3	9	5	9	5	2	-	-	
192	Živčevje, drugo Nervous system, other	M	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	
		Ž	10	2	-	1	-	-	-	-	1	1	-	-	1	1	2	1	-	-	-	
193	Ščitnica Thyroid	M	16	-	-	-	1	1	1	-	-	3	1	1	1	2	2	2	-	1	-	
		Ž	47	-	-	2	1	-	1	4	1	4	4	4	4	3	8	5	3	3	-	
194	Endokrine žleze, druge Endocrine glands, other	M	6	1	-	-	1	-	-	-	-	-	-	-	2	-	1	-	1	-	-	
		Ž	4	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	
195	Slabo opred. lokaliz. Ill-defined site	M	7	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	
		Ž	23	1	-	-	-	-	-	-	-	1	1	1	1	2	4	4	3	5	-	
196	Metastaze v bezgavkah Lymph node metastases	M	17	-	-	-	-	-	-	-	1	3	-	2	1	1	4	3	2	-	-	
		Ž	17	-	-	-	-	-	-	1	1	1	1	-	-	3	3	1	2	4	-	
197	Met. v dihalih, prebavilih Respiratory, digestive tract met.	M	74	-	-	-	-	-	-	1	-	1	1	3	7	8	13	15	10	15	-	
		Ž	73	-	-	-	-	1	-	1	-	1	2	3	4	4	7	12	13	25	-	
198	Metastaze, drugje Metastases, other	M	28	-	-	-	-	-	-	-	-	1	3	2	3	8	6	3	2	-	-	
		Ž	19	-	-	-	-	-	-	-	1	-	1	-	1	-	8	3	4	1	-	
199	Malignomi, neopredeljeni Malignancies, unspecified	M	43	-	-	-	-	-	-	-	2	2	1	5	2	6	7	5	7	6	-	
		Ž	43	-	-	-	-	-	-	-	1	1	1	-	2	6	5	9	10	8	-	
200	Ne-Hodgkinovi limfomi	M	43	-	-	-	-	2	-	1	1	3	1	3	4	5	7	6	3	7	-	
202	Non-Hodgkin's lymphomas	Ž	55	-	1	-	-	2	4	-	3	3	8	1	5	4	6	8	5	5	-	
201	Hodgkinov limfom Hodgkin's disease	M	19	-	2	1	1	4	2	2	2	2	-	1	1	1	-	-	-	-	-	
		Ž	19	-	-	1	1	3	1	4	2	1	-	-	1	-	2	1	2	-	-	
203	Plazmacitom Plasmacytoma	M	19	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	3	4	-	
		Ž	29	-	-	-	-	-	-	-	-	-	-	1	3	5	9	3	1	7	-	
204.0	Levkemija, limfat. akutna Leukaemia, lymphatic, acute	M	6	1	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
		Ž	8	4	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
cont. ↓																						

cont. ↓

Tabela 4a. Nadaljevanje - continued

Šifra L o k a c i j a MKB		Spol	Vse starosti	S t a r o s t																	
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?
ICD No.	S i t e	Sex	All ages	A g e																	
204.1	Levkemija, limfat. kron.	M	24	-	-	-	-	-	-	-	-	-	1	-	2	3	1	7	4	6	-
	Leukaemia, lymphatic, chronic	Ž	20	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	2	6	-
205	Levkemija, mieloična	M	30	1	-	-	2	-	1	1	1	1	1	1	4	5	6	1	2	3	-
	Leukaemia, myeloid	Ž	24	-	-	-	-	2	-	-	1	1	-	2	2	2	1	3	5	5	-
206	Levkemija, monocitna	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Leukaemia, monocytic	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	Levkemije, druge	M	4	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	Leukaemias, other	Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
208	Policitemija, prava	M	6	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	-
	Polycythemia vera	Ž	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
209	Mielofibroza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Myelofibrosis	Ž	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Zgoraj neupoštevani																					
Not included above																					
-	Dojka, in situ	Ž	17	-	-	-	-	-	-	1	-	-	3	2	1	4	3	1	2	-	-
	Breast, in situ																				
-	Maternica, vrat, CIN III	Ž	664	-	-	-	-	32	134	183	124	109	44	17	7	4	7	2	1	-	-
	Uterus, cervix, CIN III																				
-	Maligni melanom, in situ	M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	Malignant melanoma, in situ	Ž	13	-	-	-	-	-	-	1	-	-	1	1	2	1	2	4	1	-	-
-	Mehur, in situ	M	42	-	-	-	-	-	-	1	-	-	5	2	5	5	12	6	3	3	-
	Urinary bladder, in situ	Ž	14	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	1	3	-
2250	Možgani, benigni tumor	M	19	-	-	1	-	-	-	-	1	-	1	3	4	3	3	1	2	-	-
+ 2252	Brain, benign tumor	Ž	32	-	-	-	-	-	-	-	2	2	1	3	1	8	7	3	4	1	-
2381	Možgani, neopredeljeno	M	8	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	2	-
	Brain, unspecified	Ž	11	-	-	-	-	-	-	-	1	2	-	1	1	1	-	2	2	1	-

Tabela 4b. Število novih primerov raka po lokaciji (MKB-10), spolu in starosti - Slovenija 1996

Table 4b. Number of new cancer cases by site (ICD-10), sex, and age - Slovenia 1996

Šifra MKB	L o k a c i j a	Spol	Vse starosti	S t a r o s t																		
ICD No.	S i t e	Sex	All ages	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?	
A g e																						
C00	Vse lokacije	Skupaj	7 401	19	9	21	24	38	47	125	171	298	454	529	702	1019	1250	1085	631	979	-	
C96	All sites	Total																				
		Moški Male	3 669	7	6	7	16	23	28	46	57	113	196	275	402	604	683	525	281	400	-	
		Ženske Female	3 732	12	3	14	8	15	19	79	114	185	258	254	300	415	567	560	350	579	-	
C00	Ustnica	M	15	-	-	-	-	-	-	-	-	1	1	-	1	4	2	1	1	4	-	
	Lip	Ž	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	
C01	Baza jezika	M	15	-	-	-	-	-	-	-	-	-	1	3	4	3	2	1	1	-	-	
	Base of tongue	Ž	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	
C02	Jezik, drugi deli	M	22	-	-	-	-	-	-	-	2	-	1	5	4	3	4	1	2	-	-	
	Tongue, other & unspecified parts	Ž	7	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	2	-	
C03	Dlesen	M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	
	Gum	Ž	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
C04	Ustno dno	M	26	-	-	-	-	-	-	-	-	1	3	4	2	11	2	1	2	-	-	
	Floor of mouth	Ž	9	-	-	-	-	-	-	-	1	-	1	1	-	1	3	-	-	2	-	
C05	Nebo	M	13	-	-	-	-	-	-	-	-	4	-	3	1	4	1	-	-	-	-	
	Palate	Ž	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
C06	Usta, drugi deli	M	16	-	-	-	-	-	-	-	1	3	2	2	3	1	1	2	1	-	-	
	Mouth, other & unspecified parts	Ž	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
C07	Parotidna žleza	M	6	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	1	-	
	Parotid gland	Ž	7	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	2	-	
C08	Druge in neopredeljene velike žleze slinavke	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Other & unspec. major salivary glands	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C09	Tonzila	M	21	-	-	-	-	-	-	-	-	1	2	4	6	4	2	2	-	-	-	
	Tonsil	Ž	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
C10	Orofarinks	M	59	-	-	-	-	-	-	-	1	3	11	7	15	11	7	3	1	-	-	
	Oropharynx	Ž	5	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1	-	
C11	Nazofarinks	M	9	-	-	1	-	-	-	-	-	1	1	2	1	1	1	1	-	-	-	
	Nasopharynx	Ž	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	
C12	Piriformni sinus	M	30	-	-	-	-	-	-	-	-	2	3	5	9	4	4	2	1	-	-	
	Pyriform sinus	Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
C13	Hipofarinks	M	20	-	-	-	-	-	-	-	-	2	4	5	2	4	3	-	-	-	-	
	Hypopharynx	Ž	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
cont. ↓																						

cont. ↓

Tabela 4b. Nadaljevanje - continued

Šifra MKB	L o k a c i j a	Spol	Vse starosti	S t a r o s t																
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+ ?
ICD No.	S i t e	Sex	All ages	A g e																
C14	Druga in slabo opred. mesta na ustnici, v ustni votlini in farinksu	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Other and ill defined sites in the lip, oral cavity & pharynx	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Požiralnik	M	84	-	-	-	-	-	-	-	1	2	4	8	20	15	18	7	3	6
	Oesophagus	Ž	11	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	3
C16	Želodec	M	265	-	-	-	-	-	-	1	1	5	12	15	23	40	47	45	27	49
	Stomach	Ž	185	-	-	-	-	-	-	4	11	4	6	13	11	12	30	32	18	44
C17	Tanko črevo	M	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1
	Small intestine	Ž	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2
C18	Debelo črevo	M	255	-	-	-	-	-	-	-	3	5	12	17	30	41	53	34	23	37
	Colon	Ž	236	-	-	-	-	-	-	1	2	3	10	13	11	26	39	40	30	61
C19	Rektosigmoidna zveza	M	36	-	-	-	-	-	-	-	1	1	-	3	4	6	9	7	4	1
	Rectosigmoid junction	Ž	38	-	-	-	-	-	-	1	-	1	2	2	3	5	5	6	4	9
C20	Rektum	M	177	-	-	-	-	-	1	-	1	2	8	8	23	31	39	29	16	19
	Rectum	Ž	137	-	-	-	-	-	-	-	2	4	3	11	7	20	26	22	16	26
C21	Anus in analni kanal	M	5	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	1	-
	Anus & anal canal	Ž	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-
C22	Jetra in intrahepat. vodi	M	53	-	-	-	-	-	-	-	-	1	-	5	6	13	10	9	4	5
	Liver & intrahepatic bile ducts	Ž	41	-	-	-	-	-	-	-	-	1	1	3	1	2	12	11	3	7
C23	Žolčnik	M	9	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	3
	Gallbladder	Ž	47	-	-	-	-	-	-	-	-	-	1	2	3	8	10	9	4	10
C24	Drugi in neopredeljeni deli biliarnega trakta	M	24	-	-	-	-	-	-	-	1	-	1	4	-	4	6	4	2	2
	Biliary tract, other & unspecified parts	Ž	22	-	-	-	-	-	-	1	-	-	-	-	3	-	4	3	4	7
C25	Trebušna slinavka	M	81	-	-	-	-	-	-	1	2	1	5	3	10	13	18	13	8	7
	Pancreas	Ž	114	-	-	-	-	-	-	1	-	1	2	5	6	10	15	24	16	34
C26	Druga in slabo opredeljena mesta v preb. organih	M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2
	Other & ill-defined digestive organs	Ž	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2
C30	Nosna votlina in srednje uho	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nasal cavity & middle ear	Ž	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1
C31	Paranasalni sinusi	M	8	-	-	-	-	-	-	1	-	-	2	-	1	2	2	-	-	-
	Accessory sinuses	Ž	6	-	-	1	-	-	-	-	-	2	-	-	-	-	2	-	-	1
C32	Grlo	M	90	-	-	-	-	-	-	1	-	7	8	7	15	20	17	6	2	7
	Larynx	Ž	10	-	-	-	-	-	-	-	1	1	-	1	-	2	2	3	-	-
C33	Sapnik	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Trachea	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

cont. ↓

Tabela 4b. Nadaljevanje - continued

Šifra MKB	L o k a c i j a Site	Spol Sex	Vse starosti All ages	S t a r o s t A g e																	
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?
C34	Sapnica in pljuča Bronchus & lung	M	785	-	-	-	-	-	-	-	7	14	50	72	89	162	164	129	46	52	-
		Ž	167	-	-	-	-	-	-	-	1	4	9	18	14	18	30	36	17	20	-
C37	Timus Thymus	M	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		Ž	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
C38	Srce, mediastinum, plevra Heart, mediastinum & pleura	M	6	-	-	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-
		Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C39	Druga in slabo opr. mesta v dihalih in prsnih organih Other & ill-defined sites in the resp. system & intrathoracic organs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40	Kosti, sklepni hrust. udov Bone & articular cartilage of limbs	M	3	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		Ž	5	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
C41	Kosti, sklepni hrust., drugje Bone & articular cartilage of other & unspecified parts	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Maligni melanom kože Malignant melanoma of skin	M	78	-	-	-	1	2	1	5	4	9	8	9	7	12	4	9	3	4	-
		Ž	101	-	-	-	1	1	2	3	7	6	13	10	5	11	11	12	7	12	-
C44	Druge maligne neopl. kože Skin, other malignomas	M	349	-	-	-	1	-	-	3	5	6	23	25	40	43	63	51	30	59	-
		Ž	397	-	-	-	-	-	-	4	4	11	16	18	18	47	40	79	51	109	-
C45	Mezoteliom Mesothelioma	M	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
		Ž	3	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
C46	Kaposijev sarkom Kaposi's sarcoma	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47	Periferni živci in avtonomno živčevje Peripheral nerves & autonomic nervous system	M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		Ž	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
C48	Peritonej in retroperitonej Retroperitoneum & peritoneum	M	8	-	-	-	1	1	1	1	-	1	-	-	-	-	2	1	-	-	-
		Ž	9	1	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	1	-
C49	Drugo vezivno in mehko tkivo Other connective and soft tissue	M	14	-	-	-	1	-	-	-	1	2	-	3	-	3	1	2	1	-	-
		Ž	20	-	-	2	1	-	-	1	2	5	1	1	-	-	2	2	1	2	-
C50	Dojka Breast	M	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-
		Ž	833	-	-	-	-	3	2	17	29	63	91	70	94	98	123	112	58	73	-
C51	Žensko zunanje spolovilo Vulva	Ž	30	-	-	-	-	-	-	-	2	1	-	-	4	2	4	3	7	7	-
C52	Nožnica Vagina	Ž	9	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	4	-
C53	Maternični vrat Cervix uteri	Ž	211	-	-	-	-	1	5	26	27	32	25	19	15	17	15	11	7	11	-

cont. ↓

Tabela 4b. Nadaljevanje - continued

Šifra MKB	L o k a c i j a	Spol	Vse starosti	S t a r o s t																		
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?	
ICD No.	S i t e	Sex	All ages	A g e																		
C54	Maternično telo Corpus uteri	Ž	243	-	-	-	-	-	-	1	2	7	22	24	24	45	48	29	24	17	-	
C55	Maternica, neopredeljeno Uterus, unspecified part	Ž	19	-	-	-	-	-	-	-	-	2	1	-	2	4	3	4	1	2	-	
C56	Jajčnik Ovary	Ž	174	-	-	2	1	-	3	3	1	13	20	13	22	25	31	16	12	12	-	
C57	Drugi in neopredeljeni ženski spolni organi Other & unspecified parts of female genital organs	Ž	7	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	-	-	
C58	Posteljica Placenta	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C60	Penis Penis	M	7	-	-	-	-	-	-	-	1	-	-	-	-	1	4	1	-	-	-	
C61	Prostata Prostate	M	305	-	-	-	-	-	-	-	1	1	1	9	14	38	67	70	40	64	-	
C62	Modo Testis	M	75	-	-	1	2	10	13	23	10	7	2	3	1	2	-	1	-	-	-	
C63	Drugi in neopredeljeni moški spolni organi Other & unspecified male genital organs	M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
C64	Ledvica razen meha Kidney, except renal pelvis	M Ž	96 67	1 1	- -	- -	- -	- -	- -	1 3	- -	6 1	7 2	10 2	13 8	12 8	25 14	7 19	8 2	6 7	- -	
C65	Ledvični meh Renal pelvis	M Ž	7 4	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	3 1	- -	- 1	1 -	1 1	- 1	- -	
C66	Sečevod Ureter	M Ž	3 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	2 1	1 -	- -	- -	
C67	Sečni mehur Bladder	M Ž	124 52	- -	- -	- -	- -	- -	- -	- -	- 2	1 -	- 1	4 5	5 3	27 3	26 10	27 11	11 5	23 12	- -	
C68	Drugi in neopredeljeni sečni organi Other & unspecified urinary organs	M Ž	2 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	1 1	- -	
C69	Oko in očesni adneksi Eye and adnexa	M Ž	8 7	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	1 -	2 4	1 1	1 1	- -	- -	
C70	Meninge Meninges	M Ž	2 1	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	
C71	Možgani Brain	M Ž	54 48	2 2	3 -	1 5	3 -	1 -	4 1	4 1	2 2	3 1	6 4	3 3	8 9	3 5	6 9	2 5	2 1	1 -	- -	

cont. ↓

Tabela 4b. Nadaljevanje - continued

Šifra	L o k a c i j a	Spol	Vse	S t a r o s t																		
MKB			starosti	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?	
ICD	S i t e	Sex	All	A g e																		
No.			ages																			
C72	Hrbtni mozeg, možg. živci in drugi deli CŽS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Spinal cord, cranial nerves & other parts of CNS	Ž	5	1	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	
C73	Ščitnica	M	16	-	-	-	1	1	1	-	-	3	1	1	1	2	2	2	-	1	-	
	Thyroid gland	Ž	45	-	-	2	1	-	1	4	1	4	4	4	4	3	8	4	2	3	-	
C74	Nadledvična žleza	M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	
	Adrenal gland	Ž	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
C75	Druge endokrine žleze in sorodne strukture	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Other endocr. glands & related struct.	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C76	Druga in slabo opredeljena mesta	M	6	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	
	Other & ill defined sites	Ž	24	1	-	-	-	-	-	-	-	1	2	1	1	2	4	4	3	5	-	
C77	Metastaza in neopred. maligna neopl. bezgavk	M	17	-	-	-	-	-	-	-	1	3	-	2	1	1	4	3	2	-	-	
	Metastasis & unspecified malignant neoplasm of lymph nodes	Ž	16	-	-	-	-	-	-	1	1	1	-	-	-	3	3	1	2	4	-	
C78	Metastaze dihal in prebavil	M	61	-	-	-	-	-	-	1	-	-	1	3	6	6	10	13	8	13	-	
	Metastases of respir. & digest. organs	Ž	62	-	-	-	-	1	-	1	-	1	2	3	4	4	7	7	11	21	-	
C79	Metastaze, drugje	M	29	-	-	-	-	-	-	-	-	1	3	2	3	9	6	3	2	-	-	
	Metastases of other sites	Ž	19	-	-	-	-	-	-	-	1	-	1	-	1	-	8	3	4	1	-	
C80	Maligna neoplazma brez opredeljenega mesta	M	42	-	-	-	-	-	-	-	2	2	1	5	2	5	7	5	7	6	-	
	Malignant neoplasm without specification of site	Ž	43	-	-	-	-	-	-	-	1	1	1	-	2	6	5	9	10	8	-	
C81	Hodgkinova bolezen	M	19	-	2	1	1	4	2	2	2	2	-	1	1	1	-	-	-	-	-	
	Hodgkin's disease	Ž	19	-	-	1	1	3	1	4	2	1	-	-	1	-	2	1	2	-	-	
C82	Folikul. ne-Hodgk. limfom	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Follicular non-Hodgkin's lymphoma	Ž	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
C83	Difuzni ne-Hodgk. limfom	M	43	-	-	-	-	2	-	1	2	3	2	1	3	5	10	7	2	5	-	
	Diffuse non-Hodgkin's lymphoma	Ž	41	-	1	-	-	1	3	-	-	3	6	-	5	4	5	8	3	2	-	
C84	Limfomi celic T in kožni limfom celic T	M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	
	Peripheral & cutaneous T-cell lymphomas	Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
C85	Druge in neopred. vrste ne-Hodgk. limfoma	M	41	-	-	-	-	1	3	-	2	3	1	4	6	8	6	2	2	3	-	
	Other & unspecified types of non-Hodgkin's lymphoma	Ž	42	-	-	-	-	1	1	-	4	1	3	2	1	5	3	8	7	6	-	
C90	Difuzni plazmocitom in malig. neopl. plazmocitov	M	21	-	-	-	-	-	-	-	-	-	-	3	2	3	3	2	4	4	-	
	Multiple myeloma and malignant plasma cell neoplasms	Ž	30	-	-	-	-	-	-	-	-	-	-	1	3	5	9	3	1	8	-	

cont. ↓

Tabela 4b. Nadaljevanje - continued

Šifra Lokacija		Spol	Vse	Starost																	
MKB			starosti	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?
ICD	Site	Sex	All	Age																	
No.			ages																		
C91	Limfatična levkemija	M	32	1	1	2	1	-	-	-	1	-	1	-	3	3	2	7	4	6	-
	Lymphoid leukaemia	Ž	28	4	-	-	2	-	-	1	-	-	-	1	1	1	4	5	2	7	-
C92	Mieloična levkemija	M	30	1	-	-	2	-	1	1	1	1	1	1	4	5	6	1	2	3	-
	Myeloid leukaemia	Ž	24	-	-	-	-	2	-	-	1	1	-	2	2	2	1	3	5	5	-
C93	Monocitna levkemija	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Monocytic leukaemia	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C94	Druge opred. levkemije	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other leukaemias of specified cells	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Levkemija z neopr. cel. tipom	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Leukaemia, unspecified cell type	Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
C96	Druge in neopred. maligne neopl. limfat., krvotvornega in sorodnega tkiva	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Other & unspecified malignant neopl. of lymphoid, haematopoietic & related tissue	Ž	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Zgoraj neupoštevani																					
Not included above																					
D05	Dojka, in situ	Ž	17	-	-	-	-	-	-	1	-	-	3	2	1	4	3	1	2	-	-
	Breast, in situ																				
D06	Maternični vrat, CIN III	Ž	664	-	-	-	-	32	134	183	124	109	44	17	7	4	7	2	1	-	-
	Cervix uteri, in situ																				
D03	Melanom, in situ	M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	Melanoma in situ	Ž	13	-	-	-	-	-	-	1	-	-	1	1	2	1	2	4	1	-	-
D090	Karcinom in situ mehurja	M	42	-	-	-	-	-	-	1	-	-	5	2	5	5	12	6	3	3	-
	Bladder, in situ	Ž	14	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	1	3	-
D45	Policitemija vera	M	6	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	-
	Polycythaemia vera	Ž	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
D47	Druge neopl. negotovega značaja limfat., krvotvor. in sorodnega tkiva	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Other neopl. of uncertain or unknown behaviour of lymphoid, haematopoietic & related tissue	Ž	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
D32	Meninge, benigna neoplazma	M	19	-	-	1	-	-	-	-	1	-	1	3	4	3	3	1	2	-	-
	Benign neoplasm of meninges	Ž	28	-	-	-	-	-	-	-	1	1	1	3	1	7	6	3	4	1	-
D33	CŽS, benigna neoplazma	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Brain & other parts of CNS	Ž	4	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-
D43	CŽS, neopredeljeno	M	8	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	2	-
	CNS, uncertain or unknown	Ž	11	-	-	-	-	-	-	-	1	2	-	1	1	1	-	2	2	1	-

Tabela 5. Incidenca raka na 100 000 prebivalcev po spolu in starosti ter kumulativna stopnja (KS) po lokaciji - Slovenija 1996

Table 5. Cancer incidence per 100 000 population by sex and age, and cumulative rate (CR) by site - Slovenia 1996

Šifra Lokacija MKB		Spol	Vse starosti	Starost																	KS/CR 0-74
ICD Site No.		Sex	All ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
140	Vse lokacije	Skupaj	373.9	18.5	7.5	15.7	16.0	26.1	33.0	81.8	111.4	185.8	313.2	475.1	630.0	967.5	1320.6	1516.0	1752.4	1986.0	28.6
209	All sites	Total																			
		Moški	382.7	14.0	9.8	10.2	20.7	30.9	39.4	60.4	74.0	138.2	265.3	497.0	737.7	1249.6	1721.7	2157.3	2407.0	2811.5	35.1
		Male																			
		Ženske	365.6	23.2	5.2	21.4	11.0	21.0	26.7	102.9	148.9	235.6	363.0	453.3	526.8	728.3	1030.8	1185.5	1437.5	1651.3	24.4
		Female																			
140	Ustnica	M	1.6	-	-	-	-	-	-	-	-	1.2	1.4	-	1.8	8.3	5.0	4.1	8.5	28.0	0.1
	Lip	Ž	0.4	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	8.2	2.8	-
141	Jezik	M	3.9	-	-	-	-	-	-	-	2.6	-	2.7	14.4	14.7	12.4	15.1	8.2	25.6	-	0.4
	Tongue	Ž	1.1	-	-	-	-	-	-	-	-	-	1.4	3.6	1.8	3.5	3.6	2.1	-	5.7	0.1
142	Slinavke	M	0.9	-	-	-	-	-	-	-	-	-	2.7	-	-	6.2	5.0	4.1	-	7.0	0.1
	Salivary glands	Ž	0.9	-	-	-	-	-	-	-	1.3	1.3	1.4	-	3.5	3.5	-	-	-	5.7	0.1
143	Dlesni	M	0.4	-	-	-	-	-	-	-	-	-	-	-	-	4.1	2.5	-	-	7.0	-
	Gum	Ž	0.2	-	-	-	-	-	-	-	1.3	-	-	-	1.8	-	-	-	-	-	-
144	Ustno dno	M	2.7	-	-	-	-	-	-	-	-	1.2	4.1	7.2	3.7	22.7	5.0	4.1	17.1	-	0.2
	Floor of mouth	Ž	0.9	-	-	-	-	-	-	-	1.3	-	1.4	1.8	-	1.8	5.5	-	-	5.7	0.1
145	Usta, drugo	M	3.1	-	-	-	-	-	-	-	2.6	8.5	2.7	9.0	7.3	10.3	5.0	8.2	8.5	-	0.3
	Mouth, other parts	Ž	0.3	-	-	-	-	-	-	-	-	1.3	-	1.8	1.8	-	-	-	-	-	-
146	Orofarinks	M	8.5	-	-	-	-	-	-	-	1.3	4.9	17.6	19.8	38.5	31.0	27.7	20.5	8.5	-	0.8
	Oropharynx	Ž	0.9	-	-	-	-	-	-	-	1.3	2.5	-	1.8	1.8	-	1.8	-	4.1	5.7	-
147	Epifarinks	M	1.5	-	-	1.5	-	-	1.4	-	-	1.2	1.4	3.6	1.8	4.1	2.5	12.3	-	7.0	0.1
	Epipharynx	Ž	0.5	-	-	-	-	-	-	-	-	-	-	1.8	-	1.8	-	4.2	-	2.8	-

cont. ↓

Tabela 5. Nadaljevanje - continued

Šifra MKB	Lokacija	Spol	Vse starosti	Starost																	KS/CR 0-74
				0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
ICD No.	Site	Sex	All ages	Age																	
148	Hipofarinks	M	5.2	-	-	-	-	-	-	-	-	4.9	9.5	18.0	20.2	16.5	17.6	8.2	8.5	-	0.5
	Hypopharynx	Ž	0.2	-	-	-	-	-	-	-	-	-	1.4	-	-	1.8	-	-	-	-	-
149	Žrelo, neoznačeno	M	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.5	-	-
	Pharynx, not specified	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	Požiralnik	M	8.7	-	-	-	-	-	-	-	1.3	2.4	5.4	14.4	36.7	31.0	45.3	28.7	25.6	42.1	0.8
	Esophagus	Ž	1.1	-	-	-	-	-	-	-	1.3	-	1.4	-	1.8	1.8	3.6	2.1	4.1	8.5	0.1
151	Želodec	M	29.6	-	-	-	-	-	-	1.3	3.9	8.5	17.6	28.8	45.9	88.8	130.9	184.6	247.5	350.6	2.6
	Stomach	Ž	19.1	-	-	-	-	-	-	5.2	14.4	6.3	9.8	25.0	21.1	22.8	58.2	69.7	73.9	130.7	1.2
152	Tanko črevo	M	0.9	-	-	-	-	-	-	-	-	-	-	1.8	5.5	4.1	2.5	4.1	-	7.0	0.1
	Small intestine	Ž	0.6	-	-	-	-	-	-	-	1.3	-	-	-	-	1.8	-	4.2	-	5.7	-
153	Debelo črevo	M	26.9	-	-	-	-	-	-	-	3.9	6.1	16.2	30.6	55.1	84.7	133.4	143.5	196.3	273.4	2.4
	Colon	Ž	23.5	-	-	-	-	-	-	1.3	2.6	3.8	14.1	23.2	21.1	45.5	70.9	86.6	123.2	179.1	1.3
154	Rektum	M	22.7	-	-	-	-	-	1.4	-	2.6	3.6	12.2	19.8	55.1	76.4	120.8	147.6	179.2	140.2	2.2
	Rectum, anus	Ž	17.7	-	-	-	-	-	-	1.3	5.2	6.3	7.0	23.2	19.3	43.8	56.4	63.4	86.2	99.5	1.1
155	Jetra	M	4.2	-	-	-	-	-	-	-	-	-	-	9.0	9.2	22.7	17.6	28.7	17.1	21.0	0.4
	Liver	Ž	2.9	-	-	-	-	-	-	-	-	1.3	1.4	5.4	1.8	3.5	21.8	12.7	4.1	8.5	0.2
156	Žolčnik, žolčni vodi	M	3.4	-	-	-	-	-	-	-	1.3	-	1.4	7.2	-	14.5	17.6	16.4	34.1	35.1	0.3
	Gall bladder, bile ducts	Ž	6.8	-	-	-	-	-	-	1.3	-	-	1.4	3.6	10.5	14.0	25.5	25.4	32.9	48.3	0.4
157	Trebušna slinavka	M	8.4	-	-	-	-	-	-	1.3	2.6	1.2	6.8	5.4	18.4	26.9	45.3	53.3	68.3	49.1	0.8
	Pancreas	Ž	11.2	-	-	-	-	-	-	1.3	-	1.3	2.8	8.9	10.5	17.5	27.3	50.7	65.7	96.6	0.6
158	Retro-, peritonej	M	0.9	-	-	-	1.3	1.3	1.4	1.3	-	1.2	-	-	-	2.1	5.0	4.1	-	-	0.1
	Retro-, peritoneum	Ž	0.9	-	-	-	-	-	-	-	-	-	1.4	1.8	-	1.8	3.6	4.2	4.1	2.8	0.1
159	Prebavila, drugo	M	0.3	-	-	-	-	-	-	-	-	-	-	-	-	2.1	2.5	4.1	-	-	-
	Digestive organs, other	Ž	0.1	-	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	-	-	-

cont. ↓

Tabela 5. Nadaljevanje - continued

Šifra MKB	Lokacija Site	Spol Sex	Vse starosti All ages	Starost Age																	KS/CR 0-74
				0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
160	Nos, obnosne votli., drugo Nose, sinuses, etc.	M	1.4	-	-	-	-	-	-	1.3	1.3	-	4.1	-	1.8	8.3	5.0	-	-	7.0	0.1
		Ž	1.0	-	-	1.5	-	-	-	-	-	2.5	-	-	-	1.8	5.5	-	-	8.5	0.1
161	Grlo Larynx	M	9.4	-	-	-	-	-	-	1.3	-	8.5	10.8	12.6	27.5	41.3	42.8	24.6	17.1	49.1	0.8
		Ž	1.0	-	-	-	-	-	-	-	1.3	1.3	-	1.8	-	3.5	3.6	6.3	-	-	0.1
162	Sapnik, sapnica, pljuča Trachea, bronchus, lung	M	82.0	-	-	-	-	-	-	-	9.1	17.0	67.7	129.6	163.3	338.7	412.8	529.1	392.6	371.6	8.3
		Ž	16.6	-	-	-	-	-	-	-	1.3	5.1	12.7	32.1	24.6	35.0	54.5	76.1	73.9	56.8	1.2
163	Plevra, mediastin., drugo Pleura, mediastinum, etc.	M	0.9	-	-	-	-	-	-	-	-	1.2	-	-	1.8	2.1	12.6	4.1	-	-	0.1
		Ž	0.3	-	-	-	-	-	-	-	-	1.3	-	-	-	-	1.8	-	4.1	-	-
170	Kosti Bone	M	0.4	-	-	1.5	1.3	1.3	-	-	-	-	-	1.8	-	-	-	-	-	-	-
		Ž	0.5	-	3.4	-	1.4	1.4	-	1.3	-	-	-	-	-	-	-	-	-	-	-
171	Mehka tkiva Soft tissues	M	1.6	-	-	-	1.3	-	-	-	1.3	3.6	-	5.4	-	4.1	5.0	8.2	8.5	-	0.1
		Ž	2.0	-	-	3.1	1.4	-	-	1.3	2.6	6.3	1.4	1.8	-	-	3.6	4.2	4.1	5.7	0.1
172	Koža, maligni melanom Skin, malignant melanoma	M	8.3	-	-	-	1.3	2.7	1.4	6.6	5.2	10.9	10.8	16.2	12.8	24.8	12.6	36.9	34.1	28.0	0.7
		Ž	9.9	-	-	-	1.4	1.4	2.8	3.9	9.1	7.6	18.3	17.8	8.8	19.3	20.0	25.4	28.7	34.1	0.7
173	Koža, drugi malignomi Skin, other malignancies	M	36.9	-	-	-	1.3	-	4.2	3.9	6.5	7.3	31.1	45.0	75.2	88.8	158.6	213.3	256.1	413.7	3.2
		Ž	38.6	-	-	-	-	-	-	5.2	3.9	13.9	22.5	32.1	29.9	78.8	72.7	169.1	209.5	309.8	2.1
174	Dojka Breast	M	0.5	-	-	-	-	-	-	-	-	-	1.4	-	1.8	2.1	-	4.1	-	7.0	-
		Ž	82.2	-	-	-	-	4.2	2.8	22.1	39.2	79.8	128.0	124.9	165.1	175.1	225.4	238.8	242.3	210.3	6.0
180	Maternica, vrat Uterus, cervix	Ž	20.7	-	-	-	-	1.4	7.0	33.9	35.3	40.5	35.2	33.9	26.3	29.8	27.3	23.2	28.7	31.3	1.5
181	Horioepiteliom Chorioepithelioma	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182	Maternica, telo, drugo Uterus, corpus, etc.	Ž	25.6	-	-	-	-	-	-	1.3	2.6	11.4	32.4	42.8	45.7	85.8	92.7	69.7	102.7	54.0	1.9

cont ↓

Tabela 5. Nadaljevanje - continued

Šifra MKB	Lokacija Site	Spol Sex	Vse starosti All ages	S t a r o s t																	KS/CR 0-74
				0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
				A g e																	
183	Jajčnik, jajcevod, drugo Ovary, Fallopian tube, etc.	Ž	17.4	-	-	3.1	1.4	-	4.2	3.9	1.3	16.5	29.5	23.2	38.6	45.5	56.4	35.9	53.4	34.1	1.3
184	Nožnica, vulva, drugo Vagina, vulva, etc.	Ž	4.1	-	-	-	-	-	-	-	2.6	2.5	1.4	-	7.0	3.5	10.9	12.7	32.9	31.3	0.2
185	Prostata Prostate	M	31.8	-	-	-	-	-	-	-	1.3	1.2	1.4	16.2	25.7	78.5	168.6	287.1	341.4	448.7	2.9
186	Modo Testis	M	7.8	-	-	1.5	2.6	13.4	18.3	30.2	13.0	8.5	2.7	5.4	1.8	4.1	-	4.1	-	-	0.5
187	Penis, obmodek, drugo Penis, epididymis, etc.	M	0.8	2.0	-	-	-	-	-	-	1.3	-	-	-	-	2.1	10.1	4.1	-	-	0.1
188	Mehur Bladder	M	12.9	-	-	-	-	-	-	-	-	1.2	-	7.2	9.2	55.8	65.4	110.7	93.9	161.3	1.2
		Ž	5.1	-	-	-	-	-	-	-	2.6	-	1.4	8.9	5.3	5.3	18.2	23.2	20.5	34.1	0.3
189	Ledvica, sečevod, drugo Kidney, ureter, etc.	M	11.2	2.0	-	-	-	-	-	1.3	-	8.5	10.8	18.0	29.4	24.8	62.9	45.1	85.4	49.1	1.0
		Ž	7.3	2.1	-	-	-	-	-	3.9	-	1.3	2.8	3.6	15.8	14.0	29.1	44.4	12.3	25.6	0.6
190	Oko Eye	M	0.7	-	-	-	-	-	-	-	-	-	-	3.6	-	2.1	5.0	4.1	8.5	-	0.1
		Ž	0.7	2.1	-	-	-	-	-	-	-	-	-	-	-	-	7.3	2.1	4.1	-	0.1
191	Možgani Brain	M	5.8	4.0	4.9	1.5	3.9	2.7	5.6	5.3	2.6	3.6	8.1	5.4	16.5	6.2	15.1	8.2	17.1	7.0	0.5
		Ž	4.9	4.2	-	7.6	-	-	1.4	1.3	2.6	2.5	5.6	5.4	15.8	8.8	16.4	10.6	8.2	-	0.4
192	Živčevje, drugo Nervous system, other	M	0.4	-	-	-	-	-	-	-	-	1.2	1.4	-	-	2.1	-	4.1	-	-	-
		Ž	1.0	4.2	-	1.5	-	-	-	-	1.3	1.3	-	-	1.8	1.8	3.6	2.1	-	-	0.1
193	Ščitnica Thyroid	M	1.7	-	-	-	1.3	1.3	1.4	-	-	3.6	1.4	1.8	1.8	4.1	5.0	8.2	-	7.0	0.1
		Ž	4.6	-	-	3.1	1.4	-	1.4	5.2	1.3	5.1	5.6	7.1	7.0	5.3	14.5	10.6	12.3	8.5	0.3
194	Endokrine žleze, druge Endocrine glands, other	M	0.6	2.0	-	-	1.3	-	-	-	-	-	-	-	3.7	-	2.5	-	8.5	-	-
		Ž	0.4	-	-	-	-	1.4	-	-	-	1.3	-	-	1.8	-	-	-	-	2.8	-

cont. ↓

Tabela 5. Nadaljevanje - continued

Šifra MKB	Lokacija Site	Spol Sex	Vse starosti All ages	Starost Age																	KS/CR 0-74
				0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
195	Slabo opredeljena lokaliz. Ill-defined site	M	0.7	-	-	-	-	-	-	-	-	-	1.4	1.8	1.8	2.1	7.6	-	-	-	0.1
		Ž	2.3	2.1	-	-	-	-	-	-	-	1.3	1.4	1.8	1.8	3.5	7.3	8.5	12.3	14.2	0.1
196	Metastaze v bezgavkah Lymph node metastases	M	1.8	-	-	-	-	-	-	-	1.3	3.6	-	3.6	1.8	2.1	10.1	12.3	17.1	-	0.2
		Ž	1.7	-	-	-	-	-	-	1.3	1.3	1.3	1.4	-	-	5.3	5.5	2.1	8.2	11.4	0.1
197	Met. v dihalih, prebavilih Respiratory, digestive tract met.	M	7.7	-	-	-	-	-	-	1.3	-	1.2	1.4	5.4	12.8	16.5	32.7	61.5	85.4	105.2	0.7
		Ž	7.1	-	-	-	-	1.4	-	1.3	-	1.3	2.8	5.4	7.0	7.0	12.7	25.4	53.4	71.1	0.3
198	Metastaze, druge Metastases, other	M	2.9	-	-	-	-	-	-	-	-	1.2	4.1	3.6	5.5	16.5	15.1	12.3	17.1	-	0.3
		Ž	1.9	-	-	-	-	-	-	-	1.3	-	1.4	-	1.8	-	14.5	6.3	16.4	2.8	0.1
199	Malignomi, neopredeljeni Malignancies, unspecified	M	4.5	-	-	-	-	-	-	-	2.6	2.4	1.4	9.0	3.7	12.4	17.6	20.5	59.7	42.1	0.3
		Ž	4.2	-	-	-	-	-	-	-	1.3	1.3	1.4	-	3.5	10.5	9.1	19.0	41.1	22.7	0.2
200	Ne-Hodgkinovi limfomi Non-Hodgkin's lymphomas	M	4.5	-	-	-	-	2.7	-	1.3	1.3	3.6	1.4	5.4	7.3	10.3	17.6	24.6	25.6	49.1	0.4
		Ž	5.4	-	1.7	-	-	2.8	5.6	-	3.9	3.8	11.3	1.8	8.8	7.0	10.9	16.9	20.5	14.2	0.4
201	Hodgkinov limfom Hodgkin's disease	M	2.0	-	3.3	1.5	1.3	5.4	2.8	2.6	2.6	2.4	-	1.8	1.8	2.1	-	-	-	-	0.1
		Ž	1.9	-	-	1.5	1.4	4.2	1.4	5.2	2.6	1.3	-	-	1.8	-	3.6	2.1	8.2	-	0.1
203	Plazmacitom Plasmacytoma	M	2.0	-	-	-	-	-	-	-	-	-	-	3.6	3.7	6.2	7.6	8.2	25.6	28.0	0.1
		Ž	2.8	-	-	-	-	-	-	-	-	-	-	1.8	5.3	8.8	16.4	6.3	4.1	19.9	0.2
204.0	Levkemija, limfatična, ak. Leukaemia, lymphatic, ac.	M	0.6	2.0	1.6	2.9	1.3	-	-	-	-	-	-	-	-	-	2.5	-	-	-	0.1
		Ž	0.8	8.4	-	-	2.7	-	-	1.3	-	-	-	-	-	-	-	-	-	2.8	0.1
204.1	Levkemija, limfatična, kron. Leukaemia, lymphatic, chron.	M	2.5	-	-	-	-	-	-	-	-	-	1.4	-	3.7	6.2	2.5	28.7	34.1	42.1	0.2
		Ž	2.0	-	-	-	-	-	-	-	-	-	-	1.8	1.8	1.8	7.3	10.6	8.2	17.1	0.1
205	Levkemija, mieloična Leukaemia, myeloic	M	3.1	2.0	-	-	2.6	-	1.4	1.3	1.3	1.2	1.4	1.8	7.3	10.3	15.1	4.1	17.1	21.0	0.2
		Ž	2.3	-	-	-	-	2.8	-	-	1.3	1.3	-	3.6	3.5	3.5	1.8	6.3	20.5	14.2	0.1
206	Levkemija, monocitna Leukaemia, monocytic	M	0.1	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	-	-
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

cont. ↓

Tabela 5. Nadaljevanje - continued

Šifra MKB	L o k a c i j a	Spol	Vse starosti	S t a r o s t																	KS/CR 0-74
				0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
ICD No.	S i t e	Sex	All ages	A g e																	
207	Levkemije, druge	M	0.4	-	-	-	-	-	-	-	1.3	-	-	1.8	1.8	2.1	-	-	-	-	-
	Leukaemias, other	Ž	0.1	-	-	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	-	-
208	Policitemija, prava	M	0.6	-	-	-	-	-	-	-	-	1.2	-	1.8	-	2.1	-	4.1	8.5	7.0	-
	Polycythemia vera	Ž	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.7	-
209	Mielofibroza	M	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	2.5	-	-	-	-
	Myelofibrosis	Ž	0.2	-	-	-	-	-	-	-	-	-	-	-	-	1.8	-	2.1	-	-	-
Zgoraj neupoštevani																					
Not included above																					
-	Dojka, in situ	Ž	1.7	-	-	-	-	-	-	1.3	-	-	4.2	3.6	1.8	7.0	5.5	2.1	8.2	-	0.1
	Breast, in situ																				
-	Maternica, vrat, CIN III	Ž	64.9	-	-	-	-	44.8	188.4	238.4	162.0	138.1	61.9	30.4	12.3	7.0	12.7	4.2	4.1	-	4.5
	Uterus, cervix, CIN III																				
-	Maligni melanom, in situ	M	0.2	-	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	8.5	-	-
	Malignant melanoma, in situ	Ž	1.3	-	-	-	-	-	-	1.3	-	-	1.4	1.8	3.5	1.8	3.6	8.5	4.1	-	0.1
-	Mehur, in situ	M	4.4	-	-	-	-	-	-	1.3	-	-	6.8	3.6	9.2	10.3	30.2	24.6	25.6	21.0	0.4
	Urinary bladder, in situ	Ž	1.4	-	-	-	-	-	-	-	-	-	1.4	1.8	3.5	1.8	5.5	4.2	4.1	8.5	0.1
2250	Možgani, benigni tumor	M	2.0	-	-	1.5	-	-	-	-	1.3	-	1.4	5.4	7.3	6.2	7.6	4.1	17.1	-	0.2
2252	Brain, benign tumor	Ž	3.1	-	-	-	-	-	-	-	2.6	2.5	1.4	5.4	1.8	14.0	12.7	6.3	16.4	2.8	0.2
2381	Možgani, neopredeljeno	M	0.8	-	-	-	-	-	-	-	-	-	-	-	1.8	6.2	2.5	4.1	-	14.0	0.1
	Brain, unspecified	Ž	1.1	-	-	-	-	-	-	-	1.3	2.5	-	1.8	1.8	1.8	-	4.2	8.2	2.8	0.1

Tabela 6. Število novih primerov raka po zdravstvenih regijah, po najpogostejših lokacijah in spolu - Slovenija 1996

Table 6. Number of new cancer cases by health regions, by most frequent sites and sex - Slovenia 1996

<i>Zdravstvena regija</i> <i>Health region</i>	<i>Spol</i> <i>Sex</i>	<i>Skupaj</i> <i>All sites</i>	<i>L o k a c i j a (šifre MKB)*</i> <i>Site (ICD No.)*</i>					<i>173</i>	<i>174</i>	<i>180</i>	<i>182</i>	<i>185</i>	<i>Druge</i> <i>lokal.</i> <i>Other</i> <i>sites</i>	<i>219**</i>
Slovenija skupaj	M	3676	284	258	218	788	354	5	-	-	-	305	1464	-
Slovenia, total	Ž	3736	195	240	181	170	394	840	211	262	-	1243	664	
Celje	M	425	27	37	21	93	34	1	-	-	-	36	176	-
	Ž	392	20	29	21	15	30	79	39	31	-	-	128	61
Gorica	M	224	12	14	16	46	21	-	-	-	-	24	91	-
	Ž	199	8	7	10	6	20	64	9	11	-	-	64	27
Koper	M	273	12	19	21	50	38	-	-	-	-	16	117	-
	Ž	248	12	18	9	10	32	56	22	28	-	-	61	77
Kranj	M	367	31	23	21	73	36	-	-	-	-	30	153	-
	Ž	366	17	28	24	15	41	75	21	20	-	-	125	111
Ljubljana	M	1104	93	79	61	246	114	2	-	-	-	78	431	-
	Ž	1241	59	77	54	66	120	294	63	88	-	-	420	177
Ljublj. občine	M	642	48	43	32	132	77	1	-	-	-	50	259	-
	Ž	757	32	52	26	48	72	176	37	54	-	-	260	109
Maribor	M	589	62	40	41	134	39	1	-	-	-	60	212	-
	Ž	570	42	36	28	31	64	127	25	32	-	-	185	115
Marib. občine	M	365	38	26	22	86	23	1	-	-	-	41	128	-
	Ž	371	23	28	20	16	48	86	16	14	-	-	120	99
Murska Sobota	M	262	21	14	8	52	34	1	-	-	-	32	100	-
	Ž	262	16	25	11	5	46	45	7	26	-	-	81	11
Novo mesto	M	212	12	14	16	50	18	-	-	-	-	17	85	-
	Ž	241	6	9	16	12	20	55	12	14	-	-	97	28
Ravne	M	220	14	18	13	44	20	-	-	-	-	12	99	-
	Ž	217	15	11	8	10	21	45	13	12	-	-	82	57

* Opis šifer MKB:

Description of the ICD numbers:

151 Želodec
Stomach

153 Debelo črevo
Colon

154 Rektum
Rectum, anus

162 Sapnik, sapnica, pljuča
Trachea, bronchus, lung

173 Koža, drugi malignomi
Skin, other malignancies

174 Dojka
Breast

180 Maternica, vrat
Uterus, cervix

182 Maternica, telo, drugo
Uterus, corpus, etc.

185 Prostata
Prostate

** Neupoštevano v skupnem številu: 219 Maternica, vrat, CIN III
Not included in all sites: Uterus, cervix, CIN III

Tabela 7. Število novih primerov raka, ugotovljenih v bolnišnicah, ter število in odstotek mikroskopsko potrjenih primerov, po lokaciji in spolu - Slovenija 1996

Table 7. Total number of new cancer cases diagnosed in hospitals and number and percentage of microscopically confirmed cases, by site and sex - Slovenia 1996

<i>Šifra MKB*</i>	<i>L o k a c i j a</i>	<i>Spol</i>	<i>Število novih primerov</i>	<i>Mikroskopsko potrjeni primeri</i>	
<i>ICD* No.</i>	<i>Site</i>	<i>Sex</i>	<i>Number of new cases</i>	<i>Število</i> <i>Microscopically confirmed cases</i> <i>Number</i>	<i>Odstotek**</i> <i>Per cent**</i>
140	Vse lokacije	Skupaj	7 254	6 700	92
-	All sites	Total			
209		Moški	3 597	3 303	92
		Male			
		Ženske	3 657	3 397	93
		Female			
140	Ustnica	M	15	15	100
	Lip	Ž	4	4	
141	Jezik	M	36	36	100
	Tongue	Ž	10	10	
142	Slinavke	M	9	9	
	Salivary glands	Ž	9	9	
143	Dlesni	M	4	4	
	Gum	Ž	2	2	
144	Ustno dno	M	26	26	100
	Floor of mouth	Ž	9	9	
145	Usta, drugo	M	30	30	100
	mouth, other parts	Ž	3	3	
146	Orofarinks	M	82	82	100
	Oropharynx	Ž	9	9	
147	Epifarinks	M	14	14	
	Epipharynx	Ž	5	5	
148	Hipofarinks	M	49	49	100
	Hypopharynx	Ž	2	2	
149	Žrelo, neoznačeno	M	1	-	
	Pharynx, not specified	Ž	-	-	
150	Požiralnik	M	80	72	90
	Esophagus	Ž	10	10	
151	Želodec	M	274	253	92
	Stomach	Ž	186	175	94
152	Tanko črevo	M	9	8	
	Small intestine	Ž	6	6	

cont. ↓

Tabela 7. Nadaljevanje - continued

Šifra MKB*	L o k a c i j a	Spol	Število novih primerov	Mikroskopsko potrjeni primeri	
ICD* No.	Site	Sex	Number of new cases	Število Number	Odstotek** Per cent**
153	Debelo črevo	M	253	240	95
	Colon	Ž	236	212	90
154	Rektum	M	217	203	94
	Rectum, anus	Ž	173	162	94
155	Jetra	M	40	36	90
	Liver	Ž	30	26	87
156	Žolčnik, žolčni vodi	M	29	21	72
	Gall bladder, bile ducts	Ž	67	49	73
157	Trebušna slinavka	M	77	44	57
	Pancreas	Ž	109	57	52
158	Retro-, peritonej	M	9	9	
	Retro-, peritoneum	Ž	8	7	
159	Prebavila, drugo	M	3	2	
	Digestive organs, other	Ž	1	1	
160	Nos, obnosne votline, drugo	M	13	13	
	Nose, sinuses, etc.	Ž	10	9	
161	Grlo	M	89	89	100
	Larynx	Ž	10	10	
162	Sapnik, sapnica, pljuča	M	771	708	92
	Trachea, bronchus, lung	Ž	162	148	91
163	Plevra, mediastin., drugo	M	9	7	
	Pleura, mediastinum, etc.	Ž	3	3	
170	Kosti	M	4	4	
	Bone	Ž	5	4	
171	Mehka tkiva	M	15	15	100
	Soft tissues	Ž	20	20	100
172	Koža, maligni melanom	M	79	78	99
	Skin, malignant melanoma	Ž	98	98	100
173	Koža, drugi malignomi	M	354	352	99
	Skin, other malignancies	Ž	393	390	99
174	Dojka	M	5	4	
	Breast	Ž	834	799	96
180	Maternica, vrat	Ž	211	210	100
	Uterus, cervix				
181	Horioepiteliom	Ž	-	-	
	Chorioepithelioma				

cont. ↓

Tabela 7. Nadaljevanje - continued

Šifra MKB*	L o k a c i j a	Spol	Število novih primerov	Mikroskopsko potrjeni primeri	
ICD* No.	Site	Sex	Number of new cases	Število Number	Odstotek** Per cent**
182	Maternica, telo, drugo Uterus, corpus, etc.	Ž	259	257	99
183	Jajčnik, jajcevod, drugo Ovary, Fallopian tube, etc.	Ž	178	173	97
184	Nožnica, vulva, drugo Vagina, vulva, etc.	Ž	41	40	98
185	Prostata Prostate	M	291	262	90
186	Modo Testis	M	75	75	100
187	Penis, obmodek, drugo Penis, epididymis, etc.	M	8	8	
188	Mehur Bladder	M Ž	120 49	116 48	97 98
189	Ledvica, sečevod, drugo Kidney, ureter, etc.	M Ž	106 71	94 61	89 86
190	Oko Eye	M Ž	7 7	5 4	
191	Možgani Brain	M Ž	56 48	51 43	91 90
192	Živčevje, drugo Nervous system, other	M Ž	4 10	4 10	
193	Ščitnica Thyroid	M Ž	16 47	16 47	100 100
194	Endokrine žleze, druge Endocrine glands, other	M Ž	6 4	5 3	
195	Slabo opredeljena lokaliz. Ill-defined site	M Ž	7 23	4 15	65
196	Metastaze v bezgavkah Lymph node metastases	M Ž	17 17	17 17	100 100
197	Met. v dihalih, prebavilih Respiratory, digestive tract met.	M Ž	68 70	33 43	49 61
198	Metastaze, druge Metastases, other	M Ž	28 19	12 8	43 42
199	Malignomi, neopred. Malignancies, unspecified	M Ž	40 35	27 27	68 77

cont. ↓

Tabela 7. Nadaljevanje - continued

Šifra MKB*	L o k a c i j a	Spol	Število novih primerov	Mikroskopsko potrjeni primeri	
ICD*	Site	Sex	Number of new cases	Število Microscopically confirmed cases Number	Odstotek** Per cent**
200	Ne-Hodgkinovi limfomi	M	42	42	100
202	Non-Hodgkin's lymphomas	Ž	54	54	100
201	Hodgkinov limfom	M	19	19	100
	Hodgkin's disease	Ž	19	19	100
203	Plazmacitom	M	19	18	95
	Plasmacytoma	Ž	26	24	92
204.0	Levkemija, limfatična, akut.	M	6	6	
	Leukaemia, lymphatic, acute	Ž	8	8	
204.1	Levkemija, limfatična, kron.	M	24	24	100
	Leukaemia, lymphatic, chronic	Ž	20	20	100
205	Levkemija, mieloična	M	30	30	100
	Leukaemia, myeloic	Ž	23	23	100
206	Levkemija, monocitna	M	1	1	
	Leukaemia, monocytic	Ž	-	-	
207	Levkemije, druge	M	4	4	
	Leukaemias, other	Ž	1	1	
208	Policitemija, prava	M	6	6	
	Polycythemia vera	Ž	1	1	
209	Mielofibroza	M	1	1	
	Myelofibrosis	Ž	2	2	
Zgoraj neupoštevani					
Not included above					
-	Dojka, in situ	Ž	17	17	100
	Breast, in situ				
-	Maternica, vrat, CIN III	Ž	664	664	100
	Uterus, cervix, CIN III				
-	Maligni melanom, in situ	M	2	2	
	Malignant melanoma, in situ	Ž	13	13	
-	Mehur, in situ	M	42	42	100
	Urinary bladder, in situ	Ž	14	14	
2250	Možgani, benigni tumor	M	19	18	95
2252	Brain, benign tumor	Ž	32	31	97
2381	Možgani, neopredeljeno	M	6	-	
	Brain, unspecified	Ž	9	-	

* Mednarodna klasifikacija bolezni, 8. revizija / International classification of diseases, 8th revision

** Odstotki niso računani pri številih pod 15 / Percentages are not calculated for less than 15 cases

Tabela 8. Število histološko (in citološko) potrjenih novih primerov raka - po histološki vrsti in lokaciji - Slovenija 1996**Table 8. Number of histologically (and cytologically) confirmed new cancer cases by histologic type and site - Slovenia 1996**

<i>Histološka vrsta</i>	<i>Skupaj</i>	<i>L o k a c i j a (šifra MKB) - Site (ICD No.)</i>										
		140 - 209	140	141	142	143	144	145	146	147	148	149
<i>Histologic type</i>	<i>All sites</i>											
<i>Vse vrste - hist.(cit.)</i>												
<i>All types - hist.(cyt.)</i>	5920(780)	18 (1)	41 (5)	17 (1)	5 (1)	33 (2)	33	-	88 (3)	18 (1)	50 (1)	- -
Carcinoma non specified	290 (201)	- -	- (1)	1 (1)	- -	- -	- -	- -	1 -	- (1)	- -	- -
Small cell carcinoma	99 (56)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Papillary carcinoma	5 -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -
Squamous carcinoma	1015 (140)	18 (1)	40 (2)	1 -	4 -	32 (2)	29 -	- -	84 (2)	10 -	49 (1)	- -
Basal cell carcinoma	549 (34)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Transitional cell ca.	158 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Adenocarcinoma	3010 (221)	- -	1 (2)	9 -	- -	- -	- -	2 -	- -	1 -	1 -	- -
Mucoepidermoid carcinoma	3 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -
Fibrosarcoma	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Fibrohistiocytic sarcoma	16 (1)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Liposarcoma	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Leiomyosarcoma	18 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Rhabdomyosarcoma	3 (1)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Angiosarcoma	2 (1)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Perivascular sarcoma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant mesothelioma	6 (2)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Neural sarcoma	8 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant paraganglioma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant mesenchymoma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Miscellaneous sarcoma	5 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Unclassified												
soft tissue sarcoma	8 (4)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Osteosarcoma	3 (4)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Chondrosarcoma	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Complex mixed and stromal malignoma	26 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -
Retinoblastoma	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Cystosarcoma phyllodes	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant melanoma	188 (7)	- -	- -	- -	- (1)	- -	- -	- -	- -	- -	- -	- -
Specialized gonadal malignoma	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Dysgerminoma and seminoma	39 (1)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other germ cell malignoma	39 (1)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Trophoblastic malignoma	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Brenner tumor	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant glioma	92 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant meningioma	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Non Hodgkin lymphoma	134 (37)	- -	- -	4 -	1 -	- -	- -	1 -	2 (1)	7 -	- -	- -
Hodgkin lymphoma	31 (7)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Plasma cell tumors	24 (20)	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -
Leukemia except chronic lymphoid	66 (7)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Chronic lymphoid leukemia	35 (9)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other lymphoreticular neoplasms	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Mast cell sarcoma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Miscellaneous malignoma	9 (5)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Small cell malignoma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignoma non specified	21 (21)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

cont. →

Tabela 8. Nadaljevanje - continued

<i>Histološka vrsta</i>	<i>Skupaj</i>	<i>L o k a c i j a (šifra MKB) - Site (ICD No.)</i>														
	<i>140 - 209</i>	<i>150</i>	<i>151</i>	<i>152</i>	<i>153</i>	<i>154</i>	<i>155</i>	<i>156</i>	<i>157</i>	<i>158</i>	<i>159</i>					
<i>Histologic type</i>	<i>All sites</i>	<i>cont. →</i>														
Vse vrste - hist.(cit.)	5920(780)	79 (3)	423 (5)	13 (1)	445 (7)	365	-	50(12)	68 (2)	84(17)	13 (3)	1 (2)				
All types - hist.(cyt.)																
Carcinoma non specified	290 (201)	4	-	19	-	-	-	30 (1)	7	-	1 (2)	5 (1)	10 (6)	-	-	-
Small cell carcinoma	99 (56)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Papillary carcinoma	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous carcinoma	1015 (140)	69 (3)	2	-	-	-	-	2	-	-	5	-	-	-	-	-
Basal cell carcinoma	549 (34)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Transitional cell ca.	158	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Adenocarcinoma	3010 (221)	6	-	368 (5)	7 (1)	413 (6)	350	-	48(10)	57 (1)	74 (9)	2	-	1 (2)	-	-
Mucoepidermoid carcinoma	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrosarcoma	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	16 (1)	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Liposarcoma	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Leiomyosarcoma	18	-	-	2	-	-	-	-	-	-	-	-	-	3	-	-
Rhabdomyosarcoma	3 (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2 (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perivascular sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	6 (2)	-	-	-	-	-	-	-	-	-	-	-	-	2 (1)	-	-
Neural sarcoma	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Malignant paraganglioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesenchymoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous sarcoma	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unclassified																
soft tissue sarcoma	8 (4)	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Osteosarcoma	3 (4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Complex mixed and stromal malignoma	26	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Retinoblastoma	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystosarcoma phyllodes	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	188 (7)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Specialized gonadal malignoma	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	39 (1)	-	-	-	-	-	-	-	-	-	-	-	-	1 (1)	-	-
Other germ cell malignoma	39 (1)	-	-	-	-	-	-	-	-	-	-	-	-	- (1)	-	-
Trophoblastic malignoma	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brenner tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant glioma	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	134 (37)	-	-	28	-	5	-	1	-	-	-	-	-	-	-	-
Hodgkin lymphoma	31 (7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	24 (20)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	66 (7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	35 (9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other lymphoreticular neoplasms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mast cell sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous malignoma	9 (5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small cell malignoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignoma non specified	21 (21)	-	-	2	-	-	-	1	-	-	1	-	- (2)	1	-	-

Tabela 8. Nadaljevanje - continued

<i>Histološka vrsta</i>	<i>Skupaj</i>	<i>L o k a c i j a (šifra MKB) - Site (ICD No.)</i>									
	140 - 209	160	161	162	163	170	171	172	173	174	
<i>Histologic type</i>	<i>All sites</i>										<i>cont. →</i>
Vse vrste - hist.(cit.)	5920(780)	20 (2)	99	-	548(308)	6 (4)	4 (4)	28 (7)	172 (4)	695(47)	689(114)
All types - hist.(cyl.)											
Carcinoma non specified	290 (201)	2 -	2 -	67 (62)	- -	- -	- -	- -	- -	20 (5)	26 (91)
Small cell carcinoma	99 (56)	- -	- -	92 (54)	- -	- -	- -	- -	- -	- -	- -
Papillary carcinoma	5 -	- -	- -	- -	- -	- -	- -	- -	- -	3 -	- -
Squamous carcinoma	1015 (140)	5 (2)	94 -	243(115)	- -	- -	- -	- -	- -	116 (5)	- -
Basal cell carcinoma	549 (34)	- -	- -	- -	- -	- -	- -	- -	- -	543 (34)	3 -
Transitional cell ca.	158 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Adenocarcinoma	3010 (221)	5 -	1 -	137 (70)	- -	- -	- -	- -	- -	3 (1)	653 (20)
Mucoepidermoid carcinoma	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Fibrosarcoma	3 -	- -	- -	- -	- -	- -	3 -	- -	- -	- -	- -
Fibrohistiocytic sarcoma	16 (1)	- -	- -	- -	1 -	- -	8 (1)	- -	4 -	1 -	- -
Liposarcoma	3 -	- -	- -	- -	- -	- -	2 -	- -	- -	- -	- -
Leiomyosarcoma	18 -	- -	1 -	2 -	1 -	- -	3 -	- -	- -	- -	- -
Rhabdomyosarcoma	3 (1)	1 -	- -	- -	- -	- -	(1)	- -	- -	- -	- -
Angiosarcoma	2 (1)	1 -	- -	- -	- -	- -	- -	- -	(1)	- -	- -
Perivascular sarcoma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant mesothelioma	6 (2)	- -	- -	- -	4 (1)	- -	- -	- -	- -	- -	- -
Neural sarcoma	8 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant paraganglioma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant mesenchymoma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Miscellaneous sarcoma	5 -	- -	- -	- -	- -	- -	5 -	- -	- -	- -	- -
Unclassified											
soft tissue sarcoma	8 (4)	- -	- -	- -	- -	- -	2 (4)	- -	- -	- -	- -
Osteosarcoma	3 (4)	- -	- -	- -	- -	3 (4)	- -	- -	- -	- -	- -
Chondrosarcoma	3 -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -
Complex mixed and stromal malignoma	26 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -
Retinoblastoma	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Cystosarcoma phyllodes	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -
Malignant melanoma	166 (7)	2 -	- -	- -	- -	- -	1 -	172 (4)	- -	- -	- -
Specialized gonadal malignoma	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Dysgerminoma and seminoma	39 (1)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other germ cell malignoma	39 (1)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Trophoblastic malignoma	2 -	- -	- -	- -	- -	2 -	- -	- -	- -	- -	- -
Brenner tumor	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant glioma	92 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignant meningioma	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Non Hodgkin lymphoma	134 (37)	3 -	- -	5 -	(1)	- -	1 -	- -	5 -	2 (2)	- -
Hodgkin lymphoma	31 (7)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Plasma cell tumors	24 (20)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Leukemia except chronic lymphoid	66 (7)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Chronic lymphoid leukemia	35 (9)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other lymphoreticular neoplasms	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Mast cell sarcoma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Miscellaneous malignoma	9 (5)	- -	- -	- -	- -	- -	1 (1)	- -	- -	- -	- -
Small cell malignoma	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Malignoma non specified	21 (21)	1 -	1 -	2 (7)	(2)	- -	- -	- -	- -	1 (1)	1 (1)

Tabela 8. Nadaljevanje - continued

<i>Histološka vrsta</i>	<i>Skupaj</i>	<i>L o k a c i j a (šifra MKB) - Site (ICD No.)</i>															
	<i>140 - 209</i>	<i>180</i>			<i>181</i>	<i>182</i>	<i>183</i>	<i>184</i>	<i>185</i>	<i>186</i>	<i>187</i>	<i>188</i>	<i>189</i>				
<i>Histologic type</i>	<i>All sites</i>	<i>cont. →</i>															
Vse vrste - hist.(cit.)	5920(780)	210	-	-	-	256 (1)	160(13)	39 (1)	248(14)	75	-	7 (1)	160 (4)	150(5)			
All types - hist.(cyt.)																	
Carcinoma non specified	290 (201)	9	-	-	-	5	-	7 (1)	3	-	48 (2)	-	-	(1)	3 (4)	1	-
Small cell carcinoma	99 (56)	2	-	-	-	1	-	-	-	(1)	-	-	-	-	2	-	-
Papillary carcinoma	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous carcinoma	1015 (140)	155	-	-	-	1	-	-	34	-	1	-	-	6	-	4	-
Basal cell carcinoma	549 (34)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Transitional cell ca.	158	-	-	-	-	-	-	-	-	-	-	-	-	-	142	-	15
Adenocarcinoma	3010 (221)	43	-	-	-	228 (1)	147(11)	1	-	198(12)	-	-	-	-	6	-	127 (5)
Mucoepidermoid carcinoma	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrosarcoma	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	16 (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liposarcoma	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	18	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Rhabdomyosarcoma	3 (1)	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Angiosarcoma	2 (1)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Perivascular sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	6 (2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neural sarcoma	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant paraganglioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesenchymoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous sarcoma	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unclassified																	
soft tissue sarcoma	8 (4)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Osteosarcoma	3 (4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Complex mixed and stromal malignoma	26	-	-	-	-	14	-	2	-	-	1	-	-	-	2	-	2
Retinoblastoma	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystosarcoma phyllodes	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	188 (7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Specialized gonadal malignoma	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Dysgerminoma and seminoma	39 (1)	-	-	-	-	-	-	2	-	-	33	-	-	-	-	-	-
Other germ cell malignoma	39 (1)	-	-	-	-	-	-	1	-	-	38	-	-	-	-	-	-
Trophoblastic malignoma	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Brenner tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant glioma	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	134 (37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgkin lymphoma	31 (7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	24 (20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	66 (7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	35 (9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other lymphoreticular neoplasms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mast cell sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous malignoma	9 (5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Small cell malignoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignoma non specified	21 (21)	-	-	-	-	-	-	(1)	-	-	-	-	-	-	-	-	3

Tabela 8. Nadaljevanje - continued

<i>Histološka vrsta</i>	<i>Skupaj</i>	<i>L o k a c i j a (šifra MKB) - S i t e (ICD No.)</i>													
	140 - 209	190	191	192	193	194	195	196	197	198	199				
<i>Histologic type</i>	<i>All sites</i>											<i>cont. →</i>			
Vse vrste - hist.(cit.)	5920(780)	9	-	94	-	14	-	57 (6)	7 (1)	11 (8)	22(12)	36(40)	15 (5)	20(34)	
All types - hist.(cyl.)															
Carcinoma non specified	290 (201)	-	-	-	-	-	-	3 (2)	1	-	-	3 (1)	4(11)	6 (1)	2 (7)
Small cell carcinoma	99 (56)	-	-	-	-	-	-	-	-	-	-	- (1)	-	-	1
Papillary carcinoma	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous carcinoma	1015 (140)	-	-	-	-	-	-	-	-	-	7 (4)	1	-	- (1)	2 (2)
Basal cell carcinoma	549 (34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Transitional cell ca.	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Adenocarcinoma	3010 (221)	-	-	-	-	-	-	54 (2)	5 (1)	5 (6)	8 (6)	29(26)	6 (3)	14(21)	
Mucoepidermoid carcinoma	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Fibrosarcoma	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	16 (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liposarcoma	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhabdomyosarcoma	3 (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2 (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perivascular sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	6 (2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neural sarcoma	8	-	-	-	1	-	6	-	-	-	-	-	-	-	-
Malignant paraganglioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesenchymoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous sarcoma	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unclassified															
soft tissue sarcoma	8 (4)	-	-	-	-	-	-	-	-	2	-	-	-	1	-
Osteosarcoma	3 (4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Complex mixed and stromal malignoma	26	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Retinoblastoma	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cystosarcoma phyllodes	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	188 (7)	8	-	-	-	-	-	-	-	-	1	1	1	1	(2)
Specialized gonadal malignoma	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	39 (1)	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Other germ cell malignoma	39 (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trophoblastic malignoma	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brenner tumor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant glioma	92	-	-	-	88	-	4	-	-	-	-	-	-	-	-
Malignant meningioma	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	134 (37)	-	-	3	-	1	-	(2)	-	-	-	-	-	-	-
Hodgkin lymphoma	31 (7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	24 (20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	66 (7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	35 (9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other lymphoreticular neoplasms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mast cell sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous malignoma	9 (5)	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Small cell malignoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignoma non specified	21 (21)	-	-	-	-	-	-	-	-	2 (2)	2 (1)	1 (2)	1	-	- (2)

Tabela 8. Nadaljevanje - continued

<i>Histološka vrsta</i>	<i>Skupaj</i>	<i>L o k a c i j a (šifra MKB) - Site (ICD No.)</i>										
	<i>140 - 209</i>	<i>200</i>	<i>201</i>		<i>203</i>	<i>204</i>	<i>205</i>	<i>206</i>		<i>207</i>	<i>208</i>	<i>209</i>
<i>Histologic type</i>	<i>All sites</i>	<i>202</i>										
Vse vrste - hist.(cit.)	5920(780)	65(31)	31 (7)		22(20)	49 (9)	46 (7)	1 -		5 -	3 (4)	3 -
All types - hist.(cyt.)												
Carcinoma non specified	290 (201)	-	-	-	-	-	-	-	-	-	-	-
Small cell carcinoma	99 (56)	-	-	-	-	-	-	-	-	-	-	-
Papillary carcinoma	5	-	-	-	-	-	-	-	-	-	-	-
Squamous carcinoma	1015 (140)	-	-	-	-	-	-	-	-	-	-	-
Basal cell carcinoma	549 (34)	-	-	-	-	-	-	-	-	-	-	-
Transitional cell ca.	158	-	-	-	-	-	-	-	-	-	-	-
Adenocarcinoma	3010 (221)	-	-	-	-	-	-	-	-	-	-	-
Mucoepidermoid carcinoma	3	-	-	-	-	-	-	-	-	-	-	-
Fibrosarcoma	3	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	16 (1)	-	-	-	-	-	-	-	-	-	-	-
Liposarcoma	3	-	-	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	18	-	-	-	-	-	-	-	-	-	-	-
Rhabdomyosarcoma	3 (1)	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2 (1)	-	-	-	-	-	-	-	-	-	-	-
Perivascular sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	6 (2)	-	-	-	-	-	-	-	-	-	-	-
Neural sarcoma	8	-	-	-	-	-	-	-	-	-	-	-
Malignant paraganglioma	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesenchymoma	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous sarcoma	5	-	-	-	-	-	-	-	-	-	-	-
Unclassified												
soft tissue sarcoma	8 (4)	-	-	-	-	-	-	-	-	-	-	-
Osteosarcoma	3 (4)	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	3	-	-	-	-	-	-	-	-	-	-	-
Complex mixed and stromal malignoma	26	-	-	-	-	-	-	-	-	-	-	-
Retinoblastoma	1	-	-	-	-	-	-	-	-	-	-	-
Cystosarcoma phyllodes	2	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	188 (7)	-	-	-	-	-	-	-	-	-	-	-
Specialized gonadal malignoma	2	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	39 (1)	-	-	-	-	-	-	-	-	-	-	-
Other germ cell malignoma	39 (1)	-	-	-	-	-	-	-	-	-	-	-
Trophoblastic malignoma	2	-	-	-	-	-	-	-	-	-	-	-
Brenner tumor	-	-	-	-	-	-	-	-	-	-	-	-
Malignant glioma	92	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	-	-	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	134 (37)	65 (31)	-	-	-	-	-	-	-	-	-	-
Hodgkin lymphoma	31 (7)	-	31 (7)	-	-	-	-	-	-	-	-	-
Plasma cell tumors	24 (20)	-	-	-	22 (20)	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	66 (7)	-	-	-	-	14	46 (7)	1	5	-	-	-
Chronic lymphoid leukemia	35 (9)	-	-	-	-	35 (9)	-	-	-	-	-	-
Other lymphoreticular neoplasms	-	-	-	-	-	-	-	-	-	-	-	-
Mast cell sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous malignoma	9 (5)	-	-	-	-	-	-	-	-	3 (4)	3	-
Small cell malignoma	-	-	-	-	-	-	-	-	-	-	-	-
Malignoma non specified	21 (21)	-	-	-	-	-	-	-	-	-	-	-

Tabela 9. Število primerov ne-Hodgkinovih limfomov* po lokaciji, spolu in starosti - Slovenija 1996

Table 9. Total number of non-Hodgkin's malignant lymphomas* by site, sex, and age - Slovenia 1996

Šifra Lokacija MKB		Spol	Vse starosti	Starost																		
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	?	
ICD No.	Site	Sex	All ages	Age																		
	Vse lokacije All sites	Skupaj Total	171	-	1	-	-	5	7	1	8	10	13	7	16	23	25	25	14	16	-	
		Moški Male	87	-	-	-	-	3	3	1	4	6	3	5	10	14	16	9	4	9	-	
		Ženske Female	84	-	1	-	-	2	4	-	4	4	10	2	6	9	9	16	10	7	-	
**	Glava in vrat Head and neck	M	14	-	-	-	-	-	1	-	1	-	1	-	-	5	3	2	-	1	-	
		Ž	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	
151	Želodec Stomach	M	18	-	-	-	-	-	-	-	2	2	1	1	2	3	5	-	1	1	-	
		Ž	10	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	2	-	
152	Tanko črevo Small intestine	M	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	
		Ž	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
154	Rektum Rectum, anus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		Ž	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
162	Sapnik, sapnica, pljuča Trachea, bronchus, lung	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	
		Ž	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	
163	Plevra Pleura	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
171	Mehka tkiva Soft tissue	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
173	Koža Skin	M	4	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	
		Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
174	Dojka Breast	Ž	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	
191	Možgani Brain	M	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
		Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
192	Živčevje, drugo Nervous system, other	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
193	Ščitnica Thyroid	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		Ž	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
202	Bezgavke Lymph nodes	M	42	-	-	-	-	2	-	1	1	3	1	3	4	5	7	6	3	6	-	
		Ž	54	-	1	-	-	2	4	-	3	3	8	1	5	4	6	8	5	4	-	

* Vključeni so vsi citološko in/ali histološko potrjeni primeri
All cases included have been cytologically or histologically verified

** Šifre MKB/ICD Nos.: 142-147, 160

Tabela 10. Število novih primerov raka po bolnišnicah ugotovitve diagnoze ter število in odstotek primerov, napotenih na Onkološki inštitut (OI) - Slovenija 1996

Table 10. Number of new cancer cases diagnosed by reporting hospitals, and number and percentage of cases referred to the Institute of Oncology (IO), Ljubljana - Slovenia 1996

<i>Bolnišnice</i>	<i>Število novih primerov</i>	<i>Napoteni na OI</i>	
<i>Hospitals</i>	<i>Number of new cases</i>	<i>Referred to the IO</i>	<i>Odstotek*</i>
		<i>Number</i>	<i>Per cent*</i>
Skupaj	7 254	3 703	51
Total			
Onkološki inštitut, Ljubljana	720	720	100
Institute of Oncology, Ljubljana			
Klinični center, Ljubljana	2491	1248	50
University Medical Center, Ljubljana			
Dermatološka klinika	231	21	9
Gastroenterološka interna klinika	168	62	37
Ginekološka klinika	244	163	67
Infekcijska klinika	16	8	50
Inštitut za gerontologijo	26	7	27
Inštitut Golnik	467	292	63
Interna klinika	158	39	25
Kirurška gastroenterološka klinika	405	174	43
Klinična bolnišnica za pediatrijo	24	22	92
Klinična bolnišnica za psihiatrijo	1	-	
Klinika za maksilofacialno kirurgijo	35	30	86
Klinika za nevrokirurgijo	81	58	72
Klinika za plastično kirurgijo in opeklino	44	11	25
Klinika za torakalno kirurgijo	79	51	65
Nevrološka klinika	30	16	53
Očesna klinika	20	14	70
Ortopedska klinika	9	8	
Otorinolaringološka klinika	190	166	87
Travmatološka klinika	6	4	
Urološka klinika	257	102	40
Splošne in specialistične bolnišnice	3966	43	
General and special hospitals			
Splošna bolnišnica Brežice	63	26	41
Splošna bolnišnica Celje**	649	328	51

cont. ↓

Tabela 10.Nadaljevanje- continued

<i>Bolnišnice</i>	<i>Število novih primerov</i>	<i>Napoteni na OI</i>	
<i>Hospitals</i>	<i>Number of new cases</i>	<i>Število</i>	<i>Odstotek*</i>
		<i>Referred to the IO</i>	<i>Number Per cent*</i>
Splošna bolnišnica Jesenice	152	64	42
Splošna bolnišnica Izola	229	113	49
Splošna bolnišnica Maribor	1127	424	38
Splošna bolnišnica Murska Sobota	363	124	34
Splošna bolnišnica Nova Gorica	340	134	39
Splošna bolnišnica Novo mesto	343	154	45
Splošna bolnišnica Ptuj	89	50	56
Splošna bolnišnica Slovenj Gradec	260	98	38
Splošna bolnišnica Trbovlje	74	37	50
Bolnišnica za ginekologijo in porodništvo Kranj	25	17	68
Bolnišnica za ženske bolezni in porodništvo Postojna	28	17	61
Bolnišnica za zdravljenje in rehabilitacijo pljučnih bolnikov Sežana	56	22	39
Ortopedska bolnica Valdoltra	4	4	
Psihiatrična bolnišnica Begunje	-	-	
Psihiatrična bolnišnica Idrija	1	-	
Zasebne ordinacije	163	80	49
Drugi zdravstveni zavodi	77	43	56
Other health institutions			

* Odstotki niso računani pri številih pod 15
Percentages are not calculated for less than 15 cases

** Vključno bolnišnica Topolšica
Including hospital Topolšica

Tabela 11. Število in odstotek novih primerov raka, ugotovljenih v bolnišnicah, po stadiju, lokaciji in spolu - Slovenija 1996

Table 11. Number and percentage of new cancer cases reported by hospitals by stage, site and sex - Slovenia 1996

Šifra MKB	L o k a c i j a	Spol	Število primerov	Lokaliziran		S t a d i j				Neznan	
				Število	Odstotek*	Regionarna razširitev		Oddaljena razširitev		Število	Odstotek*
ICD No.	Site	Sex	Number of cases	Localized		S t a g e				Unknown	
				Number	Per cent*	Regional		Remote		Number	Per cent*
140	Vse lokacije	Skupaj	7254	2925	40	2161	30	1784	25	384	5
209	All sites	Total									
		Moški	3597	1350	38	1093	30	942	26	212	6
		Male									
		Ženske	3657	1575	43	1068	29	842	23	172	5
		Female									
140	Ustnica	M	15	14	93	1	7	-	-	-	-
	Lip	Ž	4	3		1		-	-	-	-
141	Jezik	M	36	5	14	29	81	-	-	2	6
	Tongue	Ž	10	3		7		-	-	-	-
142	Slinavke	M	9	3		3		1		2	
	Salivary glands	Ž	9	5		4		-	-	-	-
143	Dlesni	M	4	1		3		-	-	-	-
	Gum	Ž	2	-		2		-	-	-	-
144	Ustno dno	M	26	8	31	17	65	1	4	-	-
	Floor of mouth	Ž	9	3		5		1		-	-
145	Usta, drugo	M	30	13	43	16	53	1	3	-	-
	Mouth, other parts	Ž	3	1		2		-	-	-	-
146	Orofarinks	M	82	12	15	64	78	6	7	-	-
	Oropharynx	Ž	9	3		6		-	-	-	-
147	Epifarinks	M	14	1		12		1		-	-
	Epipharynx	Ž	5	-		4		1		-	-
148	Hipofarinks	M	49	1	2	44	90	4	8	-	-
	Hypopharynx	Ž	2	-		2		-	-	-	-
149	Žrelo, neoznačeno	M	1	-		-		-		1	
	Pharynx, not specified	Ž	-	-		-		-		-	-
150	Požiralnik	M	80	25	31	36	45	11	14	8	10
	Esophagus	Ž	10	2		4		2		2	
151	Želodec	M	274	62	23	98	36	80	29	34	12
	Stomach	Ž	186	38	20	68	37	61	33	19	10
152	Tanko črevo	M	9	-		3		5		1	
	Small intestine	Ž	6	-		-		6		-	-

cont. ↓

Tabela 11. Nadaljevanje - continued

Šifra MKB	L o k a c i j a	Spol	Število primerov	Lokaliziran		S t a d i j		Oddaljena razširitev		Neznan	
				Število	Odstotek*	Število	Odstotek*	Število	Odstotek*	Število	Odstotek*
ICD No.	Site	Sex	Number of cases	Localized		Regional		Remote		Unknown	
				Number	Per cent*	Number	Per cent*	Number	Per cent*	Number	Per cent*
153	Debelo črevo	M	253	22	9	139	55	71	28	21	8
	Colon	Ž	236	38	16	120	51	61	26	17	7
154	Rektum	M	217	36	17	120	55	44	20	17	8
	Rectum, anus	Ž	173	38	22	82	47	32	18	21	12
155	Jetra	M	40	13	33	6	15	16	40	5	13
	Liver	Ž	30	11	37	6	20	7	23	6	20
156	Žolčnik, žolčni vodi	M	29	13	45	9	31	4	14	3	10
	Gall bladder, bile ducts	Ž	67	5	7	22	33	30	45	10	15
157	Trebušna slinavka	M	77	12	16	22	29	35	45	8	10
	Pancreas	Ž	109	11	10	38	35	44	40	16	15
158	Retro-, peritonej	M	9	2		5		2		-	
	Retro-, peritoneum	Ž	8	-		4		2		2	
159	Prebavila, drugo	M	3	-		-		2		1	
	Digestive organs, other	Ž	1	-		-		1		-	
160	Nos, obnosne votl., drugo	M	13	1		11		1		-	
	Nose, sinuses, etc.	Ž	10	1		8		1		-	
161	Grlo	M	89	60	67	28	31	-	-	1	1
	Larynx	Ž	10	4		6		-		-	
162	Sapnik, sapnica, pljuča	M	771	198	26	276	36	276	36	21	3
	Trachea, bronchus, lung	Ž	162	40	25	45	28	68	42	9	6
163	Plevra, mediastin., drugo	M	9	2		2		1		4	
	Pleura, mediastinum, etc.	Ž	3	1		1		1		-	
170	Kosti	M	4	-		4		-		-	
	Bone	Ž	5	3		2		-		-	
171	Mehka tkiva	M	15	11	73	2	13	2	13	-	-
	Soft tissues	Ž	20	9	45	7	35	3	15	1	5
172	Koža, maligni melanom	M	79	60	76	13	16	4	5	2	3
	Skin, malignant melanoma	Ž	98	80	82	14	14	2	2	2	2
173	Koža, drugi malignomi	M	354	346	98	5	1	-	-	3	1
	Skin, other malignancies	Ž	393	383	97	7	2	2	1	1	-
174	Dojka	M	5	-		4		1		-	
	Breast	Ž	834	356	43	389	47	72	9	17	2
180	Maternica, vrat	Ž	211	118	56	70	33	23	11	-	-
	Uterus, cervix										
181	Horioepiteliom	Ž	-	-		-		-		-	
	Chorioepithelioma										

cont. ↓

Tabela 11. Nadaljevanje - continued

Šifra MKB	L o k a c i j a	Spol	Število primerov	Lokaliziran		S t a d i j				Neznani	
				Število	Odstotek*	Regionarna razširitev		Oddaljena razširitev		Število	Odstotek*
						Število	Odstotek*	Število	Odstotek*		
ICD No.	S i t e	S e x	N u m b e r o f c a s e s	L o c a l i z e d N u m b e r	P e r c e n t *	R e g i o n a l N u m b e r	P e r c e n t *	R e m o t e N u m b e r	P e r c e n t *	U n k n o w n N u m b e r	P e r c e n t *
182	Maternica, telo, drugo Uterus, corpus, etc.	Ž	259	186	72	51	20	15	6	7	3
183	Jajčnik, jajcevod, drugo Ovary, Fallopian tube, etc.	Ž	178	41	23	21	12	111	62	5	3
184	Nožnica, vulva, drugo Vagina, vulva, etc.	Ž	41	17	41	17	41	7	17	-	-
185	Prostata Prostate	M	291	158	54	27	9	72	25	34	12
186	Modo Testis	M	75	39	52	25	33	11	15	-	-
187	Penis, obmodek, drugo Penis, epididymis, etc.	M	8	4		2		1		1	
188	Mehur Bladder	M	120	72	60	33	28	4	3	11	9
		Ž	49	30	61	9	18	9	18	1	2
189	Ledvica, sečevod, drugo Kidney, ureter, etc.	M	106	66	62	17	16	18	17	5	5
		Ž	71	39	55	9	13	17	24	6	8
190	Oko Eye	M	7	7		-		-		-	
		Ž	7	7		-		-		-	
191	Možgani Brain	M	56	53	95	2	4	1	2	-	-
		Ž	48	47	98	1	2	-	-	-	-
192	Živčevje, drugo Nervous system, other	M	4	3		1		-		-	
		Ž	10	8		1		1		-	
193	Ščitnica Thyroid	M	16	11	69	1	6	4	25	-	-
		Ž	47	28	60	11	23	7	15	1	2
194	Endokrine žleze, druge Endocrine glands, other	M	6	1		3		1		1	
		Ž	4	1		1		2		-	
195	Slabo opredeljena lokaliz. Ill-defined site	M	7	1		1		4		1	
		Ž	23	-	-	9	39	8	35	6	26
196	Metastaze v bezgavkah Lymph node metastases	M	17	-	-	-	-	1	6	16	94
		Ž	17	-	-	-	-	-	-	17	100
197	Met. v dihalih, prebavilih Respiratory, digestive tract met.	M	68	-	-	-	-	67	99	1	1
		Ž	70	-	-	-	-	70	100	-	-
198	Metastaze, drugje Metastases, other	M	28	-	-	-	-	28	100	-	-
		Ž	19	-	-	-	-	19	100	-	-
199	Malignomi, neopredeljeni Malignancies, unspecified	M	40	-	-	-	-	40	100	-	-
		Ž	35	-	-	-	-	35	100	-	-

cont. ↓

Tabela 11. Nadaljevanje - continued

Šifra MKB	L o k a c i j a	Spol	Število primerov	S t a d i j (A n n - A r b o r)							
				I		II		III + IV		Neznan	
				Število	Odstotek*	Število	Odstotek*	Število	Odstotek*	Število	Odstotek*
ICD No.	Site	Sex	Number of cases	S t a g e (A n n - A r b o r)							
				I		II		III + IV		Unknown	
				Number	Per cent*	Number	Per cent*	Number	Per cent*	Number	Per cent*
200	Ne-Hodgkinovi limfomi	M	42	9	21	5	12	20	48	8	19
+ 202	Non-Hodgkin's limfomas	Ž	54	10	19	7	13	31	57	6	11
201	Hodgkinov limfom	M	19	5	26	4	21	10	53	-	-
	Hodgkin's disease	Ž	19	5	26	5	26	9	47	-	-

* Odstotki niso računani pri številih pod 15

* Percentages are not calculated for less than 15 cases

Tabela 12. Število umrlih za rakom in drugimi neoplazmami po lokaciji, spolu in starosti - Slovenija 1996

Table 12. Number of cancer and other neoplasms deaths by site, sex and age - Slovenia 1996

Šifra L o k a c i j a MKB		Spol	Vse starosti	S t a r o s t																	
ICD	S i t e	Sex	All ages	0- A g e	5- A g e	10- A g e	15- A g e	20- A g e	25- A g e	30- A g e	35- A g e	40- A g e	45- A g e	50- A g e	55- A g e	60- A g e	65- A g e	70- A g e	75- A g e	80- A g e	85+
140	Vse lokacije	Skupaj	4 548	4	2	4	7	9	9	26	61	90	214	277	403	609	775	695	473	488	402
209	All sites	Total																			
		Moški Male	2 527	1	2	3	5	4	7	15	31	49	120	164	249	385	483	383	252	221	153
		Ženske Female	2 021	3	-	1	2	5	2	11	30	41	94	113	154	224	292	312	221	267	249
140	Ustnica	M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
	Lip	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	Jezik	M	18	-	-	-	-	-	-	-	-	-	1	1	7	3	1	3	2	-	-
	Tongue	Ž	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1
142	Slinavke	M	6	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	1
	Salivary glands	Ž	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
143	Dlesni	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Gum	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144	Ustno dno	M	13	-	-	-	-	-	-	-	-	-	3	2	3	2	2	1	-	-	-
	Floor of mouth	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145	Usta, drugo	M	7	-	-	-	-	-	-	-	-	-	-	-	3	1	3	-	-	-	-
	Mouth, other parts	Ž	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1
146	Orofaringks	M	57	-	-	-	-	-	-	-	-	2	7	6	13	15	7	4	2	1	-
	Oropharynx	Ž	9	-	-	-	-	-	-	-	-	1	-	-	3	2	-	1	-	1	1
147	Epifaringks	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Epipharynx	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148	Hipofaringks	M	23	-	-	-	-	-	-	-	1	-	4	4	4	2	6	-	1	1	-
	Hypopharynx	Ž	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
149	Žrelo, neoznačeno	M	7	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	1
	Pharynx, not specified	Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
150	Požiralnik	M	87	-	-	-	-	-	-	2	1	1	5	5	17	16	18	9	7	3	3
	Esophagus	Ž	16	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	2	3	2
151	Želodec	M	218	-	-	-	-	-	-	1	2	3	5	12	13	30	36	33	34	29	20
	Stomach	Ž	167	-	-	-	-	1	-	-	4	2	6	9	10	12	21	25	21	31	25
152	Tanko črevo	M	8	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	2	-
	Small intestine	Ž	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1
153	Debelo črevo	M	163	-	-	-	-	-	1	1	3	5	4	7	10	18	30	28	16	27	13
	Colon	Ž	157	-	-	-	-	-	-	-	2	-	8	7	10	13	24	23	17	31	22
154	Rektum	M	152	-	-	-	-	-	1	-	2	3	5	6	17	21	31	23	19	19	5
	Rectum, anus	Ž	125	-	-	-	-	-	-	1	-	1	4	7	8	18	15	19	11	23	18

cont. ↓

Tabela 12. Nadaljevanje - continued

Šifra MKB	L o k a c i j a Site	Spol Sex	Vse starosti All ages	S t a r o s t A g e																	
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
155	Jetra Liver	M Ž	69 49	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 4	4 3	7 1	11 4	13 14	15 10	8 6	3 4	5 3
156	Žolčnik, žolčni vodi Gall bladder, bile ducts	M Ž	28 63	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 3	2 3	3 7	5 11	8 14	4 8	2 6	3 11
157	Trebušna slinavka Pancreas	M Ž	102 122	- -	- -	- -	- -	- -	- -	- 1	2 -	1 1	6 3	8 5	10 5	13 11	22 9	16 27	14 16	6 23	4 21
158	Retro-, peritonej Retro-, peritoneum	M Ž	5 15	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	1 5	- 3	1 1	- 3	1 -	- 1
159	Prebavila, drugo Digestive organs, other	M Ž	2 9	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	1 -	- -	- 1	- 4
160	Nos, obnosne votl., drugo Nose, sinuses, etc.	M Ž	2 4	- -	- -	- -	1 -	- -	- -	- -	- -	- 1	- -	- -	1 -	- -	- 2	- -	- -	- 1	- -
161	Grlo Larynx	M Ž	64 6	- -	- -	- -	- -	- -	- -	- -	- -	4 -	5 -	10 -	7 -	10 -	13 2	5 1	2 1	5 2	3 -
162	Sapnik, sapnica, pljuča Trachea, bronchus, lung	M Ž	745 163	- -	- -	- -	- 1	- -	- -	- 1	10 3	14 9	41 12	63 20	74 15	132 32	165 22	134 15	52 15	34 15	26 18
163	Plevra, mediastin., drugo Pleura, mediastinum, etc.	M Ž	22 15	- -	- -	- -	- -	- 1	- 1	1 -	2 -	2 1	3 -	4 1	2 1	2 -	1 4	3 2	- 1	1 4	- -
170	Kosti Bone	M Ž	11 8	- -	- -	- -	- 1	- -	- 1	- -	- -	- -	- 1	- 1	- 1	1 1	3 -	1 -	- -	2 1	2 2
171	Mehka tkiva Soft tissues	M Ž	8 5	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 1	1 1	- 1	2 2	1 -	- -	- -	2 -
172	Koža, maligni melanom Skin, malignant melanoma	M Ž	52 47	- -	- -	- -	- -	- -	3 2	2 2	3 1	4 1	6 3	6 5	7 8	7 2	5 5	7 6	5 4	2 8	2 8
173	Koža, drugi malignomi Skin, other malignancies	M Ž	2 5	- -	- -	- -	- -	- -	- -	- 2	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- 1	- 2
174	Dojka Breast	M Ž	6 355	- -	- -	- -	- -	- -	- 3	- 5	- 12	- 27	1 31	- 31	1 48	- 48	1 52	- 32	1 31	2 35	- 35
180	Maternica, vrat Uterus, cervix	Ž	59	-	-	-	-	-	3	5	2	11	4	7	7	9	4	2	2	3	
181	Horioepiteliom Chorioepithelioma	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182	Maternica, telo, drugo Uterus, corpus, etc.	Ž	92	-	-	-	-	-	-	-	-	3	3	1	7	8	8	18	15	12	17
183	Jajčnik, jajcevod, drugo Ovary, Fallopian tube, etc.	Ž	129	-	-	-	1	-	-	-	2	3	7	13	15	17	22	24	10	9	6
184	Nožnica, vulva, drugo Vagina, vulva, etc.	Ž	23	-	-	-	-	-	-	-	-	-	-	-	-	5	3	4	2	6	3

cont. ↓

Tabela 12. Nadaljevanje - continued

Šifra L o k a c i j a MKB		Spol	Vse starosti	S t a r o s t																	
ICD No.	S i t e	Sex	All ages	0- A g e	5- A g e	10- A g e	15- A g e	20- A g e	25- A g e	30- A g e	35- A g e	40- A g e	45- A g e	50- A g e	55- A g e	60- A g e	65- A g e	70- A g e	75- A g e	80- A g e	85+ A g e
185	Prostata Prostate	M	203	-	-	-	-	-	-	-	1	-	-	5	5	7	33	42	38	41	31
186	Modo Testis	M	4	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
187	Penis, obmodek, drugo Penis, epididymis, etc.	M	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
188	Mehur Bladder	M	70	-	-	-	-	-	-	-	-	2	1	1	1	11	17	10	10	10	7
		Ž	42	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	3	5	8
189	Ledvica, sečevod, drugo Kidney, ureter, etc.	M	53	-	-	-	-	-	-	-	-	3	2	4	7	8	6	4	7	7	5
		Ž	40	-	-	-	-	-	-	-	-	-	-	-	-	1	7	6	12	5	4
190	Oko Eye	M	5	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-
		Ž	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
191	Možgani Brain	M	56	-	1	1	1	-	3	2	2	2	5	4	8	12	8	4	1	1	1
		Ž	40	-	-	1	-	1	-	-	-	1	5	-	2	6	2	9	7	5	1
192	Živčevje, drugo Nervous system, other	M	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-
		Ž	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
193	Ščitnica Thyroid	M	6	-	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-	-	-
		Ž	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3
194	Endokrine žleze, druge Endocrine glands, other	M	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-
		Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
195	Slabo opred. lokaliz. Ill-defined site	M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1
		Ž	23	-	-	-	-	-	-	-	1	1	-	-	-	-	-	4	1	3	6
196	Metastaze v bezgavkah Lymph node metastases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
199	Malignomi, neopredeljeni Malignancies, unspecified	M	84	-	-	-	-	-	-	1	1	1	3	3	8	16	19	10	13	3	6
		Ž	67	-	-	-	-	-	-	-	1	1	4	2	-	7	13	8	10	14	7
200	Ne-Hodgkinovi limfomi	M	52	-	-	1	2	-	-	1	1	-	4	2	3	14	8	5	1	6	4
202	Non-Hodgkin's lymphomas	Ž	42	2	-	-	-	-	-	-	1	1	1	2	2	7	6	10	5	3	2
201	Hodgkinov limfom Hodgkin's disease	M	7	-	-	-	-	2	-	1	1	-	-	1	1	-	1	-	-	-	-
		Ž	8	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	2	-	1
203	Plazmacitom Plasmacytoma	M	21	-	-	-	-	-	-	-	-	-	-	2	2	5	2	2	2	4	2
		Ž	34	-	-	-	-	-	-	-	1	-	1	2	4	7	6	3	3	4	3
204.0	Levkemija, limfat. akutna Leukaemia, lymphatic, acute	M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1
204.1	Levkemija, limfat., druge	M	20	-	-	-	-	-	-	-	-	-	-	-	1	3	6	4	4	-	2
204.9	Leukaemia, lymphatic, other	Ž	12	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	5	3
205	Levkemija, mieloična Leukaemia, myeloic	M	34	-	-	1	-	-	-	1	-	-	4	1	4	2	9	5	2	3	2
		Ž	26	-	-	-	-	-	1	-	-	-	1	1	3	3	1	3	4	6	2

cont. ↓

Tabela 12. Nadaljevanje - continued

Šifra	L o k a c i j a	Spol	Vse	S t a r o s t																	
MKB			starosti	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
ICD	S i t e	Sex	All	A g e																	
No.			ages																		
206	Levkemija, monocitna	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Leukaemia, monocytic	Ž	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
207	Levkemije, druge	M	6	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	1
	Leukaemias, other	Ž	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
208	Policitemija, prava	M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-
	Polycythemia vera	Ž	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Zgoraj neupoštevani																					
Not included above																					
2250	Možgani, benigni tumor	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Brain, benign tumor	Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2381	Možgani, neopredeljeno	M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1
	Brain, unspecified	Ž	8	-	-	-	-	-	-	-	1	1	-	-	-	1	1	3	1	-	-
	Druge neoplazme	M	28	-	-	-	-	-	-	-	1	1	-	-	2	1	2	7	4	6	4
	Other neoplasms	Ž	27	-	-	-	-	-	-	-	-	1	-	3	1	4	3	5	4	4	2

Tabela 13. Število vseh živih bolnikov z rakom po spolu in izbrani primarni lokaciji - Slovenija, 31. 12. 1996

Table 13. Prevalence of cancer patients by sex and selected primary site - Slovenia, Dec. 31, 1996

<i>Lokacija</i> <i>Site</i>	<i>Vsi</i> <i>Total</i>	<i>Moški</i> <i>Males</i>	<i>Ženske</i> <i>Females</i>
Vse lokacije / All sites	40 019	14 813	25 206
Koža, drugi malignomi Skin, other malignancies	8 068	3 476	4 592
Dojka Breast	6 518	47	6 471
Maternica, vrat Uterus, cervix	3 094	-	3 094
Maternica, telo Uterus, corpus	2 665	-	2 665
Danka Rectum	1 813	914	899
Debelo črevo Colon	1 734	815	919
Želodec Stomach	1 413	829	654
Pljuča Lung	1 344	1 085	259
Koža, maligni melanom Skin, malignant melanoma	1 280	453	827
Prostata Prostate	1 027	1 027	-
Usta in žrelo* Mouth & pharynx*	1 015	807	208
Jajčniki Ovary, Fallopian tube	964	-	964
Ledvica Kidney, ureter	893	499	394
Mehur Bladder	793	595	198
Grlo Larynx	790	705	85

*MKB-8: 141, 143-149

*ICD-8:

INCIDENCA RAKA V SLOVENIJI 1996
CANCER INCIDENCE IN SLOVENIA 1996

Po mnenju Ministrstva za kulturo Republike Slovenije, št. 415-111/98 z dne 12. novembra 1998, šteje publikacija med proizvode, za katere se plačuje 5-odstotni davek od prometa proizvodov.