



ONKOLOŠKI  
INŠTITUT  
LJUBLJANA

INSTITUTE  
OF ONCOLOGY  
LJUBLJANA

EPIDEMIOLOGIJA IN REGISTER RAKA  
EPIDEMIOLOGY AND CANCER REGISTRY

REGISTER RAKA REPUBLIKE SLOVENIJE  
CANCER REGISTRY OF REPUBLIC OF SLOVENIA

# INCIDENCA RAKA V SLOVENIJI CANCER INCIDENCE IN SLOVENIA

# 2006

Poročilo RR št. 48  
Report No. 48

LJUBLJANA 2009

ISSN 1318-2471





ONKOLOŠKI  
INŠTITUT  
LJUBLJANA

INSTITUTE  
OF ONCOLOGY  
LJUBLJANA

EPIDEMIOLOGIJA IN REGISTER RAKA  
EPIDEMIOLOGY AND CANCER REGISTRY

REGISTER RAKA REPUBLIKE SLOVENIJE  
CANCER REGISTRY OF REPUBLIC OF SLOVENIA

# INCIDENCA RAKA V SLOVENIJI CANCER INCIDENCE IN SLOVENIA

# 2006

Poročilo RR št. 48  
Report No. 48

LJUBLJANA 2009

ISSN 1318-2471

**Uredniški odbor / Editorial Board**

Maja Primic Žakelj, glavna urednica / editor-in-chief  
Matej Bračko  
Marko Hočevar  
Vera Pompe-Kirn  
Primož Strojan  
Vesna Zadnik  
Branko Zakotnik  
Tina Žagar

**Računalniška obdelava / EDP analysis**

Jurij Modic  
Vesna Zadnik  
Tina Žagar  
Katja Jarm

**Priprava za tisk / Typesetting**

Studio N, studio za oblikovanje in grafično pripravo

**Tisk / Typesetting and printing**

Birografika BORI d.o.o.

**Izdajatelj / Published by**

Onkološki inštitut Ljubljana / Institute of Oncology Ljubljana, Slovenia

**Naklada / Published in**

550 izvodov / 550 copies

**Nasvet za citiranje / Recommended reference**

Incidenca raka v Sloveniji 2006, Ljubljana: Onkološki inštitut Ljubljana, Register raka Republike Slovenije, 2009.

Cancer incidence in Slovenia 2006, Ljubljana: Institute of Oncology Ljubljana, Cancer Registry of Republic of Slovenia, 2009.

**Osebjje Registra raka / Staff of the Cancer Registry**

Maja Primic Žakelj, vodja / head  
Barbara Babuder, Mojca Brus, Andrej Kirn, Andrej Krašovec, Laura Kresnik, Neža Milčič,  
Darja Strle, Fani Škrlec, Nataša Šturm in Tina Žagar

**Naslov / Correspondence to**

Register raka Republike Slovenije / Cancer Registry of Republic of Slovenia  
Onkološki inštitut Ljubljana / Institute of Oncology Ljubljana  
Zaloška c. 2, 1001 Ljubljana, p.p. 2217, Slovenija  
Telefon / Phone: + 386 1 5879 450  
E-pošta / E-mail: register@onko-i.si  
Spletna stran / Web site:  
**<http://www.onko-i.si/rrs/>**  
<http://www.onko-i.si/crs/>

## VSEBINSKO KAZALO / CONTENTS

	Stran / Page
<b>Uvod in pojasnila / Introduction and Comments</b> .....	<b>5</b>
Tabela A. Breme raka – Slovenija 2006	
Table A. Cancer burden – Slovenia 2006 .....	16
Tabela B. Prevalenca glede na obdobje opazovanja – Slovenija 31. 12. 2006	
Table B. Prevalence by period of observation – Slovenia December 31, 2006 .....	16
Tabela C. Stabilnost podatkov – število in odstotek novih primerov raka, prijavljenih po izdaji letnega poročila, po obdobju – Slovenija 1965–2005	
Table C. Data stability – number and percentage of new cases reported after the publication of annual reports by time period – Slovenia 1965–2005 .....	16
Tabela D. Opazovana in napovedana incidenca raka – Slovenija 1997–2006 in 2009	
Table D. Observed and predicted cancer incidence – Slovenia 1997–2006 and 2009 .....	17
Slika 1. Najpogostejše lokacije raka po spolu in pri obeh spolih skupaj – Slovenija 2006	
Figure 1. The leading cancer sites by sex and for both sexes together – Slovenia 2006 .....	18
Slika 2. Odstotni delež vseh rakov po starostnih skupinah in spolu ter pri obeh spolih skupaj – Slovenija 2006	
Figure 2. Percentage distribution of all cancer sites by age groups and sex and for both sexes together – Slovenia 2006 .....	19
Slika 3. Groba in kumulativna letna incidenčna in umrljivostna stopnja vseh rakov po spolu – Slovenija 1950–2006	
Figure 3. Crude and cumulative annual cancer incidence and mortality rate for all sites by sex – Slovenia 1950–2006 .....	20
Slika 4. Groba letna incidenčna stopnja izbranih rakov po spolu – Slovenija 1950–2006	
Figure 4. Crude annual cancer incidence rate for selected primary sites by sex – Slovenia 1950–2006 .....	21
Slika 5. Groba in starostno standardizirana letna incidenčna stopnja (SSS) izbranih rakov po spolu – Slovenija 1985–2006	
Figure 5. Crude and age standardized annual cancer incidence rate (ASR) for selected primary sites by sex – Slovenia 1985–2006 .....	22
Slika 6. Povprečni letni delež spremembe grobe in starostno standardizirane incidenčne stopnje (SSS) izbranih rakov po spolu – Slovenija 1997–2006	
Figure 6. Average annuale percentage change in crude and age standardized cancer incidence rate (ASR) for selected primary sites by sex – Slovenia 1997–2006 .....	23
Slika 7. Število prebivalcev po starostnih skupinah v svetovni, evropski in slovenski standardni populaciji	
Figure 7. Number of persons by age groups in the World, European and Slovenian standard populations .....	24
Tabela E. Incidenca, groba incidenčna stopnja in po svetovni, evropski ter slovenski standardni populaciji standardizirane incidenčne stopnje raka – Slovenija 2006	
Table E. Incidence, crude incidence rate and according to the World, European and Slovenian standard population standardized incidence cancer rates – Slovenia 2006 .....	25

**Podatki v tabelah / Data in tables**

Tabela 1.	Prebivalstvo po starosti in spolu – Slovenija 30. 06. 2006	
Table 1.	Population by age and by sex – Slovenia June 30, 2006 .....	26
Tabela 2.	Prebivalstvo po statističnih regijah in spolu – Slovenija 30. 06. 2006	
Table 2.	Population by statistical regions and by sex – Slovenia June 30, 2006 .....	27
Tabela 3.	Incidenca raka glede na način postavitve diagnoze po lokaciji in spolu – Slovenija 2006	
Table 3.	Cancer incidence according to basis of diagnosis by site and by sex – Slovenia 2006 .....	28
Tabela 4a.	Incidenca raka po lokaciji (MKB-10), spolu in starosti – Slovenija 2006	
Table 4a.	Cancer incidence by site (ICD-10), by sex and by age – Slovenia 2006 .....	34
Tabela 4b.	Incidenca raka po lokaciji (MKB-8), spolu in starosti – Slovenija 2006	
Table 4b.	Cancer incidence by site (ICD-8), by sex and by age – Slovenia 2006 .....	38
Tabela 5.	Groba in starostno specifična incidenčna stopnja na 100.000 prebivalcev ter kumulativna stopnja (KS) po lokaciji in spolu – Slovenija 2006	
Table 5.	Crude and age specific cancer incidence rate per 100,000 and cumulative rate (CR) by site and by sex – Slovenia 2006 .....	41
Tabela 6a.	Incidenca najpogostejših lokacij raka po statističnih regijah in spolu – Slovenija 2006	
Table 6a.	Incidence of most frequent cancer sites by statistical regions and by sex – Slovenia 2006 .....	48
Tabela 6b.	Starostno standardizirana incidenčna stopnja najpogostejših lokacij raka po statističnih regijah in spolu – Slovenija 2006	
Table 6b.	Age standardised incidence rate of most frequent cancer sites by statistical regions and by sex – Slovenia 2006 .....	49
Tabela 7.	Incidenca histološko (H) in citološko (C) potrjenih primerov raka po histološki vrsti in lokaciji – Slovenija 2006	
Table 7.	Incidence of histologically (H) and cytologically (C) confirmed cancer cases by histological type and by site – Slovenia 2006 .....	50
Tabela 8.	Incidenca ne-Hodgkinovih limfomov po lokaciji, spolu in starosti – Slovenija 2006	
Table 8.	Incidence of non-Hodgkin's malignant lymphomas by site, by sex and by age – Slovenia 2006 .....	59
Tabela 9.	Incidenca raka po bolnišnicah ugotovitve diagnoze ter število in odstotek primerov, napotenih na Onkološki inštitut Ljubljana (OI) – Slovenija 2006	
Table 9.	Cancer incidence by reporting hospitals, and number and percentage of cases referred to the Institute of Oncology Ljubljana (IO) – Slovenia 2006 .....	60
Tabela 10.	Incidenca raka (brez primerov, registriranih samo iz zdravniških poročil o vzroku smrti) po stadiju, lokaciji in spolu – Slovenija 2006	
Table 10.	Cancer incidence (without cases registered from death certificates only) by stage, by site and by sex – Slovenia 2006 .....	62
Tabela 11.	Umrljivost za rakom po lokaciji, spolu in starosti – Slovenija 2006	
Table 11.	Mortality by site, by sex and by age – Slovenia 2006 .....	66
Tabela 12.	Prevalenca po spolu in izbrani primarni lokaciji – Slovenija 31. 12. 2006	
Table 12.	Prevalence of cancer patients by sex and by selected primary site – Slovenia December 31, 2006 .....	71
<b>Izbor publikacij / Selected publications</b> .....		<b>72</b>

## UVOD

Register raka Republike Slovenije (RRS) je eden najstarejših populacijskih registrov raka v Evropi. Leta 1950 ga je ustanovila in do leta 1975 vodila pokojna profesorica dr. Božena Ravnihar. Njeno delo je prevzela profesorica dr. Vera Pompe-Kirn, ki je do upokojitve leta 2003 skrbela za nadaljnje uveljavljanje RRS v domačem in mednarodnem merilu. Od leta 2003 je RRS skupaj z Enoto za epidemiologijo v enotni službi, Epidemiologija in register raka. V njej so poleg RRS še bolnišnični register Onkološkega inštituta Ljubljana, ki posreduje RRS velik del podatkov in omogoča podrobnejši pregled nad bolniki, zdravljenimi v naši ustanovi ne glede na to, kje imajo stalno prebivališče. V zadnjem desetletju smo vzpostavili še nov državni register za vodenje in spremljanje organiziranega presejalnega programa za raka materničnega vratu (ZORA), od leta 2007 pa izgrajujemo informacijski sistem DORA, ki bo informacijska podpora organiziranemu presejalnemu programu za raka dojk. Tudi obstoj teh novih registrov prispeva k temu, da so podatki RRS popolnejši in kakovostnejši, po drugi strani pa podatki RRS prispevajo k vrednotenju učinkovitosti presejalnih programov.

Prijavljanje raka je v Republiki Sloveniji obvezno in zakonsko predpisano že od ustanovitve Registra (Ur. l. SRS, št. 10/50, št. 29/50, št. 14/65, št. 1/80, št. 45/82, št. 42/85; Ur. l. RS, št. 9/92 in št. 65/00). Zbrani podatki so podlaga za ocenjevanje bremena rakavih bolezni v državi, za načrtovanje in ocenjevanje onkološkega varstva na področju primarne in sekundarne preventive, diagnostike, zdravljenja in rehabilitacije, za načrtovanje zmogljivosti in sredstev, ki so potrebni za obvladovanje rakavih bolezni (osebje, medicinska oprema, posteljne zmogljivosti), ter za klinične in epidemiološke raziskave v Sloveniji in v sklopu širših mednarodnih raziskav.

Populacijski register raka opravičuje svoj obstoj, če se zbrani podatki tudi redno obdelujejo, objavljajo in uporabljajo. Ena izmed stalnih oblik vračanja obdelanih informacij so letna poročila. Ker je virov informacij več, je čas, potreben za dokončanje zbirke, povezavo in objavo podatkov pri nas in po svetu daljši, običajno 2 leti do 3. Sedanje poročilo prikazuje podatke o novih primerih, registriranih v letu 2006. Za osnovno

## INTRODUCTION

The Cancer Registry of Republic of Slovenia (CRS) is one of the oldest population based registries in Europe. It was founded in 1950 by the late Professor Božena Ravnihar, MD, PhD, who headed it till 1975. She was succeeded by Professor Vera Pompe-Kirn, who contributed a lot to the further development of the Registry as well as its recognition at the national and international level all until her retirement in 2003. Since 2003, the CRS together with the Unit of Epidemiology is merged in a single Epidemiology and Cancer Registry service. Besides the CRS, the new service also comprises the hospital-based Cancer Registry of the Institute of Oncology Ljubljana, which contributes a considerable part of information to the CRS and facilitates a more detailed overview of patients treated at the Institute, irrespective of their permanent residence. In the last decade, we have established a new national Cervical Cancer Screening Registry in charge of coordinating and monitoring the organised cervical cancer screening programme (ZORA), while an information system DORA to support organized breast cancer screening programme has been underway since 2007. While the existence of these two new registries contributes to a higher quality and completeness of CRS's data, the latter contribute to the evaluation of the effectiveness of screening programmes.

Notification of cancer has been compulsory in Slovenia since the foundation of the Registry and prescribed by law (Official Gazette of SRS, No. 10/50, No. 29/50, No. 14/65, No. 1/80, No. 45/82, No. 42/85; Official Gazette of RS, No. 9/92 and No. 65/00). The data collected serve as the basis for assessing the cancer burden in the country, for programming and evaluating primary prevention, diagnosis, treatment and rehabilitation, planning facilities and funding needed for cancer control (personnel, equipment and hospital capacities) as well as for clinical and epidemiological research in Slovenia and in international multicentric studies.

The existence of a population-based cancer registry is justified only by regular processing, publishing and using the data collected. The Registry's Annual Reports are one of the regular

informacijo o tem, kakšno incidenco pričakujemo leta 2009, dodajamo s posebno statistično metodo ocenjeno napoved za leto 2009.

RRS je prva letna poročila izdajal že v letih 1953–1957 za leta 1951–1955. Prva analiza podatkov za leto 1950 je bila objavljena v **Zdravstvenem vestniku** leta 1951. Podatki za leta 1957–1971 so bili objavljani v periodičnih publikacijah Svetovne zdravstvene organizacije **Epidemiological and Vital Statistics** in v **World Health Statistics Report**. Od leta 1965 so bili podatki spet redno objavljani v posebnih letnih poročilih z naslovom **Rak v Sloveniji** (1965–1977) in **Incidenca raka v Sloveniji** (1978–2003), in sicer v slovenskem in angleškem jeziku. Za vsebino publikacije skrbi uredniški odbor, v katerem smo zbrani specialisti raznih vej onkologije. Glede na želje in pripombe uporabnikov letna poročila iz leta v leto dopolnjujemo, hkrati pa poskrbimo, da ostajajo objavljeni podatki primerljivi.

Incidenca raka je po svetu zelo različna, za raziskovanje teh razlik pa so ključni kakovostni podatki. Prav zato so bili in so naši podatki o incidenci raka zanimivi tudi za svet. Leta 1957 je izšlo prvo obsežnejše poročilo za leta 1950–1955 v angleščini. Podatke za leta 1956–60, 1961–65, 1968–72, 1973–76, 1978–81, 1982–87, 1988–92 in 1993–97 so objavili tudi v vseh osmih zvezkih knjige **Cancer Incidence in Five Continents**, ki jo je izdajala Mednarodna agencija za raziskovanje raka. Podatki o incidenci in umrljivosti za rakom so vključeni tudi v mednarodne podatkovne baze **EUROCIM, GLOBOCAN, ACCIS**, preživetje slovenskih bolnikov pa je obdelano v mednarodnih študijah **EUROCARE II, EUROCARE III** in **EUROCARE IV**.

Zbrane podatke v Registru obdelujemo in pojasnjujemo v skladu s trenutno perečo problematiko v Sloveniji, z lastnim raziskovalnim programom in s predlogi uporabnikov. Izsledke objavljamo v člankih v domačem in tujem strokovnem in poljudnem tisku. Izdane so tudi tri knjige: **Zemljevidi incidence raka v Sloveniji 1978–1987**, **Preživetje bolnikov z rakom v Sloveniji 1963–1990** in **Preživetje bolnikov z rakom v Sloveniji 1983–1997**. V kratkem bo izšla nova knjiga z naslovom **Preživetje bolnikov z rakom, zbolelih v letih 1991–2005 v Sloveniji**. Seznam drugih pomembnejših del, objavljenih v zadnjih petih letih, je v dodatku na koncu poročila.

ways of disseminating information. Because of a variety of data sources, data collection, their linking and publication is rather time consuming (with us and elsewhere) and usually takes two to three years. As preliminary information on expected incidence in 2009, predicted numbers and rates are presented in this report.

The first annual reports of the Registry for the period 1951–1955 were issued during the years 1953–1957. The first data analysis for the year 1950 was published in **Zdravstveni vestnik** in 1951. The data for the period 1957–1971 were appearing in the periodicals **Epidemiological and Vital Statistics Report** and **World Health Statistics Report**, both edited by World Health Organization. From 1965 onwards, the data have been appearing regularly in special bi-lingual (Slovene-English) annual reports, first entitled **Cancer in Slovenia** (1965–1977), and then **Cancer Incidence in Slovenia** (1978–2003). The editorial board, responsible for the contents of the report, consists of experts of different specialties in oncology. Our endeavours have always been directed towards further improvement of these publications, by taking into account as much the requests and comments of the users as the comparability of the data from year to year.

There are great differences in cancer incidence among different populations and to evaluate them, good quality data are needed from different parts of the world. That is why our data on cancer incidence have always been interesting also for professional public abroad. In 1957, the first comprehensive report, covering the period 1950–1955, was issued in English under the title **Cancer in Slovenia 1955**. The data for the periods 1956–60, 1961–65, 1968–72, 1973–76, 1978–81, 1982–87, 1988–92 and 1993–97 were published in all eight volumes of the **Cancer Incidence in Five Continents** issued by International Agency for Research on Cancer. The data on cancer incidence and mortality are also included in international databases **EUROCIM, GLOBOCAN, ACCIS**. The survival of Slovenian cancer patients is analysed in the international studies **EUROCARE II, EUROCARE III** and **EUROCARE IV**.

The data collected have been processed in accordance with the current problems in Slovenia, as well as with respect to our research



Letošnje poročilo je v celoti dostopno v elektronski obliki na spletni strani Onkološkega inštituta Ljubljana: <http://www.onko-i.si/rrs>.

programme and suggestions from our users. These data are published in national and foreign medical literature and as publications for lay readers. Three special publications are **Atlas of Cancer Incidence in Slovenia 1978–1987**, **Cancer Patients' Survival in Slovenia 1963–1990** and **Cancer Patients' Survival in Slovenia 1983–1997**. A new book entitled **Survival of Cancer Patients, Diagnosed in 1991–2005 in Slovenia** will be published soon. The list of other relevant publications in last five years is at the end of this report.

The current annual report is available in pdf format on website of the Institute of Oncology Ljubljana: <http://www.onko-i.si/crs>.

## GRADIVO IN METODE

Osnovni vir podatkov so **prijavnice rakave bolezni**. Registru jih pošiljajo iz vseh bolnišnic in diagnostičnih centrov v Sloveniji, iz ordinacij osnovnega zdravstvenega varstva pa le izjemoma, če bolnik ni napoten na nadaljnje preiskave in/ali zdravljenje. Dodatni vir podatkov so zdravniška poročila o vzroku smrti in obdukcijski zapisniki z diagnozo maligne bolezni. Zbiranje podatkov za to letno poročilo smo zaključili 28. februarja 2009.

**Kakovost podatkov** registrov raka osvetljujejo naslednji kazalci: odstotni delež mikroskopsko (histološko ali citološko) potrjenih primerov in odstotni delež primerov, registriranih samo iz zdravniških poročil o vzroku smrti. Vrednosti teh kazalcev so prikazane v Tabeli 3.

**Popolnost registracije** kaže delež vseh novih primerov raka na področju, ki ga pokriva register in ki so vključeni v podatkovno zbirko registra. Neposredno jo je mogoče meriti samo s posebnimi raziskavami, namenjenimi oceni popolnosti, npr. s ponovnim pregledom odpustnih diagnoz in popisov bolezni v bolnišnicah ali ambulantah na določenem območju. V Sloveniji takih raziskav zaenkrat še nismo opravili, veliko pa nam k popolnosti pomagajo kolegi kliniki, ki jih zanima preživetje pri njih zdravljenih bolnikov in nam pošljejo podatke o svoji skupini bolnikov, med katerimi velikokrat najdemo take, ki jih v

## MATERIAL AND METHODS

The main sources of data are notifications gathered from all hospitals and diagnostic centres in Slovenia, exceptionally also from primary health care centres in case the patient was not referred for further diagnostic investigations and/or treatment. This information is completed by death certificates and autopsy protocols stating cancer diagnosis. The collection of data for the current report was completed on February 28, 2008.

The **quality of data** can be assessed by the following parameters: the percentage of microscopically (histologically or cytologically) confirmed cases and the percentage of cancer cases registered on the basis of death certificates only. The values of these parameters in the three observation periods are presented in Table C.

The **completeness of registration** shows the proportion of all new cancer cases in the region covered by the registry, which are included in the registry's data base. It can be measured directly only by means of special surveys for the evaluation of completeness, e.g. by reviewing patient record in the hospitals or outpatient clinics in a particular region. In Slovenia, no such surveys have been carried out so far. However, a considerable contribution towards the completeness of registration is made by

podatkovni zbirki RRS še ni. Popolnost je večja tam, kjer imamo registri dostop do zdravniških poročil o vzroku smrti. Tako v Sloveniji za umrle za rakom, ki jih še nismo registrirali, dodatno poizvedujemo. S tem se izboljša popolnost registracije rakov s slabo prognozo, ne pa manj usodnih. V Sloveniji predvidevamo, da je registracija manj popolna pri nemelanomskem kožnem raku in pri tistih malignomih, ki se zdravijo samo ambulantno. Podoben problem imajo tudi drugi populacijski registri raka v Evropi.

Popolnost registracije merimo z razmerjem med umrljivostjo in incidenco ter s stabilnostjo incidence v času. To pomeni, da med posameznimi leti ni velikih nihanj incidence in da ni velikih razlik v odstotnem deležu primerov, ki jih register zabeleži po tem, ko že zaključi obdelavo podatkov za določeno leto. Število naknadno prijavljenih primerov za vsa leta registracije je prikazano v Tabeli C.

Od leta 1993 je obvezno prijavljanje sprememb materničnega vratu, označenih kot CIN III (šifra 219 po 8. reviziji MKB), dotlej pa so se registrirale le spremembe, označene v tabelah s šifro 234.0 (karcinom in situ). Primerjava s podatki za obdobje 1961–1992 tako ni možna. Po 10. reviziji MKB so vse intraepiteljske spremembe materničnega vratu uvrščene v šifro D06. Od leta 1995 registriramo tudi prijavljene intraepiteljske karcinome mehurja in maligne melanome Clark I.

Za razvrščanje neoplazem po lokacijah RRS od leta 1997 uporablja **10. revizijo Mednarodne klasifikacije bolezni, poškodb in vzrokov smrti**, do takrat pa je uporabljal osmo. Za vse, ki želijo primerjati podatke iz prejšnjih poročil, je dodana Tabela 4b. Klasifikaciji različno uvrščata bolezni med maligne, zato število novih primerov raka po obeh klasifikacijah ni enako.

Prav pri uvrščanju med maligne bolezni je treba opozoriti še na klasifikacijo za morfologijo neoplazem, za katero uporabljamo morfološki del **Mednarodne klasifikacije bolezni za onkologijo**, od poročila za leto 2001 **tretjo izdajo**. V tej izdaji je spet nekaj sprememb, tudi katere histološke vrste sodijo med maligne. Po tretji reviziji so med maligne uvrščene kronične mieloproliferativne bolezni in mielodisplastični sindromi (sedaj v topografski šifri C96.7). V skladu z novimi pravili tudi mejno malignih ovarijskih tumorjev ne uvrščamo več v kategorijo C56, pač pa v D39.1.

our colleagues – clinicians, who send us the data on their groups of patients in order to get information about their survival and among them we often find cases that have not been entered in the CRS base yet. The registration is more complete where the registries have access to autopsy reports, and can send out additional inquiries about disease for the deceased that have not been entered into the database yet. This improves the completeness of registration of cancers with poor prognosis, but not also of less fatal ones. It is presumed that in Slovenia registration is less complete in non-melanoma skin cancer and in malignomas that are treated on the out-patient basis only. The completeness of registration is measured by the ratio between mortality and incidence, and by stability of incidence in time, which means that there are no major fluctuations in the incidence between individual years, and neither great differences in the percentage of cases registered only after the data for a particular year have already been processed. The numbers of subsequently reported cases for all registration years are presented in Tabele C.

In 1993, compulsory registration of all cervical intraepithelial dysplasias classified as CIN III was introduced (code 219 according to ICD-8). Till then, only carcinoma in situ (code 234.0) was registered. Thus, the comparison with the data for the period 1961–1992 is not possible. According to ICD-10, all cervical intraepithelial neoplasms (in situ and CIN III) are coded as D06. Since 1995, the number of all reported intraepithelial carcinomas of the bladder and all malignant melanomas Clark I have been registered.

Since 1997, cancer sites are coded according to the 10<sup>th</sup> revision of the **International Statistical Classification of Diseases and Related Health Problems** (ICD-10); before, the 8<sup>th</sup> revision was used (ICD-8). As in earlier reports, Table 4b contains also the data coded according to the 8<sup>th</sup> revision in order to allow the comparison with the earlier reports. There are differences in coding neoplasms as malignant or benign according to both classifications, so, according to the two classifications, the number of new cancer cases is not equal.

When classifying tumours as malignant, the behaviour digit of the morphology code of

Opozarjamo še, da so v Tabeli 7 histološke vrste razvrščene po tretji reviziji morfološkega dela Mednarodne klasifikacije bolezni za onkologijo in združene v drugačne skupine kot v poročilih za leto 2000 in leta pred njim.

V Tabeli 6 smo do Letnega poročila 2002 prikazovali podatke po devetih zdravstvenih regijah. V skladu z Uredbo o standardni klasifikaciji teritorialnih enot – SKTE, ki predpisuje sistematično členitve ozemlja Slovenije na 11 ravneh, smo se odločili, da v tej tabeli in regijskih primerjavah uporabimo raven SKTE-3, 12 statističnih regij. Podatke pa še vedno lahko preuredimo do ravni upravnih enot.

Za napoved incidence v letu 2009 je uporabljena metoda po Dybi in Hakulinenu, ki je primerna za oceno incidence v krajšem časovnem obdobju, saj upošteva samo obdobje diagnoze in starost; pri dolgoročnejših napovedih pa je treba upoštevati tudi vpliv rojstne kohorte.

the **third edition of International Classification of Diseases for Oncology** is used in the current annual report. In this edition, some changes were introduced in terms of morphology and behaviour code. According to this classification, chronic myeloproliferative disorders and myelodysplastic syndromes are classified as malignant (topography code C96.7), while ovarian tumours of borderline malignancy are currently coded as D39.1 (and not C56).

It should be noted that in Table 7 the morphology codes are grouped in different categories as in reports 2000 and previous and are adapted to the third revision of morphology part of International Classification of Diseases for Oncology.

Till Annual Report 2002, the data in Table 6 have been presented by 9 health regions. The new law on regional division of Slovenia introduced the system of eleven levels. So, 12 statistical regions have been chosen to present the data in Table 6.

The method by Dyba and Hakulinen was used for predictions of incidence in 2009. It is suitable for predictions in shorter time period, taking into account the period of diagnosis and age structure of population. For long-term predictions the cohort effect should be included also.

## DEFINICIJE IN POJASNILA

**Incidenca** pomeni število vseh v enem kalendarškem letu na novo ugotovljenih primerov raka v točno določeni populaciji. V incidenco ne štejemo novih primarnih rakov parnega organa iste lokacije, če je bila histološka vrsta obeh rakov, npr. leve in desne dojke, enaka. Prav tako v incidenco ne štejemo novega pojava raka iste histološke vrste na istem organu, npr. multiple lezije v debelem črevesu. V incidenco so vključeni primeri bolezni bolnikov s stalnim bivališčem na območju Republike Slovenije, ne glede na to, kje so bili ti bolniki zdravljeni. **Prevalenca** je število vseh živih bolnikov z rakom na določeni datum ne glede na leto diagnoze. Skupaj z incidenco in umrljivostjo je prevalenca eden od treh osnovnih kazalcev bremena raka.

## DEFINITIONS AND COMMENTS

**Incidence** is the number of newly diagnosed cancer cases in a defined population, reported to the Registry for a given calendar year. New primary cancers of the same histology in paired organs, e. g. on the left and right breast, are not comprised in the incidence figures, neither are any new cancers of the same histology appearing in the same organ, e.g. multiple lesions of the colon. The incidence includes only the data on patients with permanent residence in Slovenia, regardless of the place of treatment. **Prevalence** is the number of all surviving cancer patients, irrespective of the year of diagnosis. Incidence, prevalence and mortality are three major cancer burden indicators.

**Tabele in slike** v tem poročilu prikazujejo podatke o prebivalcih in incidenci raka v Sloveniji leta 2006 po spolu, starosti, lokaciji, histološki vrsti in stadiju bolezni ob diagnozi, o incidenci po statističnih regijah ter podatke o številu novih primerov raka, ugotovljenih v tem letu po posameznih bolnišnicah, število smrti za rakom po spolu, starosti in lokaciji ter prevalenco najpogostejših rakov.

**Tabeli A, B in Slika 1** prikazujejo osnovne podatke o bremenu raka v Sloveniji: število vseh zbolelih in umrlih za rakom v letu 2006, prevalenco in najpogostejše rakave bolezni po spolu in pri obeh spolih skupaj. Več kot polovico vseh rakavih bolezni (56 %) pri obeh spolih je na petih anatomskih mestih: na koži (brez melanoma), debelem črevesu in danki, pljučih, dojki in prostati. V **Tabeli D** je prikazana incidenca in povprečna letna incidenčna stopnja vseh in izbranih rakov v dveh 5-letnih obdobjih 1997–2001 in 2002–2006. Pomembne so **napovedane vrednosti za leto 2009** s 95-odstotnim napovednim intervalom.

**Slika 2** opozarja na različno breme raka v raznih življenjskih obdobjih. Rak je skoraj izjema pri mladih do 19 let. Manj kot 3 % vseh rakov je med 20. in 34. letom starosti, 87 % bolnic in bolnikov pa zboli po 50. letu. Medtem ko med 35. in 49. letom zboli za rakom nekaj več žensk kot moških, se med 50. in 74. letom to razmerje obrne; delež zbolelih je spet večji med ženskami po 75. letu starosti, tudi zato, ker je njihova pričakovana življenjska doba daljša.

V **Tabeli 3** prikazujemo, na kakšen način je bila postavljena diagnoza pri registriranih novih primerih raka. Od 11.043 leta 2006 na novo registriranih primerov raka je bila pri 93,7 % diagnoza potrjena mikroskopsko (histološko ali citološko), pri 5,6 % z drugimi preiskavami, 0,7 % primerov pa smo registrirali samo na osnovi zdravniškega poročila o vzroku smrti. Ta, zadnja odstotna vrednost, ki je že več let podobna, odseva število bolnikov, ki verjetno zaradi starosti ali napredovale bolezni niso bili zdravljeni v bolnišnici. Kakšna je bila morfološka slika malignomov pri 10.347 primerih, pri katerih je bila diagnoza potrjena mikroskopsko, kaže **Tabela 7**. V njej so posebej primeri, ki so potrjeni histološko (92 %), in tisti, ki so bili potrjeni samo citološko (8 %).

Incidenca po petletnih starostnih skupinah prikazuje **Tabela 4a**. Po 8. reviziji MKB, po kateri so raki razvrščeni v **Tabeli 4b**, je novih primerov

**Tables and Figures** show the data on population and on cancer incidence in Slovenia in 2006 by sex, age, primary site, histology, stage of the disease at diagnosis, on the incidence in the individual statistical regions, and on new cancer cases diagnosed in the current year in different hospitals in Slovenia, on deaths and on prevalence of most frequent cancer sites.

**Tables A and B and Figure 1** present the basic data on cancer burden in Slovenia: the number of new, deceased and prevalent cancer patients in 2006 and the most frequent cancer sites by sex and both sexes combined. More than half of all cancers (56%) originate from five anatomical sites: skin (melanoma skin cancer is not included), colorectum, lung, breast and prostate. In **Table D**, incidence and average crude incidence rate in two 5-year periods (1997–2001 and 2002–2006) is presented together with **predicted values for 2009** with 95% prediction interval.

**Figure 2** points to the different proportion of cancer in different age group. Cancer is extremely rare before age 19. Less than 3% of all cancers appeared in patients aged 20–34, but more than 87% patients are diagnosed after they were 50 years old. In the age group 35–49 the proportion of females with cancer is higher in comparison to males, this changes for age group 50–74 years, but for the patients diagnosed aged 75 years or more there is a higher proportion of females again, primarily because of their higher expected life span.

In **Table 3**, data on basis of diagnosis of new cancer cases that were registered in 2006 are presented. From 11,043 new cancer cases, in 93.7% the diagnosis was confirmed microscopically (by histology or cytology), in 5.6% with other investigations and 0.7% was registered from death certificate only. This latter percentage has been similar for several years and represents those patients that, due to advanced age or disease, have not been treated in the hospital. The morphology of tumours in 10,347 cases, diagnosed microscopically, is presented in **Table 7**. In this table, cases confirmed by histology (92%) and by cytology only (8%) are presented separately.

The cancer incidence by five-year age groups is presented in **Figure 4a**. In **Table 4b**, the diagnoses are coded according to the 8<sup>th</sup> revision

raka 10.938. Razlika 105 primerov je posledica novega razvrščanja neoplazem glede na tretjo izdajo morfološkega dela Mednarodne klasifikacije bolezni za onkologijo.

V **Tabeli 6a** je število novih primerov vseh in izbranih rakov prikazano po statističnih regijah. Te številke so pomembne za načrtovanje zdravstvenih zmogljivosti.

**Tabela 8** kaže starostno porazdelitev ekstranodalnih in nodalnih lokacij ne-Hodgkinovih malignih limfomov. Ker je število ekstranodalnih lokacij majhno, so prikazane le absolutne številke.

Iz **Tabele 9** je razvidno, kje vse so bolnikom postavili diagnozo. Tako kot že vrsto let polovica vseh bolnikov z rakom, ki jim diagnozo postavijo v slovenskih bolnišnicah ali jih tam tudi začnejo zdraviti, v nadaljnjem poteku bolezni pride na posvet ali zdravljenje na Onkološki inštitut Ljubljana.

**Tabela 10** prikazuje porazdelitev bolnikov po stadiju, v katerem je bila bolezen odkrita. Uporabljena je poenostavljena opredelitev stadijev, ki upošteva vse preiskovalne metode, vključno operacijo; če bolnik ni bil poprej zdravljen, tudi obdukcijo. Uporabljamo in navajamo jo zato, ker so podatki o stadiju bolezni po klasifikaciji TNM na prijavnica pogosto pomanjkljivi. Poenostavljena opredelitev stadijev pri solidnih tumorjih praviloma sledi klasifikaciji TNM. V omejeni stadij je razvrščena bolezen, kjer je tumor označen kot T1 in T2 (razen pri dojki, malignem melanomu in ščitnici, kjer so vključeni tudi tumorji T3, in materničnem vratu, telesu in sarkomih, kjer so vključeni le tumorji T1) in pri kateri niso prizadete regionalne bezgavke in ni zasevkov v oddaljenih organih (N0, M0). V stadiju regionalne razširitve je bolezen, kjer je tumor opredeljen kot T3 in T4 (razen v omenjenih izjemah) in/ali so prizadete tudi regionalne bezgavke (N1), zasevkov v oddaljenih bezgavkah in organih pa ni (M0). V stadiju oddaljene razširitve pa je tista bolezen, pri kateri so zasevki že v oddaljenih bezgavkah ali organih (M1). Maligni limfomi so opredeljeni po klasifikaciji Ann-Arbor.

V **Tabeli 11** so uradni podatki o umrljivosti za rakom v letu 2006. Tabela so pripravili na Inštitutu za varovanje zdravja RS.

**Tabela 12** prikazuje prevalenco vseh in pogostejših rakov na dan 31. 12. 2006.

of International Classification of Diseases. According to this classification, 10,938 new cancer cases were registered. The difference of 105 cases is due to new morphology classification of the third revision of International Classification of Diseases for Oncology.

In **Table 6a**, the number of new cases of all and selected cancer sites by different statistical regions is presented. These data are important for planning health care facilities.

Age distribution of extranodal and nodal sites of non-Hodgkin malignant lymphomas is presented in **Table 8**. Owing to the small number of extranodal sites, only the absolute numbers are given.

From **Table 9** it is evident, in which hospitals cancer cases are diagnosed. Observations of many years show that half of the patients diagnosed or initially treated in regional hospitals are later on referred to the Institute of Oncology Ljubljana.

A simplified definition of stages at diagnosis is presented in **Table 10**. The simplified definition is based on all investigation methods, including surgery. In case the patient was not treated before death, the autopsy record is considered as well. The simplified stage definition is used because, in cancer notification forms, the data on stage according to TNM Classification System are often lacking. However, in solid tumours, the simplified stage definition often follows the TNM Classification. Localised stage includes all cancers where the tumour has been classified as T1 and T2 (except in breast, malignant melanoma and thyroid cancer, where T3 is also included, and uterine cervix, uterine corpus and sarcomas, where T1 only is included), where neither regional node involvement nor distant metastases are found (N0, M0). The regional stage includes tumours classified as T3 and T4 (exceptions already mentioned) and/or regional node metastases (N1), if no metastases in distant lymph nodes or organs (M0) are found. The disease with metastases in distant nodes or organs is classified as the remote stage (M1). Malignant lymphomas are classified according to Ann-Arbor System.

Official data on cancer mortality in 2006 are given in **Table 11**. The table has been prepared at the Institute of Public Health of the Republic of Slovenia.

**Groba incidenčna stopnja** je število novih primerov na 100.000 oseb opazovane populacije; **Starostno specifična stopnja** pove to relativno število v posamezni petletni starostni skupini.

**Tabela 5** prikazuje grobo in starostno specifično incidenčno stopnjo na 100.000 prebivalcev. Število vseh novih primerov raka iz leta 2006 je preračunano na število prebivalcev Republike Slovenije na dan 30. junija 2006. Zgornji del **Slike 3** in **Slike 4** kažeta trend grobih incidenčnih stopenj vseh in izbranih rakov po spolu. Pri grafičnih prikazih so v eno skupino združeni rak debelega črevesa in danke in v drugo rak ust, žrela in grla (glava in vrat).

Če analiziramo incidenco v daljšem časovnem obdobju (če se starostna struktura prebivalstva v času spreminja) ali če primerjamo incidenco med populacijami z različno starostno strukturo, je treba uporabiti eno od metod starostne standardizacije. **Starostno standardizirana stopnja** je teoretična incidenčna stopnja, pri kateri predpostavimo, da je starostna struktura opazovane populacije enaka starostni strukturi v standardni populaciji.

Na **Sliki 5** so za pet najpogostejših lokacij raka pri vsakem spolu narisane grobe in starostno standardizirane incidenčne stopnje. Starostna standardizacija v tem primeru je opravljena s pomočjo slovenske populacije na začetku opazovanega obdobja. **Slika 6** prikazuje letni odstotni prirast/upad grobe in starostno standardizirane incidenčne stopnje pri desetih najpogostejši lokacijah raka po spolu.

Pri starostni standardizaciji se v epidemioloških pregledih največkrat uporablja ena od treh standardnih populacij. **Slika 7** tako prikazuje populacijsko strukturo v svetovnem, evropskem in slovenskem standardu, v **Tabeli E** pa prikazujemo incidenčno stopnjo rakavih bolezni, standardizirano po svetovni, evropski in slovenski standardni populaciji. V **Tabeli 6b** je za primerjavo incidenčnih stopenj med slovenskimi statističnimi regijami uporabljen slovenski standard, starostna struktura prebivalcev Slovenije ob popisu leta 2002. Starostno standardizirane incidenčne stopnje kažejo, da je velik del razlik med regijami posledica različne starostne strukture njihovih prebivalcev, predvsem v različnem deležu starejših. Zaradi drugačne definicije standarda podatki v **Tabeli 6b** niso primerljivi s podatki, objavljenimi v prejšnjih letnih poročilih.

Data on prevalence of all and most frequent cancers on December 31, 2006 are presented in **Table 12**.

**Crude incidence rate** is the number of new cases per 100,000 population, while the **Age specific rate** expresses this relative number in an individual five-year age group.

**Table 5** shows crude and age specific incidence rate per 100,000 population and cumulative rate per 100. For calculation of crude rate, the Slovenian population on June 30, 2006 was used. The upper part of **Figure 3** and **Figure 4** show the incidence trends for all and selected cancers by sex. In graphical presentations, colon and rectal cancers are grouped in one category as colorectal, as well as oral, pharyngeal and laryngeal cancers as head and neck.

When analysing the incidence rate within longer time period (if the age structure of population changes) or comparing the incidence between populations with different age structure, age standardisation is needed to adjust the rate for the effect of age. **The age-standardised rate** is a theoretical incidence rate assuming that the age structure in the observed population is the same as in the standard population.

In **Figure 5** the crude and age standardized incidence rates for five most common cancer sites by sex are plotted. The standard population in this case was the Slovenian population in the beginning of the observed period. **Figure 6** presents the average annual percentage changes in crude and age standardized cancer incidence rates for ten most common primary sites by sex.

In epidemiological reviews usually one of three standard populations are used. **Figure 7** shows the population structure of the World, European and Slovenian standard populations. In **Table 6b** the Slovenian standard (Slovenian population structure at 2002 census) was used for calculation of age standardized incidence rates by Slovenian statistical regions. Those rates indicate that the majority of these differences are due to different age structure of population in these regions. The data in **Table 6b** are not comparable to previous years data in that table as the standard used was not the same.

**Kumulativna incidenčna stopnja (KS)** je petkratna vsota starostno specifičnih incidenčnih stopenj po petletnih starostnih skupinah do 74. leta starosti, preračunana na 100 prebivalcev. Je poseben primer starostne standardizacije, kjer je standardna populacija v vseh starostnih skupinah enaka, zato vrednost ni odvisna od izbora standarda. Kumulativno incidenčno stopnjo za posamezne rakave bolezni po spolu v letu 2006 prikazujemo v zadnjem stolpiču **Tabele 5**. Časovni trend kumulativne incidenčne in umrljivostne stopnje pa je prikazan v spodnjem delu **Slike 4**. Primerjava z obliko krivulje grobe incidenčne stopnje (zgornji del Slike 4) kaže, da povečanja incidence raka ne moremo pripisati le staranju prebivalstva v Sloveniji, ampak da k rasti incidence prispevajo še drugi nevarnostni dejavniki. Pri primerjavi grobe in kumulativne umrljivostne stopnje pa lahko zaključimo, da gre ves porast umrljivosti na račun staranja prebivalstva.

Kumulativna incidenčna stopnja, ki je manjša kot 10/100, je dober približek kumulativnemu tveganju. **Kumulativno tveganje (KT)** je verjetnost posameznika, da zbolí za rakom v izbranem starostnem obdobju, npr. do 74. leta starosti, če ne umre prej zaradi drugih vzrokov. Kumulativno tveganje izražamo v odstotkih. Pri večjih kumulativnih stopnjah pa kumulativno tveganje izračunamo iz kumulativne stopnje po obrazcu:  $KT = 100 (1 - e^{-KS/100})$ . Kumulativno incidenčno stopnjo raka dojk pri ženskah 7,2/100 tako lahko uporabimo za oceno kumulativnega tveganja raka dojk, ki je v tem primeru 7,2-odstotno. To pomeni oceno, da bo 7,2 % deklic, rojenih leta 2006 ali približno ena od 14, do 74. leta starosti verjetno zbolelo za rakom dojk.

**The cumulative incidence rate (CR)** is five times the sum of the age-specific incidence rates over five-year age groups up to the age of 74 years, calculated per 100 population. The cumulative rate can be interpreted as a form of age-standardization where no standard population is needed. The last column in **Table 5** shows the cumulative incidence rates by cancer sites and sex in 2006. The cumulative incidence rate was used also to present the incidence time trend in the lower part of the **Figure 4**. The comparison to the curves of crude incidence per 100,000 population (upper part of Figure 4) indicates that the increasing cancer incidence rate in both sexes cannot be attributed only to the aging of Slovenian population, but also to additional risk factors. By comparison of crude and cumulative mortality rates we can conclude that the increasing cancer mortality in Slovenia is only due to population ageing.

If cumulative rate is lower than 10/100, its value is practically equal to that of the cumulative risk. **The cumulative risk** is the risk an individual would have of developing the disease in question during a certain age period if no other causes of death were in operation. The cumulative risk is expressed per 100 (per cent). When cumulative rate is greater than 10/100, it should be calculated according to the following formula:  $CR = 100 (1 - e^{-KS/100})$ . For example, the cumulative risk (074) of 7.2/100 for breast cancer in females means that 7.2% of women born in 2006 (approximately every 14<sup>th</sup> woman) are expected to develop breast cancer by their age of 75 in the absence of any other cause of death.

## ZAHVALA

Zdravniki, medicinske sestre in administrativno osebje iz slovenskih bolnišnic in drugih zdravstvenih ustanov so Registru pošiljali prijavnice s podatki o novih bolnikih z rakom in njihovi nadaljnji usodi ter nam pomagali dopolniti prijave z manjkajočimi informacijami.

Vsaj polovico podatkov, obdelanih v tem poročilu, sta prispevali sodelavki Bolnišničnega registra Onkološkega inštituta v Ljubljani Ana Dotzauer in Maruška Ferjančič.

Naše delo bi bilo bistveno težje brez dolgoletnega sodelovanja s Centralnim registrom prebivalstva RS, Inštitutom za varovanje zdravja RS in Statističnim uradom RS.

Vsem imenovanim in tudi drugim, ki so kakorkoli prispevali k temu poročilu, se najlepše zahvaljujemo.

**Uredniški odbor**

## ACKNOWLEDGEMENT

Physicians, nurses, and administrative staff from Slovenian hospitals and other health institutions have provided the data on new cancer patients and their medical history as well as helped us in obtaining additional information when needed.

Our co-workers at the Hospital Registry of the Institute of Oncology Ljubljana, Ana Dotzauer and Maruška Ferjančič, have contributed at least a half of the information presented in this report.

The long-term collaboration with the Population Registry of the Republic of Slovenia, the Institute of Public Health of the Republic of Slovenia and the Statistical Office of the Republic of Slovenia is indispensable for our work.

We thank all of them as well as all others who have contributed and enabled us to present the results of our work in this report.

**Editors**



## REFERENCE / References

- Ravnihar B, Gruden I. **Statističen pregled in kratka analiza prijavljenih rakovnih obolenj iz področja LRS za leto 1950**. Zdrav Vestn 1951; 20: 264–77.
- **Epidemiological and Vital Statistics Report**. Geneva: World Health Organization, 1961–1966.
- **World Health Statistics Report**. Geneva: World Health Organization, 1970–1974.
- **Rak v Sloveniji (1965–77)**. Ljubljana: Onkološki inštitut, Register raka za Slovenijo, 1967–1980.
- **Incidenca raka v Sloveniji (1978–2001)**. Ljubljana: Onkološki inštitut, Register raka za Slovenijo, 1981–2004.
- Doll R, Payne P, Waterhouse J, eds. **Cancer incidence in five continents. Vol 1**. Berlin: Springer, 1966.
- Doll R, Muir C, Waterhouse J, eds. **Cancer incidence in five continents. Vol 2**. Lyon: International Agency for Research on Cancer, 1970.
- Waterhouse J, Muir C, Correa C, Powell J, eds. **Cancer incidence in five continents. Vol 3**. Lyon: International Agency for Research on Cancer, 1976 (IARC Sci Publ 15).
- Waterhouse J, Muir C, Shanmugaratnam K, Powell J, eds. **Cancer incidence in five continents. Vol 4**. Lyon: International Agency for Research on Cancer, 1982 (IARC Sci Publ 42).
- Muir C, Waterhouse J, Mack T, Powell J, Whelan S, eds. **Cancer incidence in five continents. Vol 5**. Lyon: International Agency for Research on Cancer, 1987 (IARC Sci Publ 88).
- Parkin DM, Muir C, Whelan S, Gao Y, Ferlay J, Powell J, eds. **Cancer incidence in five continents Lyon. Vol 6**. International Agency for Research on Cancer, 1992 (IARC Sci Publ 120).
- Parkin DM, Whelan S, Ferlay J, Raymond L, Young J, eds. **Cancer incidence in five continents. Vol 7**. Lyon: International Agency for Research on Cancer, 1997 (IARC Sci Publ 143).
- Parkin DM, Whelan SL, Ferlay J, Teppo L, Thomas DB, eds. **Cancer incidence in five continents. Vol 8**. Lyon: International Agency for Research on Cancer, 2002 (IARC Sci Publ 155).
- European Network of Cancer Registries. **EUROCIM version 4.0**. European incidence database V2.4, ICD-10 dictionary (2003), Lyon 2001.
- Ferlay J, Bray F, Pisani P, Parkin DM. **GLOBOCAN 2002**. Cancer incidence, mortality and prevalence worldwide. IARC CancerBase No. 5, version 2.0. Lyon: IARC Press, 2004.
- Šteliarova-Foucher E, Berrino F, Coebergh JW et al. **ACCISpass 1.01** software for analysis and presentation of data on incidence and survival of children and adolescents in Europe. Lyon: ENCR, 2002.
- Berrino F, Capocaccia R, Esteve J et al, eds. **Survival of cancer patients in Europe: the EURO CARE-2 study**. Lyon: International Agency for Research on Cancer, 1999.
- Berrino F, Capocaccia R, Gatta G et al, eds. **Survival of cancer patients in Europe: the EURO CARE-3 study**. Ann Oncol 2003; 14 (Suppl 5).
- Berrino F, DeAngelis R, Sant M et al. **Survival for eight major cancers and all cancers combined for European adults diagnosed in 1995–1999: Results of the EURO CARE-IV Study**. Lancet Oncol 2007; 8: 773–83.
- Pompe-Kirn V, Primic Žakelj M, Ferligoj A, Škrk J. **Zemljevidi incidence raka v Sloveniji 1978–1987 (Atlas of Cancer Incidence in Slovenia 1978–1987)**. Ljubljana: Onkološki inštitut, Register raka za Slovenijo, 1992.
- Pompe-Kirn V, Zakotnik B, Benulič T, Volk N, Škrk J. **Preživetje bolnikov z rakom v Sloveniji 1963–1990 (Cancer Patients' Survival in Slovenia 1963–1990)**. Ljubljana: Onkološki inštitut, Register raka za Slovenijo, 1995.
- Pompe-Kirn V, Zakotnik B, Zadnik V. **Preživetje bolnikov z rakom v Sloveniji 1983–1997 (Cancer Patients' Survival in Slovenia 1983–1997)**. Ljubljana: Onkološki inštitut, Register raka za Slovenijo, 2003.
- Savezni zavod za zdravstveno zaščito. **Međunarodna klasifikacija bolezni, povreda i uzroka smrti. 8. revizija**. Novi sad: Savezni zavod za zdravstveno zaščito, 1970.
- Inštitut za varovanje zdravja RS. **Mednarodna klasifikacija bolezni in sorodnih zdravstvenih problemov za statistične namene. 10. revizija (International Statistical Classification of Diseases and Related health Problems)**. Ljubljana: Inštitut za varovanje zdravja, 1995.
- World Health Organisation. **International Classification of Diseases for Oncology**. Geneva: World Health Organisation, 2000.
- **Uredba o standardni klasifikaciji teritorialnih enot – SKTE**. Ur. l. RS št. 28/2000.
- Moller B, Fekjaer H, Hakulinen T et al. **Prediction of cancer incidence in the Nordic countries: empirical comparison of different approaches**. Stat Med 2003; 15: 2751–66.
- Jensen OM, Parkin M et al, eds. **Cancer registration principles and methods**. Lyon: International Agency for Research on Cancer, 1991. (IARC Sci Publ 95).
- **Statistični letopis republike Slovenije 2006**. Ljubljana: Statistični urad Republike Slovenije, 2007.
- Segi M. **Cancer mortality for selected sites in 24 countries (1950–57)**. Sendai: Department of Public Health, Tohoku University of Medicine, 1960.
- Day NE. **A New Measure of Age Standardized Incidence, the Cumulative Rate**. In: Waterhouse JAH, Muir CS, Correa P, Powell J, eds. Cancer incidence in Five Continents, Vol. III (IARC Scientific Publications No. 15). Lyon: International Agency for Research on Cancer, 1976.
- **Popis prebivalstva, gospodinjstev in stanovanj, Slovenija, 31. marca 2002**. Statistične informacije 2003;2:2.

**Tabela A. Breme raka – Slovenija 2006****Table A.** Cancer burden – Slovenia 2006

	Skupaj Total	Moški Males	Ženske Females
<b>Incidenca</b> Incidence	11043	5799	5244
<b>Umrljivost</b> Mortality	5284	2938	2346
<b>Prevalenca</b> Prevalence	67713	27394	40319

**Tabela B. Prevalenca glede na obdobje opazovanja – Slovenija 31. 12. 2006****Table B.** Prevalence by period of observation – Slovenia December 31, 2006

Obdobje Period	Število bolnikov Number of patients	Od tega izgubljenih Lost to follow-up	
		Število Number	Odstotek Percentage
1950–2006	67711	1977	2,9
1967–2006	66076	1027	1,6
1977–2006	64051	579	0,9
1987–2006	59366	163	0,3
1997–2006	46624	46	0,1

**Tabela C. Stabilnost podatkov – število in odstotek novih primerov raka, prijavljenih po izdaji letnega poročila, po obdobju – Slovenija 1965–2005****Table C.** Data stability – number and percentage of new cases reported after the publication of annual reports, by time period – Slovenia 1965–2005

Obdobje Period	Letno poročilo Annual report	12. 3. 2009 12 March 2009	Naknadno prijavljeni Subsequently registered	
			Število Number	Odstotek Percentage
1965–1968	14696	14841	145	1,0
1969–1972	15719	16170	451	2,9
1973–1976	17711	18276	565	3,2
1977–1980	19176	19897	721	3,8
1981–1984	20701	21418	717	3,5
1985–1988	22715	23383	668	2,9
1989–1992	25973	26711	738	2,8
1993–1996	29141	30492	1351	4,6
1997–2000	33859	35443	1584	4,7
2001–2004	39036	40607	1571	4,0
2005	10720	10903	183	1,7


Tabela D. Opazovana in napovedana incidenca raka – Slovenija 1997–2006 in 2009

Table D. Observed and predicted cancer incidence, Slovenia 1997–2006 and 2009


Šifra MKB	Primarna lokacija	Spol	Povprečne letne opazovane vrednosti 1997–2001		Povprečne letne opazovane vrednosti 2002–2006		Napoved za 2009 (95 % napovedni interval)			
			Število	Incidenčna stopnja na 100.000	Število	Incidenčna stopnja na 100.000	Število	Incidenčna stopnja na 100.000		
ICD code	Primary site	Sex	Average annual observed values 1997–2001 Number	Incidence rate per 100,000	Average annual observed values 2002–2006 Number	Incidence rate per 100,000	Prediction for 2009 (95% prediction interval) Number Incidence rate per 100,000			
<b>C00</b>	<b>Vse lokacije</b>	<b>Skupaj</b>	<b>9005</b>	<b>453,8</b>	<b>10594</b>	<b>529,7</b>	<b>12147</b>	<b>11857–12436</b>	<b>596</b>	<b>581–610</b>
<b>-</b>	<b>All sites</b>	<b>Moški</b>	<b>4613</b>	<b>478,7</b>	<b>5458</b>	<b>557,3</b>	<b>6373</b>	<b>6161–6585</b>	<b>630</b>	<b>609–651</b>
<b>C96</b>	<b>All sites</b>	<b>Ženske</b>	<b>4392</b>	<b>430,4</b>	<b>5136</b>	<b>503,3</b>	<b>5791</b>	<b>5592–5991</b>	<b>564</b>	<b>544–583</b>
C00	Usta in žrelo	M	266	27,6	253	25,8	245	125–370	24	12–37
-C14	Mouth and pharynx	Ž	50	4,9	64	6,3	84	57–110	8	6–11
C15	Požiralnik	M	74	7,7	74	7,6	75	52–98	7	5–10
	Oesophagus	Ž	17	1,6	17	1,7	19	7–31	2	1–3
C16	Želodec	M	298	30,9	288	29,4	285	240–329	28	24–33
	Stomach	Ž	189	18,6	180	17,6	167	134–201	16	13–20
C18	Debelo črevo	M	308	31,9	373	38,1	441	385–496	44	38–49
	Colon	Ž	269	26,3	316	31,0	352	303–402	34	29–39
C19	Rektum in rektosigmoidna zveza	M	276	28,6	331	33,8	379	327–431	37	32–43
-C20	Rectum and rektosigmoid junction	Ž	205	20,1	227	22,2	242	200–284	24	19–28
C22	Jetra in intrahepatični vodi	M	76	7,9	98	10,0	115	85–145	11	8–14
	Liver and intrahepatic bile ducts	Ž	35	3,4	44	4,3	55	1–110	5	0–11
C23	Žolčnik in žolčevodi	M	51	5,3	54	5,5	64	41–86	6	4–8
-C24	Gallbladder and biliary tract	Ž	83	8,2	86	8,4	92	66–118	9	6–11
C25	Trebušna slinavka	M	110	11,4	128	13,0	156	123–189	15	12–19
	Pancreas	Ž	116	11,4	139	13,7	160	127–194	16	12–19
C32	Grla	M	105	10,9	93	9,5	92	66–118	9	7–12
	Larynx	Ž	11	1,1	11	1,1	13	0–40	1	0–4
C33	Sapnik, sapnici in pljuča	M	816	84,7	884	90,3	937	853–1019	93	84–101
-C34	Trachea, bronchus and lung	Ž	225	22,1	288	28,3	358	310–407	35	30–40
C43	Maligni melanom kože	M	115	12,0	157	16,0	203	167–240	20	16–24
	Malignant melanoma of skin	Ž	128	12,5	178	17,4	228	190–265	22	18–26
C44	Druge maligne neoplazme kože	M	541	56,2	748	76,4	995	913–1076	98	90–106
	Skin, other malignomas	Ž	589	57,7	839	82,2	1077	994–1161	105	97–113
C48	Vezivno in mehko tkivo	M	24	2,5	28	2,8	29	18–41	3	2–4
-C49	Connective and soft tissue	Ž	26	2,5	35	3,4	45	4–86	4	0–8
C50	Dojka	M	7	0,7	9	0,9	10	1–19	1	0–2
	Breast	Ž	964	94,5	1088	106,7	1187	1097–1278	116	107–124
C53	Maternični vrat	M	-	-	-	-	-	-	-	-
	Cervix uteri	Ž	212	20,8	188	18,4	164	132–198	16	13–19
C54	Maternično telo	M	-	-	-	-	-	-	-	-
	Corpus uteri	Ž	276	27,1	296	29,0	314	267–361	31	26–35
C56	Jajčnik	M	-	-	-	-	-	-	-	-
	Ovary	Ž	182	17,8	178	17,5	184	141–227	18	14–22
C61	Prostata	M	557	57,8	791	80,8	1036	953–1119	102	94–111
	Prostate	Ž	-	-	-	-	-	-	-	-
C62	Modo	M	82	8,5	95	9,7	113	86–141	11	8–14
	Testis	Ž	-	-	-	-	-	-	-	-
C64	Ledvica z ledvičnim mehkom	M	136	14,1	170	17,3	199	162–236	20	16–23
-C65	Kidney with renal pelvis	Ž	82	8,0	94	9,3	108	81–135	11	8–13
C67	Sečni mehur	M	162	16,8	189	19,3	210	171–249	21	17–25
	Bladder	Ž	52	5,1	69	6,8	84	58–110	8	6–11
C70	Centralni in avtonomni živčni sistem	M	66	6,8	73	7,5	90	66–115	9	7–11
-C72	Central and autonomic nervous system	Ž	49	4,8	63	6,2	72	50–94	7	5–9
C73	Ščitnica	M	23	2,4	26	2,7	38	19–58	4	2–6
	Thyroid gland	Ž	64	6,3	100	9,8	130	102–129	13	10–13
C81	Hodgkinova bolezen	M	20	2,1	26	2,7	35	18–52	3	2–5
	Hodgkin's disease	Ž	21	2,0	21	2,0	27	10–43	3	1–4
C82	Ne-Hodgkinovi limfomi	M	103	10,7	113	11,5	129	99–160	13	10–16
-C85	Non-Hodgkin's lymphoma	Ž	114	11,1	130	12,8	152	120–184	15	12–18
C90	Difuzni plazmocitom in maligne neoplazme plazmocitov	M	36	3,8	46	4,7	61	41–81	6	4–8
	Multiple myeloma and malignant plasma cell neoplasms	Ž	47	4,6	52	5,1	61	41–81	6	4–8
C91	Levkemije	M	106	11,0	106	10,8	118	89–148	12	9–15
-C95	Leukaemias	Ž	83	8,2	88	8,6	104	76–132	10	7–13

**Slika 1. Najpogostejše lokacije raka po spolu in pri obeh spolih skupaj – Slovenija 2006**

Figure 1. The leading cancer sites by sex and for both sexes together – Slovenia 2006



**MOŠKI IN ŽENSKE - MALES AND FEMALES**



**\* Pojasnilo – Explanation**

Debelo črevo in danka – Colorectum: C18–C20


Glava in vrat – Head and neck: C00–C14, C30–C32

NHL: Ne-Hodgkinovi limfomi – NHL: Non-Hodgkin's lymphoma: C82–C85

*ERRATA: Pri moških se na 7. mesto po pogostosti uvršča KOŽNI MELANOM, ki predstavlja 3,3 % vseh rakov.*



**Slika 2. Odstotni delež vseh rakov po starostnih skupinah in spolu ter pri obeh spolih skupaj – Slovenija 2006**

Figure 2. Percentage distribution of all cancer sites by age groups and sex and for both sexes together – Slovenia 2006





**Slika 3. Groba in kumulativna letna incidenčna in umrljivostna stopnja vseh rakov po spolu – Slovenija 1950–2006**

Figure 3. Crude and cumulative annual cancer incidence and mortality rate for all sites by sex – Slovenia 1950–2006





**Slika 4. Groba letna incidenčna stopnja izbranih rakov po spolu – Slovenija 1950–2006**

Figure 4. Crude annual cancer incidence rate for selected primary sites by sex – Slovenia 1950–2006



**Slika 5. Groba in starostno standardizirana letna incidenčna stopnja (SSS) izbranih rakov po spolu – Slovenija 1985–2006**

Figure 5. Crude and age standardized annual cancer incidence rate (ASR) for selected primary sites by sex – Slovenia 1985–2006







**Slika 6. Povprečni letni delež spremembe grobe in starostno standardizirane incidenčne stopnje (SSS) izbranih rakov po spolu – Slovenija 1997–2006**

Figure 6. Average annuale percentage change in crude and age standardized cancer incidence rate (ASR) for selected primary sites by sex – Slovenia 1997–2006

**MOŠKI – MALES**




**ŽENSKE – FEMALES**



**Slika 7. Število prebivalcev po starostnih skupinah v svetovni, evropski in slovenski standardni populaciji**


Figure 7. Number of persons by age groups in the World, European and Slovenian standard populations

**SVETOVNI STANDARD / WORLD STANDARD**




Starostna skupina / Age group	Svetovni standard (Segi 1960) / World standard (Segi 1960)
0-4 leta/years	12.000
5-9 let/years	10.000
9-14 let/years	9.000
15-19 let/years	9.000
20-24 let/years	8.000
25-29 let/years	8.000
30-34 let/years	6.000
35-39 let/years	6.000
40-44 let/years	6.000
45-49 let/years	6.000
50-54 let/years	5.000
55-59 let/years	4.000
60-64 let/years	4.000
65-69 let/years	3.000
70-74 let/years	2.000
75-79 let/years	1.000
80+ let/years	1.000
<b>Skupaj / Total</b>	<b>100.000</b>

**EVROPSKI STANDARD / EUROPEAN STANDARD**



Starostna skupina / Age group	Evropski standard (Doll 1976) / European standard (Doll 1976)
0-4 leta/years	8.000
5-9 let/years	7.000
9-14 let/years	7.000
15-19 let/years	7.000
20-24 let/years	7.000
25-29 let/years	7.000
30-34 let/years	7.000
35-39 let/years	7.000
40-44 let/years	7.000
45-49 let/years	7.000
50-54 let/years	7.000
55-59 let/years	6.000
60-64 let/years	5.000
65-69 let/years	4.000
70-74 let/years	3.000
75-79 let/years	2.000
80+ let/years	2.000
<b>Skupaj / Total</b>	<b>100.000</b>

**SLOVENSKI STANDARD / SLOVENIAN STANDARD**



Starostna skupina / Age group	Slovenski standard (Popis 2002) / Slovenian standard (Census 2002)
0-4 leta/years	4.489
5-9 let/years	4.893
9-14 let/years	5.791
15-19 let/years	6.567
20-24 let/years	7.535
25-29 let/years	7.494
30-34 let/years	7.190
35-39 let/years	7.827
40-44 let/years	7.746
45-49 let/years	8.089
50-54 let/years	7.151
55-59 let/years	5.354
60-64 let/years	5.240
65-69 let/years	4.804
70-74 let/years	4.214
75-79 let/years	3.019
80+ let/years	2.596
<b>Skupaj / Total</b>	<b>100.000</b>

**Tabela E. Incidenca, groba incidenčna stopnja in po svetovni, evropski ter slovenski standardni populaciji standardizirane incidenčne stopnje raka – Slovenija 2006**

**Table E.** Incidence, crude incidence rate and according to the World, European and Slovenian standard population standardized incidence cancer rates – Slovenia 2006

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Število Number	Groba incidenčna stopnja na 100.000 Crude incidence rate per 100,000	SSS* – SVETOVNI STANDARD ASR** – WORLD STANDARD	SSS* – EVROPSKI STANDARD ASR** – EUROPEAN STANDARD	SSS* – SLOVENSKI STANDARD ASR** – SLOVENIAN STANDARD
<b>C00</b>	<b>Vse lokacije</b>	<b>Skupaj</b>	<b>11043</b>	<b>549,86</b>	<b>307,24</b>	<b>435,70</b>	<b>514,50</b>
-		<b>Moški</b>	<b>5799</b>	<b>588,21</b>	<b>367,97</b>	<b>534,99</b>	<b>643,75</b>
<b>C96</b>	All sites	<b>Ženske</b>	<b>5244</b>	<b>512,89</b>	<b>265,97</b>	<b>370,54</b>	<b>431,81</b>
		Total					
		Male					
		Female					
C00	Usta in žrelo	M	248	25,16	16,07	22,44	24,85
-C14	Mouth and pharynx	Ž	59	5,77	3,16	4,36	4,94
C15	Požiralnik	M	68	6,90	4,35	6,11	7,07
	Oesophagus	Ž	16	1,56	0,68	1,03	1,23
C16	Želodec	M	268	27,18	16,18	24,68	30,65
	Stomach	Ž	159	15,55	6,87	10,19	12,28
C18	Debelo črevo	M	377	38,24	22,75	35,01	43,54
	Colon	Ž	323	31,58	14,21	21,00	25,39
C19	Rektum in rektosigmoidna zveza	M	358	36,31	22,05	32,81	39,91
-C20	Rectum and rectosigmoid junction	Ž	226	22,10	10,29	15,18	18,03
C22	Jetra in intrahepatični vodi	M	104	10,55	6,45	9,47	11,76
	Liver and intrahepatic bile ducts	Ž	52	5,08	2,11	3,13	3,82
C23	Žolčnik in žolčevodi	M	62	6,29	3,76	5,79	7,11
-C24	Gallbladder and biliary tract	Ž	98	9,58	3,46	5,53	7,18
C25	Trebušna slinavka	M	162	16,43	10,21	14,93	18,04
	Pancreas	Ž	135	13,20	5,23	8,03	10,04
C32	Grlo	M	96	9,74	6,13	8,72	10,01
	Larynx	Ž	9	0,98	0,53	0,75	0,83
C33	Sapnik, sapnici in pljuča	M	918	93,12	57,20	83,58	99,15
-C34	Trachea, bronchus and lung	Ž	291	28,46	14,39	20,62	24,12
C43	Maligni melanom kože	M	194	19,68	12,97	17,93	20,77
	Malignant melanoma of skin	Ž	199	19,46	12,08	15,48	17,58
C44	Druge maligne neoplazme kože	M	840	85,20	51,45	78,16	96,60
	Skin, other malignomas	Ž	916	89,57	39,67	58,57	70,74
C48	Vezivno in mehko tkivo	M	24	2,43	1,88	2,41	2,73
-C49	Connective and soft tissue	Ž	41	4,01	2,30	2,97	3,42
C50	Dojka	M	5	0,51	0,34	0,46	0,49
	Breast	Ž	1112	108,74	62,75	85,58	97,16
C53	Maternični vrat	M	-	-	-	-	-
	Cervix uteri	Ž	162	15,84	11,29	14,02	15,34
C54	Maternično telo	M	-	-	-	-	-
	Corpus uteri	Ž	280	27,38	14,46	20,47	23,50
C56	Jajčnik	M	-	-	-	-	-
	Ovary	Ž	172	16,82	9,48	13,08	14,76
C61	Prostata	M	848	86,01	51,80	78,04	97,08
	Prostate	Ž	-	-	-	-	-
C62	Modo	M	110	11,16	9,66	10,13	10,87
	Testis	Ž	-	-	-	-	-
C64	Ledvica z ledvičnim mehkom	M	182	18,46	11,92	16,81	19,56
-C65	Kidney with renal pelvis	Ž	92	9,00	4,84	6,65	7,74
C67	Sečni mehur	M	171	17,34	10,20	15,68	19,57
	Bladder	Ž	68	6,65	2,61	4,03	5,02
C70	Centralni in avtonomi živčni sistem	M	84	8,52	6,73	8,09	8,68
-C72	Central and autonomic nervous system	Ž	48	4,69	3,55	4,02	4,31
C73	Ščitnica	M	26	2,64	1,93	2,40	2,70
	Thyroid gland	Ž	106	10,37	8,05	9,40	10,11
C81	Hodgkinova bolezen	M	27	2,74	2,51	2,54	2,67
	Hodgkin's disease	Ž	16	1,56	1,28	1,38	1,51
C82	Ne-Hodgkinovi limfomi	M	113	11,46	7,35	10,59	12,65
-C85	Non-Hodgkin's lymphoma	Ž	134	13,10	6,62	9,31	11,02
C90	Difuzni plazmocitom in maligne neoplazme plazmocitov	M	61	6,19	3,90	5,67	6,80
	Multiple myeloma and malignant plasma cell neoplasms	Ž	63	6,16	3,04	4,31	5,21
C91	Levkemije	M	132	13,39	9,06	12,43	14,79
-C95	Leukaemias	Ž	90	8,80	5,29	6,44	7,08

\*SSS – starostno standardizirana incidenčna stopnja na 100.000

\*\*ASR – age standardized incidence rate per 100,000

**Tabela 1. Prebivalstvo po starosti in spolu – Slovenija 30. 6. 2006\***

**Table 1.** Population by age and by sex – Slovenia June 30, 2006\*

<b>Starost</b> Age	<b>Skupaj</b> Total	<b>Moški</b> Males	<b>Ženske</b> Females
0–4	89946	46239	43707
5–9	91766	47277	44489
10–14	99749	51301	48448
15–19	121567	62453	59114
20–24	137699	71089	66610
25–29	153741	79744	73997
30–34	149365	77259	72106
35–39	146754	74773	71981
40–44	156625	79521	77104
45–49	154731	78790	75941
50–54	156669	80671	75998
55–59	134000	67632	66368
60–64	99566	47630	51936
65–69	96734	44398	52336
70–74	85363	35310	50053
75–79	68382	24632	43750
80+	65859	17157	48702
<b>Vse starosti</b> Total	<b>2008516</b>	<b>985876</b>	<b>1022640</b>

\*Vir: Statistični urad Republike Slovenije  
Source: Statistical Office of the Republic of Slovenia

**Tabela 2. Prebivalstvo po statističnih regijah in spolu – Slovenija 30. 6. 2006\***

Table 2. Population by statistical regions and by sex – Slovenia June 30, 2006\*

Statistična regija Statistical region	Skupaj Total	Moški Males	Ženske Females
Pomurska	122198	59213	62985
Podravska	319530	156322	163208
Koroška	73729	36807	36922
Savinjska	258684	127835	130849
Zasavska	45311	22029	23282
Spodnjeposavska	70044	34721	35323
JV Slovenija	140119	69597	70522
Osrednjeslovenska	502100	244212	257888
Gorenjska	199626	97778	101848
Notranjsko-kraška	51386	25590	25796
Goriška	119632	59216	60416
Obalno-kraška	106157	52556	53601
<b>Slovenija</b> Slovenia	<b>Skupaj</b> Total 2008516	985876	1022640

\*Vir: Statistični urad Republike Slovenije  
Source: Statistical Office of the Republic of Slovenia



**Tabela 3. Incidenca raka glede na način postavitve diagnoze po lokaciji in spolu – Slovenija 2006****Table 3. Cancer incidence according to basis of diagnosis by site and by sex – Slovenia 2006**

Šifra MKB* ICD code*	Primarna lokacija Primary site	Spol Sex	Število novih primerov Number of new cases	Mikroskopsko potrjeni primeri Microscopically confirmed cases		Ugotovljeni z drugimi preiskavami Confirmed by other investigations		Registrirani samo iz zdravniških poročil o vzroku smrti Registered from death certificates only	
				Število Number	%**	Število Number	%**	Število Number	%**
C00	<b>Vse lokacije</b>	M+Ž	11043	10347	93,7	619	5,6	77	0,7
C96	All sites	M	5799	5435	93,7	330	5,7	34	0,6
		Ž	5244	4912	93,7	289	5,5	43	0,8
C00	<b>Ustnica</b>	M	25	25	100	0	0	0	0
	Lip	Ž	14	14	-	0	-	0	-
C01	<b>Baza jezika</b>	M	10	10	-	0	-	0	-
	Base of tongue	Ž	3	3	-	0	-	0	-
C02	<b>Jezik, drugi deli</b>	M	13	13	-	0	-	0	-
	Tongue, other & unspecified parts	Ž	7	7	-	0	-	0	-
C03	<b>Dlesen</b>	M	4	4	-	0	-	0	-
	Gum	Ž	2	2	-	0	-	0	-
C04	<b>Ustno dno</b>	M	33	33	100	0	0	0	0
	Floor of mouth	Ž	7	7	-	0	-	0	-
C05	<b>Nebo</b>	M	8	8	-	0	-	0	-
	Palate	Ž	2	2	-	0	-	0	-
C06	<b>Usta, drugi deli</b>	M	12	12	-	0	-	0	-
	Mouth, other & unspecified parts	Ž	2	2	-	0	-	0	-
C07	<b>Parotidna žleza</b>	M	7	7	-	0	-	0	-
	Parotid gland	Ž	3	3	-	0	-	0	-
C08	<b>Druge in neopredeljene velike žleze slinavke</b>	M	2	2	-	0	-	0	-
	Other & unspecified major salivary glands	Ž	2	2	-	0	-	0	-
C09	<b>Tonzila</b>	M	37	37	100	0	0	0	0
	Tonsil	Ž	6	6	-	0	-	0	-
C10	<b>Orofarinks</b>	M	36	35	97,2	1	2,8	0	0
	Oropharynx	Ž	6	6	-	0	-	0	-
C11	<b>Nazofarinks</b>	M	10	10	-	0	-	0	-
	Nasopharynx	Ž	2	2	-	0	-	0	-
C12	<b>Piriformni sinus</b>	M	32	32	100	0	0	0	0
	Pyiform sinus	Ž	1	1	-	0	-	0	-
C13	<b>Hipofarinks</b>	M	19	19	100	0	0	0	0
	Hypopharynx	Ž	2	2	-	0	-	0	-
C14	<b>Druga in slabo opredeljena mesta na ustnici, v ustni votlini in farinksu</b>	M	0	0	-	0	-	0	-
	Other and ill-defined sites in the lip, oral cavity and pharynx	Ž	0	0	-	0	-	0	-
C15	<b>Požiralnik</b>	M	67	63	94,0	4	6,0	0	0
	Oesophagus	Ž	16	14	87,5	1	6,3	1	6,3
C16	<b>Želodec</b>	M	268	255	95,1	10	3,7	3	1,1
	Stomach	Ž	159	153	96,2	4	2,5	2	1,3

nadaljevanje / cont'd →

Tabela 3. – Table 3. Nadaljevanje – Continued

Šifra MKB*	Primarna lokacija	Spol	Število novih primerov	Mikroskopsko potrjeni primeri		Ugotovljeni z drugimi preiskavami		Registrirani samo iz zdravniških poročil o vzroku smrti	
				Število	%**	Število	%**	Število	%**
ICD code*	Primary site	Sex	Number of new cases	Microscopically confirmed cases	Number	Confirmed by other investigations	Number	Registered from death certificates only	Number
					%**		%**		%**
C17	Tanko črevo Small intestine	M	16	16	100	0	0	0	0
		Ž	10	8	–	2	–	0	–
C18	Debelo črevo Colon	M	377	371	98,4	5	1,3	1	0,3
		Ž	323	301	93,2	19	5,9	3	0,9
C19	Rektosigmoidna zveza Rectosigmoid junction	M	80	79	98,8	1	1,3	0	0
		Ž	53	52	98,1	1	1,9	0	0
C20	Rektum Rectum	M	278	276	99,3	2	0,7	0	0
		Ž	173	169	97,7	3	1,7	1	0,6
C21	Anus in analni kanal Anus and anal canal	M	9	9	–	0	–	0	–
		Ž	16	16	100	0	0	0	0
C22	Jetra in intrahepatični vodi Liver and intrahepatic bile ducts	M	104	59	56,7	45	43,3	0	0
		Ž	52	27	51,9	22	42,3	3	5,8
C23	Žolčnik Gallbladder	M	26	14	53,8	11	42,3	1	3,8
		Ž	49	29	59,2	18	36,7	2	4,1
C24	Drugi in neopredeljeni deli biliarnega trakta Biliary tract, other and unspecified parts	M	36	23	63,9	12	33,3	1	2,8
		Ž	49	27	55,1	22	44,9	0	0
C25	Trebušna slinavka Pancreas	M	162	95	58,6	67	41,4	0	0
		Ž	135	61	45,2	66	48,9	8	5,9
C26	Druga in slabo opredeljena mesta v prebavnih organih Other and ill-defined digestive organs	M	1	1	–	0	–	0	–
		Ž	4	0	–	0	–	4	–
C30	Nosna votlina in srednje uho Nasal cavity and middle ear	M	6	6	–	0	–	0	–
		Ž	1	1	–	0	–	0	–
C31	Obnosni sinusi Accessory sinuses	M	5	5	–	0	–	0	–
		Ž	5	5	–	0	–	0	–
C32	Grlo Larynx	M	96	94	97,9	2	2,1	0	0
		Ž	9	9	–	0	–	0	–
C33	Sapnik Trachea	M	2	2	–	0	–	0	–
		Ž	0	0	–	0	–	0	–
C34	Sapnica in pljuča Bronchus and lung	M	916	853	93,1	57	6,2	6	0,7
		Ž	291	271	93,1	16	5,5	4	1,4
C37	Timus Thymus	M	2	2	–	0	–	0	–
		Ž	2	2	–	0	–	0	–
C38	Srce, mediastinum, plevra Heart, mediastinum, pleura	M	6	5	–	1	–	0	–
		Ž	3	1	–	2	–	0	–
C39	Druga in slabo opredeljena mesta v dihalih in prsni organih Other and ill-defined sites in the respiratory system and intrathoracic organs	M	0	0	–	0	–	0	–
		Ž	0	0	–	0	–	0	–

nadaljevanje / cont'd →

Tabela 3. – Table 3. Nadaljevanje – Continued

Šifra MKB*	Primarna lokacija	Spol	Število novih primerov	Mikroskopsko potrjeni primeri		Ugotovljeni z drugimi preiskavami		Registrirani samo iz zdravniških poročil o vzroku smrti	
				Število	%**	Število	%**	Število	%**
ICD code*	Primary site	Sex	Number of new cases	Microscopically confirmed cases	%**	Confirmed by other investigations	%**	Registered from death certificates only	%**
				Number	%**	Number	%**	Number	%**
C40	<b>Kosti, sklepni hrustanec udov</b> Bone and articular cartilage of limbs	M	5	5	-	0	-	0	-
		Ž	5	5	-	0	-	0	-
C41	<b>Kosti, sklepni hrustanec, drugje</b> Bone and articular cartilage of other and unspecified parts	M	3	3	-	0	-	0	-
		Ž	3	3	-	0	-	0	-
C43	<b>Malignni melanom kože</b> Malignant melanoma of skin	M	194	194	100	0	0	0	0
		Ž	199	199	100	0	0	0	0
C44	<b>Druge maligne neoplazme kože</b> Skin, other malignomas	M	840	840	100	0	0	0	0
		Ž	916	912	99,6	4	0,4	0	0
C45	<b>Mezoteliom</b> Mesothelioma	M	23	23	100	0	0	0	0
		Ž	9	9	-	0	-	0	-
C46	<b>Kaposijev sarkom</b> Kaposi's sarcoma	M	0	0	-	0	-	0	-
		Ž	0	0	-	0	-	0	-
C47	<b>Periferni živci in avtonomno živčevje</b> Peripheral nerves and autonomic nervous system	M	2	2	-	0	-	0	-
		Ž	1	1	-	0	-	0	-
C48	<b>Retropertonej in peritonej</b> Retroperitoneum and peritoneum	M	3	3	-	0	-	0	-
		Ž	23	22	95,7	1	4,3	0	0
C49	<b>Drugo vezivno in mehko tkivo</b> Other connective and soft tissue	M	22	22	100	0	0	0	0
		Ž	18	18	100	0	0	0	0
C50	<b>Dojka</b> Breast	M	5	5	-	0	-	0	-
		Ž	1112	1091	98,1	12	1,1	9	0,8
C51	<b>Žensko zunanje spolovilo</b> Vulva	M	-	-	-	-	-	-	-
		Ž	38	37	97,4	0	0	1	2,6
C52	<b>Nožnica</b> Vagina	M	-	-	-	-	-	-	-
		Ž	7	7	-	0	-	0	-
C53	<b>Maternični vrat</b> Cervix uteri	M	-	-	-	-	-	-	-
		Ž	162	161	99,4	1	0,6	0	0
C54	<b>Maternično telo</b> Corpus uteri	M	-	-	-	-	-	-	-
		Ž	280	279	99,6	1	0,4	0	0
C55	<b>Maternica, neopredeljeno</b> Uterus, unspecified part	M	-	-	-	-	-	-	-
		Ž	14	10	-	3	-	1	-
C56	<b>Jajčnik</b> Ovary	M	-	-	-	-	-	-	-
		Ž	171	164	95,9	7	4,1	0	0
C57	<b>Drugi in neopredeljeni ženski spolni organi</b> Other & unspecified parts of female genital organs	M	-	-	-	-	-	-	-
		Ž	15	14	93,3	1	6,7	0	0
C58	<b>Posteljica</b> Placenta	M	-	-	-	-	-	-	-
		Ž	0	0	-	0	-	0	-

nadaljevanje / cont'd →



Tabela 3. – Table 3. Nadaljevanje – Continued

Šifra MKB*	Primarna lokacija	Spol	Število novih primerov	Mikroskopsko potrjeni primeri		Ugotovljeni z drugimi preiskavami		Registrirani samo iz zdravniških poročil o vzroku smrti	
				Število	%**	Število	%**	Število	%**
ICD code*	Primary site	Sex	Number of new cases	Microscopically confirmed cases	%**	Confirmed by other investigations	%**	Registered from death certificates only	%**
C60	<b>Penis</b> Penis	M	18	18	100	0	0	0	0
		Ž	–	–	–	–	–	–	–
C61	<b>Prostata</b> Prostate	M	849	784	92,3	50	5,9	15	1,8
		Ž	–	–	–	–	–	–	–
C62	<b>Modo</b> Testis	M	110	110	100	0	0	0	0
		Ž	–	–	–	–	–	–	–
C63	<b>Drugi in neopredeljeni moški spolni organi</b> Other and unspecified male genital organs	M	2	2	–	0	–	0	–
		Ž	–	–	–	–	–	–	–
C64	<b>Ledvica razen meha</b> Kidney, except renal pelvis	M	169	154	91,1	15	8,9	0	0
		Ž	87	75	86,2	12	13,8	0	0
C65	<b>Ledvični meh</b> Renal pelvis	M	13	13	–	0	–	0	–
		Ž	6	6	–	0	–	0	–
C66	<b>Sečevod</b> Ureter	M	6	6	–	0	–	0	–
		Ž	4	4	–	0	–	0	–
C67	<b>Sečni mehur</b> Bladder	M	171	168	98,2	2	1,2	1	0,6
		Ž	68	62	91,2	5	7,4	1	1,5
C68	<b>Drugi in neopredeljeni sečni organi</b> Other and unspecified urinary organs	M	1	1	–	0	–	0	–
		Ž	0	0	–	0	–	0	–
C69	<b>Oko in očesni adneksi</b> Eye and adnexa	M	9	9	–	0	–	0	–
		Ž	12	12	–	0	–	0	–
C70	<b>Meninge</b> Meninges	M	0	0	–	0	–	0	–
		Ž	2	2	–	0	–	0	–
C71	<b>Možgani</b> Brain	M	81	73	90,1	8	9,9	0	0
		Ž	45	34	75,6	11	24,4	0	0
C72	<b>Hrbtini mozeg, možganski živci in drugi deli ČŽS</b> Spinal cord, cranial nerves and other parts of CNS	M	3	3	–	0	–	0	–
		Ž	1	1	–	0	–	0	–
C73	<b>Ščitnica</b> Thyroid gland	M	26	26	100	0	0	0	0
		Ž	106	105	99,1	1	0,9	0	0
C74	<b>Nadledvična žleza</b> Adrenal gland	M	5	4	–	1	–	0	–
		Ž	5	4	–	1	–	0	–
C75	<b>Druge endokrine žleze in sorodne strukture</b> Other endocrine glands and related structures	M	0	0	–	0	–	0	–
		Ž	1	1	–	0	–	0	–
C76	<b>Druga in slabo opredeljena mesta</b> Other and ill-defined sites	M	3	3	–	0	–	0	–
		Ž	21	10	47,6	10	47,6	1	4,8
C77	<b>Metastaza in neopredeljena maligna neoplazma bezgavk</b> Metastasis and unspecified malignant neoplasm of lymph nodes	M	32	32	100	0	0	0	0
		Ž	10	10	–	0	–	0	–

nadaljevanje / cont'd →

Tabela 3. – Table 3. Nadaljevanje – Continued

Šifra MKB*	Primarna lokacija	Spol	Število novih primerov	Mikroskopsko potrjeni primeri		Ugotovljeni z drugimi preiskavami		Registrirani samo iz zdravniških poročil o vzroku smrti	
				Število	%**	Število	%**	Število	%**
ICD code*	Primary site	Sex	Number of new cases	Microscopically confirmed cases	%**	Confirmed by other investigations	%**	Registered from death certificates only	%**
				Number	%**	Number	%**	Number	%**
C78	<b>Metastaze dihal in prebavil</b> Metastases of respiratory and digestive organs	M	38	21	55,3	16	42,1	1	2,6
		Ž	61	36	59,0	24	39,3	1	1,6
C79	<b>Metastaze, druge</b> Metastases of other sites	M	24	16	66,7	8	33,3	0	0
		Ž	9	4	–	5	–	0	–
C80	<b>Malignna neoplazma brez opredeljenega mesta</b> Malignant neoplasm without specification of site	M	55	39	70,9	12	21,8	4	7,3
		Ž	50	35	70,0	14	28,0	1	2,0
C81	<b>Hodgkinova bolezen</b> Hodgkin's disease	M	27	27	100	0	0	0	0
		Ž	16	16	100	0	0	0	0
C82	<b>Folikularni Ne-Hodgkinov limfom</b> Follicular Non-Hodgkin's lymphoma	M	18	18	100	0	0	0	0
		Ž	42	42	100	0	0	0	0
C83	<b>Difuzni Ne-Hodgkinov limfom</b> Diffuse Non-Hodgkin's lymphoma	M	79	79	100	0	0	0	0
		Ž	69	69	100	0	0	0	0
C84	<b>Limfomi celic T in kožni limfom celic T</b> Peripheral and cutaneous T-cell lymphomas	M	10	10	–	0	–	0	–
		Ž	13	13	–	0	–	0	–
C85	<b>Druge in neopredeljene vrste Ne-Hodgkinovega limfoma</b> Other and unspecified types of Non-Hodgkin's lymphoma	M	6	6	–	0	–	0	–
		Ž	10	10	–	0	–	0	–
C88	<b>Malignne imunoproliferativne bolezni</b> Malignant immunoproliferative diseases	M	0	0	–	0	–	0	–
		Ž	0	0	–	0	–	0	–
C90	<b>Difuzni plazmocitom in maligne neoplazme plazmocitov</b> Multiple myeloma and malignant plasma cell neoplasms	M	61	61	100	0	0	0	0
		Ž	63	63	100	0	0	0	0
C91.0	<b>Limfatična levkemija, akutna</b> Lymphoblastic leukaemia, acute	M	15	15	100	0	0	0	0
		Ž	6	6	–	0	–	0	–
C91.1 – C91.9	<b>Limfatična levkemija, druga</b> Lymphoid leukaemia, other	M	58	57	98,3	0	0	1	1,7
		Ž	39	39	100	0	0	0	0
C92	<b>Mieloična levkemija</b> Myeloid leukaemia	M	49	49	100	0	0	0	0
		Ž	35	35	100	0	0	0	0
C93	<b>Monocitna levkemija</b> Monocytic leukaemia	M	5	5	–	0	–	0	–
		Ž	3	3	–	0	–	0	–
C94	<b>Druge opredeljene levkemije</b> Other leukaemias of specified cells	M	1	1	–	0	–	0	–
		Ž	2	2	–	0	–	0	–
C95	<b>Levkemija z neopredeljenim celičnim tipom</b> Leukaemia, unspecified cell type	M	4	4	–	0	–	0	–
		Ž	5	5	–	0	–	0	–

nadaljevanje / cont'd →

Tabela 3. – Table 3. Nadaljevanje – Continued

Šifra MKB*	Primarna lokacija	Spol	Število novih primerov	Mikroskopsko potrjeni primeri		Ugotovljeni z drugimi preiskavami		Registrirani samo iz zdravniških poročil o vzroku smrti	
				Število	%**	Število	%**	Število	%**
ICD code*	Primary site	Sex	Number of new cases	Microscopically confirmed cases	Number	%**	Confirmed by other investigations	Number	%**
				Number	%**		Number	%**	Registered from death certificates only
				Number	%**		Number	%**	Number
C96	<b>Druge in neopredeljene maligne neoplazme limfatičnega, krvotvornega in sorodnega tkiva</b> Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue	M	49	49	100	0	0	0	0
		Ž	71	71	100	0	0	0	0

**Zgoraj neupoštevani**

Not included above

D03	<b>Melanom, in situ</b> Melanoma, in situ	M	24	24	100	0	0	0	0
		Ž	35	35	100	0	0	0	0
D05	<b>Dojka, in situ</b> Breast, in situ	M	1	1	–	0	–	0	–
		Ž	100	100	100	0	0	0	0
D06	<b>Maternični vrat, in situ (CIN III)</b> Cervix uteri, in situ (CIN III)	M	–	–	–	–	–	–	–
		Ž	1177	1177	100	0	0	0	0
D09.0	<b>Sečni mehur, in situ</b> Bladder, in situ	M	106	106	100	0	0	0	0
		Ž	23	23	100	0	0	0	0
D32.0	<b>Meninge, benigna neoplazma</b> Benign neoplasm of meninges	M	15	13	86,7	2	13,3	0	0
		Ž	36	34	94,4	2	5,6	0	0
D33.0 –D33.2	<b>Možgani, benigna neoplazma</b> Benign neoplasm of brain	M	1	1	–	0	–	0	–
		Ž	0	0	–	0	–	0	–
D39.1	<b>Jajčnik, neopl. negotovega značaja</b> Ovary, neopl. of uncertain behavior	M	–	–	–	–	–	–	–
		Ž	48	48	100	0	0	0	0
D43.0 –D43.2	<b>Možgani, neopredeljeno</b> Brain, uncertain or unknown	M	7	0	–	7	–	0	–
		Ž	11	2	–	9	–	0	–

\* MKB – Mednarodna klasifikacija bolezni, deseta revizija, 1995

ICD – International Classification of Diseases, Tenth Revision, 1995

\*\* Odstotki niso računani, če je število novih primerov manjše od 15

Percentages are not calculated when number of new cases is less than 15

Tabela 4a. Incidenca raka po lokaciji (MKB-10), spolu in starosti – Slovenija 2006

Table 4a. Cancer incidence by site (ICD-10), by sex and by age – Slovenia 2006

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																	
				0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+	
<b>C00</b>	<b>Vse lokacije</b>	<b>Skupaj</b>	<b>11043</b>	<b>20</b>	<b>10</b>	<b>11</b>	<b>25</b>	<b>55</b>	<b>83</b>	<b>124</b>	<b>192</b>	<b>311</b>	<b>583</b>	<b>911</b>	<b>1139</b>	<b>1231</b>	<b>1486</b>	<b>1719</b>	<b>1560</b>	<b>1583</b>	
<b>C96</b>	<b>All sites</b>	<b>Moški</b>	<b>5799</b>	<b>9</b>	<b>5</b>	<b>5</b>	<b>14</b>	<b>31</b>	<b>43</b>	<b>61</b>	<b>80</b>	<b>111</b>	<b>249</b>	<b>492</b>	<b>657</b>	<b>716</b>	<b>909</b>	<b>999</b>	<b>834</b>	<b>584</b>	
		<b>Ženske</b>	<b>5244</b>	<b>11</b>	<b>5</b>	<b>6</b>	<b>11</b>	<b>24</b>	<b>40</b>	<b>63</b>	<b>112</b>	<b>200</b>	<b>334</b>	<b>419</b>	<b>482</b>	<b>515</b>	<b>577</b>	<b>720</b>	<b>726</b>	<b>999</b>	
C00	Ustnica Lip	M Ž	25 14	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	4 0	2 0	2 1	9 2	1 2	5 4	2 5	
C01	Baza jezika Base of tongue	M Ž	10 3	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	4 2	2 0	2 0	2 1	0 1	1 1	0 0
C02	Jezik, drugi deli Tongue, other & unspecified parts	M Ž	13 7	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	2 1	4 1	2 0	2 2	2 1	2 0	1 0	0 0	0 1
C03	Dlesen Gum	M Ž	4 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 1	1 1	0 0	1 0	1 0	0 0	0 0
C04	Ustno dno Floor of mouth	M Ž	33 7	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	1 0	3 0	8 3	10 0	4 3	2 0	5 0	0 2	0 0	1 1
C05	Nebo Palate	M Ž	8 2	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	1 0	1 0	1 0	2 0	1 0	1 0	0 0	1 0	1 0
C06	Usta, drugi deli Mouth, other & unspecified parts	M Ž	12 2	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	1 0	0 0	1 0	2 0	1 0	5 0	0 0	1 0	1 1	0 0
C07	Parotidna žleza Parotid gland	M Ž	7 3	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	1 0	0 1	0 0	1 0	1 0	1 0	1 0	0 0	2 0	0 0
C08	Druge in neopredeljene velike žleze slinavke Other & unspecified major salivary glands	M Ž	2 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 2	1 0	0 0
C09	Tonzila Tonsil	M Ž	37 6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	2 1	1 1	11 1	12 2	5 0	3 1	1 0	1 0	1 0	0 0
C10	Orofaringks Oropharynx	M Ž	36 6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	2 0	6 1	12 1	6 1	2 1	1 1	3 0	4 0	0 0	1 1
C11	Nazofaringks Nasopharynx	M Ž	10 2	0 0	0 0	0 0	0 0	2 0	0 0	0 0	0 0	3 0	2 1	0 0	2 1	1 0	0 0	0 0	0 0	0 0	0 0
C12	Piriformni sinus Pyriform sinus	M Ž	32 1	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1 0	2 0	11 4	5 0	0 0	3 0	5 0	0 0	3 0	5 0	0 0
C13	Hipofaringks Hypopharynx	M Ž	19 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	3 0	4 1	5 0	4 0	1 0	2 0	0 0	0 0	0 1	0 0
C14	Druga in slabo opredeljena mesta na ustnici, v ustni votlini in farinksu Other and ill-defined sites in the lip, oral cavity and pharynx	M Ž	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
C15	Požiralnik Oesophagus	M Ž	67 16	0 0	0 0	0 0	0 0	0 0	0 0	2 0	1 0	5 0	13 1	9 2	8 2	11 2	9 2	8 2	11 4	9 4	8 4
C16	Želodec Stomach	M Ž	268 159	0 0	0 0	0 0	0 0	0 1	0 0	1 0	4 1	10 2	26 7	21 6	29 14	41 19	54 25	46 24	36 45	24 45	0 0
C17	Tanko črevo Small intestine	M Ž	16 10	0 0	0 0	0 0	0 0	0 0	1 0	0 1	1 0	1 0	1 0	3 1	5 2	1 2	1 2	1 2	2 1	2 1	0 1
C18	Debelo črevo Colon	M Ž	377 323	0 0	0 0	0 0	0 0	0 0	1 1	2 2	6 4	7 20	26 15	35 26	43 29	54 44	82 45	63 62	58 75	0 0	0
C19	Rektosigmoidna zveza Rectosigmoid junction	M Ž	80 53	0 0	0 0	0 0	0 0	1 0	1 0	1 2	1 3	2 5	3 3	9 6	9 5	13 6	14 4	16 6	10 13	0 0	0
C20	Rektum Rectum	M Ž	278 173	0 0	0 0	0 0	0 0	1 0	0 0	3 0	2 0	11 0	20 1	36 19	35 24	55 20	46 31	45 38	24 29	0 0	0
C21	Anus in analni kanal Anus and anal canal	M Ž	9 16	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 1	1 1	1 3	3 0	0 1	0 4	1 3	0 1	2 0	1 1	0
C22	Jetra in intrahepatični vodi Liver and intrahepatic bile ducts	M Ž	104 52	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0 0	0 0	4 2	5 0	8 3	18 4	17 8	30 5	16 9	6 20	0
C23	Žolčnik Gallbladder	M Ž	26 49	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 2	1 0	3 4	2 0	7 7	4 9	5 14	4 13	0
C24	Drugi in neopredeljeni deli biliarnega trakta Biliary tract, other and unspecified parts	M Ž	36 49	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1 0	4 0	4 0	3 5	6 5	7 11	3 13	7 15	0 0	0
C25	Trebušna slinavka Pancreas	M Ž	162 135	0 0	0 0	0 0	0 0	0 0	0 0	2 0	4 3	9 5	17 5	15 6	20 9	28 12	33 27	17 22	17 46	0 0	0

nadaljevanje / cont'd →

Tabela 4a. – Table 4a. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																	
				0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+	
C26	<b>Druga in slabo opredeljena mesta v prebavnih organih</b> Other and ill-defined digestive organs	M	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		Ž	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C30	<b>Nosna votlina in srednje uho</b> Nasal cavity and middle ear	M	6	0	1	0	0	0	0	0	0	0	0	1	1	1	0	2	0	0	0
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
C31	<b>Obnosni sinusi</b> Accessory sinuses	M	5	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	1	0	
		Ž	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	1
C32	<b>Grlo</b> Larynx	M	96	0	0	0	0	0	0	0	0	0	2	8	18	16	15	8	16	9	4
		Ž	9	0	0	0	0	0	0	0	1	0	0	0	2	2	0	1	2	1	1
C33	<b>Sapnik</b> Trachea	M	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C34	<b>Sapnica in pljuča</b> Bronchus and lung	M	916	0	0	0	0	0	0	0	3	14	45	97	144	117	157	160	119	60	
		Ž	291	0	0	0	0	0	1	0	3	8	13	32	31	31	40	47	45	40	40
C37	<b>Timus</b> Thymus	M	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	
		Ž	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
C38	<b>Srce, mediastinum, pleura</b> Heart, mediastinum, pleura	M	6	0	0	0	0	2	0	0	0	0	1	0	1	0	2	0	0	0	
		Ž	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	0	
C39	<b>Druga in slabo opredeljena mesta v dihalih in prsni organih</b> Other and ill-defined sites in the respiratory system and intrathoracic organs	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C40	<b>Kosti, sklepni hrustanec udov</b> Bone and articular cartilage of limbs	M	5	0	0	0	0	0	1	1	0	0	0	0	0	1	1	1	0	0	
		Ž	5	0	1	0	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0
C41	<b>Kosti, sklepni hrustanec, drugje</b> Bone and articular cartilage of other and unspecified parts	M	3	0	0	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0	
		Ž	3	0	0	0	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0
C43	<b>Malignni melanom kože</b> Malignant melanoma of skin	M	194	0	0	0	0	3	3	7	10	15	16	16	27	25	12	25	18	17	
		Ž	199	0	0	1	1	5	9	7	13	13	18	24	15	9	20	20	19	25	
C44	<b>Druge maligne neoplazme kože</b> Skin, other malignomas	M	840	0	0	0	0	0	1	9	12	12	39	49	73	100	130	137	152	126	
		Ž	916	0	0	1	0	0	5	2	8	22	51	45	66	76	98	128	149	265	
C45	<b>Mezoteliom</b> Mesothelioma	M	23	0	0	0	0	0	0	0	0	2	2	6	4	2	4	2	1		
		Ž	9	0	0	0	0	0	0	1	0	0	0	0	3	2	0	2	1		
C46	<b>Kaposijev sarkom</b> Kaposi's sarcoma	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
C47	<b>Periferni živci in avtonomno živčevje</b> Peripheral nerves and autonomic nervous system	M	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
C48	<b>Retro- in peritonej</b> Retro- and peritoneum	M	3	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	
		Ž	23	1	0	0	0	0	0	0	1	0	0	2	3	2	4	3	4	3	
C49	<b>Drugo vezivno in mehko tkivo</b> Other connective and soft tissue	M	22	1	0	1	0	0	1	1	2	0	1	3	1	1	1	3	5		
		Ž	18	0	0	0	0	1	1	0	1	0	3	1	0	0	2	3	2	4	
C50	<b>Dojka</b> Breast	M	5	0	0	0	0	0	0	0	0	0	0	1	1	1	2	0	0	0	
		Ž	1112	0	0	0	0	1	4	16	38	60	110	135	122	143	115	138	112	118	
C51	<b>Žensko zunanje spolovilo</b> Vulva	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Ž	38	0	0	0	0	0	0	0	0	0	2	3	3	3	6	6	15		
C52	<b>Nožnica</b> Vagina	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Ž	7	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	3		
C53	<b>Maternični vrat</b> Cervix uteri	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Ž	162	0	0	0	0	0	5	21	17	33	20	13	16	9	6	6	7	9	
C54	<b>Maternično telo</b> Corpus uteri	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Ž	280	0	0	0	0	0	0	0	1	9	14	24	37	45	34	46	31	39	
C55	<b>Maternica, neopredeljeno</b> Uterus, unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Ž	14	0	0	0	0	0	0	0	0	3	2	2	1	1	0	1	4		
C56	<b>Jajčnik</b> Ovary	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Ž	171	0	0	0	0	1	1	1	3	11	14	23	25	16	17	22	16	21	

nadaljevanje / cont'd →

Tabela 4a. – Table 4a. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																								
				0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+								
C57	Drugi in neopredeljeni ženski spolni organi Other and unspecified parts of female genital organs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		Ž	15	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	2	2	2	2	0	0	2	–	–	–
C58	Posteljica Placenta	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C60	Penis Penis	M	18	0	0	0	0	0	0	0	0	0	0	4	0	2	2	2	2	2	2	2	2	2	2	2	2	
		Ž	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C61	Prostata Prostate	M	849	0	0	0	0	0	0	0	0	0	0	0	7	30	76	124	187	195	144	86	–	–	–	–	–	–
		Ž	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C62	Modo Testis	M	110	0	0	0	2	19	18	23	22	11	7	3	3	1	1	0	0	0	0	0	0	0	0	0	0	0
		Ž	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C63	Drugi in neopredeljeni moški spolni organi Other and unspecified male genital organs	M	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
		Ž	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C64	Ledvica razen meha Kidney, except renal pelvis	M	169	1	1	0	0	0	1	2	3	4	8	20	25	29	23	20	21	11	–	–	–	–	–	–	–	–
		Ž	87	1	0	0	0	1	1	2	0	2	1	9	8	7	14	16	18	7	–	–	–	–	–	–	–	–
C65	Ledvični meh Renal pelvis	M	13	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	2	6	0	–	–	–	–	–	–	–
		Ž	6	0	0	0	0	0	0	0	0	0	0	0	2	0	2	1	1	0	0	–	–	–	–	–	–	–
C66	Sečevod Ureter	M	6	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	1	1	–	–	–	–	–	–	–
		Ž	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	–	–	–	–	–	–
C67	Sečni mehur Bladder	M	171	0	0	0	0	0	0	0	0	0	1	8	19	22	29	39	34	19	–	–	–	–	–	–	–	–
		Ž	68	0	0	0	0	0	0	0	0	0	1	1	3	9	6	12	12	24	–	–	–	–	–	–	–	–
C68	Drugi in neopredeljeni sečni organi Other and unspecified urinary organs	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C69	Oko in očesni adneksi Eye and adnexa	M	9	1	0	0	0	0	0	0	0	0	0	2	1	2	1	2	0	0	–	–	–	–	–	–	–	–
		Ž	12	1	1	0	0	1	0	0	1	1	2	1	0	0	1	1	1	1	1	–	–	–	–	–	–	–
C70	Meninge Meninges	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Ž	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	–	–	–	–	–	–	–
C71	Možgani Brain	M	81	2	1	0	4	2	2	3	1	1	10	13	10	9	6	8	4	5	–	–	–	–	–	–	–	–
		Ž	45	3	1	0	0	1	1	1	2	1	3	3	1	4	8	7	5	4	–	–	–	–	–	–	–	–
C72	Hrbtini mozeg, možganski živci in drugi deli CZS Spinal cord, cranial nerves and other parts of CNS	M	3	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
C73	Ščitnica Thyroid gland	M	26	0	0	0	0	2	2	1	1	5	1	3	2	2	3	1	1	2	–	–	–	–	–	–	–	–
		Ž	106	1	0	2	1	6	7	5	8	10	13	14	11	5	9	5	5	4	–	–	–	–	–	–	–	–
C74	Nadledvična žleza Adrenal gland	M	5	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	–	–	–	–	–	–	–	–
		Ž	5	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	1	0	–	–	–	–	–	–	–	–
C75	Druge endokrine žleze in sorodne strukture Other endocrine glands and related structures	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	–	–	–	–	–	–	–	–
		Ž	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	–	–	–	–	–	–	–	–
C76	Druga in slabo opredeljena mesta Other and ill-defined sites	M	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	–	–	–	–	–	–	–	–
		Ž	21	0	0	0	0	1	0	0	0	0	0	3	0	0	2	0	2	7	6	–	–	–	–	–	–	–
C77	Metastaza in neopredeljena maligna neoplazma bezgavk Metastasis and unspecified malignant neoplasm of lymph nodes	M	32	0	0	0	0	0	0	0	0	0	3	1	8	5	3	5	6	1	–	–	–	–	–	–	–	–
		Ž	10	0	0	0	0	0	0	0	0	1	1	1	2	0	0	2	0	3	–	–	–	–	–	–	–	–
C78	Metastaze dihal in prebavil Metastases of respiratory and digestive organs	M	38	0	0	0	0	0	0	0	0	0	1	4	1	4	6	7	7	8	–	–	–	–	–	–	–	–
		Ž	61	0	0	0	0	0	0	0	0	0	0	0	1	6	2	6	10	13	23	–	–	–	–	–	–	–
C79	Metastaze, drugje Metastases of other sites	M	24	0	0	0	0	0	0	0	1	1	2	0	2	1	3	3	6	5	–	–	–	–	–	–	–	–
		Ž	9	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0	1	4	–	–	–	–	–	–	–	–
C80	Maligna neoplazma brez opredeljenega mesta Malignant neoplasm without specification of site	M	55	0	0	0	0	0	0	0	1	2	2	9	5	9	5	9	6	7	–	–	–	–	–	–	–	–
		Ž	50	0	0	0	0	0	1	0	1	1	0	2	3	4	10	7	13	8	–	–	–	–	–	–	–	–
C81	Hodgkinova bolezen Hodgkin's disease	M	27	0	1	0	2	2	6	4	5	2	1	0	2	0	1	1	0	0	–	–	–	–	–	–	–	–
		Ž	16	0	0	0	2	1	2	1	2	1	0	1	1	0	1	2	1	1	–	–	–	–	–	–	–	–
C82	Folikularni Ne-Hodgkinov limfom Follicular Non-Hodgkin's lymphoma	M	18	0	0	0	0	0	0	0	0	0	2	2	4	2	2	0	4	2	–	–	–	–	–	–	–	
		Ž	42	0	0	0	0	0	0	0	0	5	2	6	1	4	3	8	6	7	–	–	–	–	–	–	–	–

nadaljevanje / cont'd →

Tabela 4a. – Table 4a. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																
				0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+
C83	<b>Difuzni Ne-Hodgkinov limfom</b> Diffuse Non-Hodgkin's lymphoma	M	79	1	0	0	2	0	1	1	1	2	4	8	7	6	11	12	12	11
		Ž	69	0	0	0	1	1	0	1	0	0	3	6	6	5	11	14	9	12
C84	<b>Limfomi celic T in kožni limfom celic T</b> Peripheral and cutaneous T-cell lymphomas	M	10	0	0	0	0	0	0	0	2	0	0	2	0	2	2	1	1	
		Ž	13	0	0	0	0	1	0	0	2	0	1	2	3	0	1	2	1	0
C85	<b>Druge in neopredeljene vrste Ne-Hodgkinovega limfoma</b> Other and unspecified types of Non-Hodgkin's lymphoma	M	6	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	1	2
		Ž	10	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	2	5
C88	<b>Maligne imunoproliferativne bolezni</b> Malignant immunoproliferative diseases	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C90	<b>Difuzni plazmocitom in maligne neoplazme plazmocitov</b> Multiple myeloma and malignant plasma cell neoplasms	M	61	0	0	0	0	1	0	1	0	2	1	4	7	8	13	11	6	7
		Ž	63	0	0	0	0	0	0	0	0	1	2	4	1	4	8	10	15	7
C91.0	<b>Limfatična levkemija, akutna</b> Lymphoblastic leukaemia, acute	M	15	1	1	3	0	0	1	2	1	3	0	2	0	0	0	1	0	0
		Ž	6	4	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
C91.1 – C91.9	<b>Limfatična levkemija, druga</b> Lymphoid leukaemia, other	M	58	0	0	0	0	0	0	0	1	0	3	5	7	3	9	13	9	8
		Ž	39	0	0	0	0	0	0	0	0	0	0	1	3	4	2	7	5	17
C92	<b>Mieloična levkemija</b> Myeloid leukaemia	M	49	0	0	0	1	0	1	0	2	0	6	3	3	6	9	8	4	6
		Ž	35	0	1	1	0	0	0	0	2	2	4	4	2	1	3	3	7	5
C93	<b>Monocitna levkemija</b> Monocytic leukaemia	M	5	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	1
		Ž	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1
C94	<b>Druge opredeljene levkemije</b> Other leukaemias of specified cells	M	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
		Ž	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
C95	<b>Levkemija z neopredeljenim celičnim tipom</b> Leukaemia, unspecified cell type	M	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1
		Ž	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4
C96	<b>Druge in neopredeljene maligne neoplazme limfatičnega, krvotvornega in sorodnega tkiva</b> Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue	M	49	0	0	0	2	0	0	0	0	2	1	2	4	4	5	9	9	11
		Ž	71	0	0	0	2	1	0	0	1	1	0	6	4	9	5	10	10	22
<b>Zgoraj neupoštevani</b> Not included above																				
D03	<b>Melanom, in situ</b> Melanoma, in situ	M	24	0	0	0	0	1	0	2	2	0	2	1	5	2	4	2	0	3
		Ž	35	0	0	0	0	1	2	4	1	2	3	5	2	3	3	1	4	4
D05	<b>Dojka, in situ</b> Breast, in situ	M	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		Ž	100	0	0	0	0	0	0	1	2	8	14	19	16	14	14	9	1	2
D06	<b>Maternični vrat, in situ (CIN III)</b> Cervix uteri, in situ (CIN III)	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	1177	0	0	0	1	87	254	233	195	167	112	60	31	11	13	7	4	2
D09.0	<b>Sečni mehur, in situ</b> Bladder, in situ	M	106	0	0	0	0	0	0	1	1	1	5	5	14	15	16	20	19	9
		Ž	23	0	0	0	0	0	0	0	0	1	0	3	1	5	3	5	4	1
D32.0	<b>Meninge, benigna neoplazma</b> Benign neoplasm of meninges	M	15	0	0	0	0	0	0	1	0	0	1	2	1	2	2	3	3	0
		Ž	36	0	0	0	0	0	0	0	1	1	1	3	5	4	2	7	2	6
D33.0 –D33.2	<b>Možgani, benigna neoplazma</b> Benign neoplasm of brain	M	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D39.1	<b>Jajčnik, neopl. negotovega značaja</b> Ovary, neopl. of uncertain behavior	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	48	0	0	0	1	0	1	3	7	3	3	11	2	8	5	2	2	0
D43.0 –D43.2	<b>Možgani, neopredeljeno</b> Brain, uncertain or unknown	M	7	0	0	0	0	0	0	2	0	0	1	0	2	0	1	0	1	0
		Ž	11	0	0	1	0	0	0	0	0	0	0	2	0	0	0	1	3	4

**Tabela 4b. Incidenca raka po lokaciji (MKB-8), spolu in starosti – Slovenija 2006**

**Table 4b.** Cancer incidence by site (ICD-8), by sex and by age – Slovenia 2006

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																
				0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+
<b>140–209</b>	<b>Vse lokacije All sites</b>	Skupaj Total Moški Male Ženske Female	10938	20	10	11	21	54	83	124	191	309	582	904	1133	1219	1479	1702	1542	1554
140	Ustnica Lip	M Ž	25 14	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	4 0	2 0	2 1	9 2	1 2	5 4	2 5
141	Jezik Tongue	M Ž	25 10	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	2 1	6 1	6 0	4 2	4 1	1 1	1 1	1 2
142	Slinavke Salivary glands	M Ž	9 7	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	1 0	0 1	0 0	1 0	0 0	1 1	2 3	1 1	2 0
143	Dlesni Gum	M Ž	5 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1 1	0 0	1 0	2 0	0 0
144	Ustno dno Floor of mouth	M Ž	33 7	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	1 0	3 0	8 0	10 3	4 0	2 0	5 2	0 0
145	Usta, drugo Mouth, other parts	M Ž	20 4	0 0	0 0	0 0	0 0	0 0	0 1	0 1	0 0	0 0	1 0	1 0	2 1	3 0	3 0	6 0	0 0	2 1
146	Orofarinks Oropharynx	M Ž	77 16	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	4 1	7 3	24 2	19 4	7 1	5 2	5 0	5 1	1 2
147	Epifarinks Epipharynx	M Ž	12 2	0 0	0 0	0 0	0 0	0 0	2 0	0 0	0 0	0 0	3 0	2 1	0 0	3 1	0 0	0 0	0 0	1 0
148	Hipofarinks Hypopharynx	M Ž	51 4	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1 0	5 0	15 1	9 1	9 0	1 0	5 0	5 0	0 2
149	Žrelo, neoznačeno Pharynx, not specified	M Ž	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
150	Požiralnik Oesophagus	M Ž	67 17	0 0	0 0	0 0	0 0	0 0	0 0	0 0	2 0	1 0	5 1	13 0	9 2	8 2	11 2	9 1	8 4	1 5
151	Želodec Stomach	M Ž	281 172	0 0	0 0	0 0	0 0	0 1	0 0	1 1	0 2	4 7	11 7	28 17	24 15	30 29	42 44	55 46	48 62	38 76
152	Tanko črevo Small intestine	M Ž	20 12	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 1	0 0	1 0	1 0	3 2	6 2	2 2	2 3	2 1	1 1
153	Debelo črevo Colon	M Ž	380 325	1 0	0 0	0 0	0 0	0 0	0 0	1 2	2 4	6 20	7 15	26 26	36 29	43 44	54 46	83 62	63 76	58 49
154	Rektum Rectum	M Ž	367 242	0 0	0 0	0 0	0 0	2 0	1 0	4 2	3 4	14 7	24 15	48 28	44 30	69 30	60 38	63 45	35 43	
155	Jetra Liver	M Ž	91 40	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0 0	0 0	2 0	5 3	8 4	15 6	15 12	26 28	15 17	5 11
156	Žolčnik, žolčni vodi Gallbladder, bile ducts	M Ž	62 98	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1 2	5 0	7 4	5 5	13 12	11 20	8 27	11 28
157	Trebušna slinavka Pancreas	M Ž	163 136	0 0	0 0	0 0	0 0	0 0	0 0	2 0	4 3	9 5	17 6	15 9	20 12	28 34	38 27	17 22	17 46	
158	Retro- in peritonej Retro- and peritoneum	M Ž	7 28	0 1	0 0	0 0	0 0	0 0	0 0	1 0	0 1	0 0	2 3	0 3	1 4	2 4	0 4	0 3	1 5	0 4
159	Prebavila, drugo Digestive organs, other	M Ž	1 3	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 0	0 3
160	Nos, obnosne votline, drugo Nose, sinuses, etc.	M Ž	13 7	0 0	1 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	1 0	3 1	2 0	2 1	2 0	0 2	1 2	0 1
161	Grlo Larynx	M Ž	96 10	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 1	2 0	8 0	18 2	16 3	15 3	8 1	16 9	9 2	4 1
162	Sapnik, sapnica, pljuča Trachea, bronchus, lung	M Ž	918 294	0 0	0 0	0 0	0 0	0 1	0 0	3 0	14 8	45 13	98 32	144 31	117 31	157 41	160 48	119 46	61 40	
163	Plevra, mediastinum, drugo Pleura, mediastinum, etc.	M Ž	28 9	0 0	0 0	0 0	0 0	2 0	0 0	0 1	0 0	0 1	3 0	2 0	6 4	4 4	4 2	5 1	1 3	1 0
170	Kosti Bone	M Ž	9 8	0 0	0 1	0 0	0 4	0 0	1 0	1 0	0 0	0 1	0 0	1 0	0 1	0 1	1 0	2 0	0 0	0 0
171	Mehka tkiva Soft tissues	M Ž	23 20	1 0	0 0	1 0	0 0	0 1	1 1	1 1	2 0	0 1	3 1	2 1	0 0	1 2	1 4	1 1	3 3	5 4
172	Koža, maligni melanom Skin, malignant melanoma	M Ž	194 199	0 0	0 0	0 1	0 1	3 5	3 9	7 7	10 13	15 13	16 18	16 24	27 15	25 9	12 20	25 20	18 19	17 25
173	Koža, drugi malignomi Skin, other malignancies	M Ž	844 918	0 0	0 0	0 1	0 0	0 5	1 2	10 8	12 22	12 51	39 45	49 67	74 100	100 130	139 128	152 149	126 265	
174	Dojka Breast	M Ž	5 1114	0 0	0 0	0 0	0 0	0 1	0 4	0 16	0 38	0 60	0 110	0 135	1 122	1 143	2 115	0 139	0 112	0 119

nadaljevanje / cont'd →



**Tabela 4b. – Table 4b. Nadaljevanje – Continued**

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																		
				0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+		
180	Maternica, vrat Uterus, cervix	M Ž	– 162	– 0	– 0	– 0	– 0	– 0	– 5	– 21	– 17	– 33	– 20	– 13	– 16	– 9	– 6	– 6	– 7	– 9		
181	Horioepiteliom Chorioepithelioma	M Ž	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0		
182	Maternica, telo, drugo Uterus, corpus, etc.	M Ž	– 294	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 1	– 9	– 17	– 26	– 39	– 46	– 35	– 46	– 32	– 43		
183	Jajčnik, jajcevod, drugo Ovary, Fallopian tube, other	M Ž	– 183	– 0	– 0	– 0	– 0	– 1	– 1	– 1	– 3	– 11	– 15	– 25	– 29	– 18	– 18	– 23	– 16	– 22		
184	Nožnica, vulva, drugo Vagina, vulva, etc.	M Ž	– 48	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 0	– 2	– 3	– 3	– 5	– 7	– 9	– 19		
185	Prostata Prostate	M Ž	849 –	0 –	0 –	0 –	0 –	0 –	0 –	0 –	0 –	0 –	0 –	7 –	30 –	76 –	124 –	187 –	195 –	144 –	86 –	
186	Modo Testis	M Ž	110 –	0 –	0 –	0 –	2 –	19 –	18 –	23 –	22 –	11 –	7 –	3 –	3 –	1 –	1 –	0 –	0 –	0 –	0 –	
187	Penis, obmodek, drugo Penis, epididymis, etc.	M Ž	20 –	0 –	0 –	0 –	1 –	0 –	0 –	0 –	0 –	0 –	4 –	0 –	2 –	2 –	2 –	2 –	3 –	2 –	2 –	
188	Sečni mehur Bladder	M Ž	171 68	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 1	8 1	19 3	22 9	29 6	39 12	34 12	19 24		
189	Leđvica, sečevod, drugo Kidney, ureter, etc.	M Ž	190 97	1 1	1 0	0 0	0 0	0 1	1 1	2 2	3 0	4 2	8 1	21 11	25 9	31 10	29 15	24 18	28 18	12 8		
190	Oko Eye	M Ž	9 14	1 1	0 1	0 0	0 0	0 1	0 0	0 0	0 1	0 1	0 3	2 1	1 0	2 1	1 1	2 1	0 1	0 2	0 2	
191	Možgani Brain	M Ž	81 49	2 3	1 1	0 0	4 0	2 1	2 1	3 1	1 2	1 1	10 3	13 3	10 2	9 5	6 9	8 6	8 8	5 4	5 4	
192	Živčevje, drugo Nervous system, other	M Ž	6 4	2 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	1 0	0 2	1 1	0 1	0 0	0 0	0 0	0 0	0 0	
193	Ščitnica Thyroid	M Ž	26 109	0 1	0 0	0 2	0 1	2 6	2 7	1 5	1 8	1 10	5 13	1 14	3 11	2 6	3 9	1 6	1 6	2 4	2 4	
194	Endokrine žleze, druge Endocrine glands, other	M Ž	4 7	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1 0	0 0	0 0	0 1	0 2	0 0	0 1	0 0	0 1	0 0	2 1	
195	Slabo opredeljene lokacije Ill-defined site	M Ž	4 21	0 0	0 0	0 0	0 0	1 1	0 0	0 0	0 0	0 0	0 3	1 0	0 0	1 2	0 0	1 2	0 7	2 6	0 6	
196	Metastaze v bezgavkah Lymph node metastases	M Ž	32 10	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	3 1	1 1	8 2	5 0	3 0	5 0	6 2	1 0	3 3	
197	Metastaze v dihalih, prebavilih Respirative, digestive tract metastases	M Ž	51 73	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	3 0	4 1	1 6	7 2	8 8	11 10	8 14	9 32	9 32	
198	Metastaze, drugje Metastases, other	M Ž	24 9	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1 0	2 0	0 2	2 0	1 1	3 1	3 0	6 1	5 4	7 4	
199	Malignomi, neopredeljeni Malignancies, unspecified	M Ž	55 50	0 0	0 0	0 0	0 0	0 0	1 0	0 1	1 1	2 2	2 9	5 5	9 4	5 10	5 7	9 13	6 8	7 8	7 8	
200 + 202	Ne-Hodgkinovi limfomi Non-Hodgkin's lymphoma	M Ž	74 89	0 0	0 0	2 1	0 2	0 0	1 2	1 0	1 2	2 6	5 4	6 12	5 3	6 5	12 11	7 16	15 11	11 15	11 15	
201	Hodgkinov limfom Hodgkin's disease	M Ž	27 16	0 0	1 0	0 0	2 2	2 1	6 2	4 1	5 2	2 1	0 1	2 0	1 0	1 0	1 1	2 1	1 1	0 1	0 1	
203	Plazmocitom Plasmocytoma	M Ž	59 62	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 1	2 2	1 4	4 7	7 8	13 10	10 14	6 7	7 11	7 11	7 11	
204.0	Levkemija, limfatična, akutna Leukaemia, lymphatic, acute	M Ž	15 6	1 4	1 1	3 0	0 0	0 1	1 0	2 0	1 0	3 0	0 0	2 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	
204.1 –204.9	Levkemija, limfatična, drugo Leukaemia, lymphatic, other	M Ž	55 39	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	2 0	5 1	7 3	3 4	8 2	12 7	9 5	8 17	8 17	
205	Levkemija, mieloična Leukaemia, myeloid	M Ž	36 29	0 0	0 1	0 1	1 0	0 0	1 0	0 0	1 2	0 3	5 3	0 1	1 1	5 1	7 3	7 7	4 4	4 4	4 4	
206	Levkemija, monocitna Leukaemia, monocytic	M Ž	16 9	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	1 1	3 1	2 1	1 2	2 4	2 0	1 0	3 2	3 2	
207	Levkemije, druge Leukaemias, other	M Ž	10 7	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	2 0	0 0	0 1	3 1	1 0	2 0	1 5	1 5	
208	Policitemija, prava Polycythemia vera	M Ž	5 3	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	2 0	0 0	1 0	0 0	1 0	1 0	0 2	0 2	
209	Mielofibroza Myelofibrosis	M Ž	6 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	3 0	0 1	0 0	0 0	2 0	

nadaljevanje / cont'd →

Tabela 4b. – Table 4b. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
<b>Zgoraj neupoštevani</b> Not included above																				
219 + 234	<b>Maternični vrat, in situ (CIN III)</b> Cervix uteri, in situ (CIN III)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	1177	0	0	0	1	87	254	233	195	167	112	60	31	11	13	7	4	2
225.0 + 225.2	<b>Možgani, benigni tumor</b> Brain, benign tumor	M	22	0	0	0	0	0	0	4	0	0	1	2	3	2	2	4	4	0
		Ž	46	0	0	0	0	0	0	1	2	3	4	7	5	4	7	2	6	5
232.2	<b>Maligni melanom, in situ</b> Malignant melanoma, in situ	M	24	0	0	0	0	1	0	2	2	0	2	1	5	2	4	2	0	3
		Ž	35	0	0	0	0	1	2	4	1	2	3	5	2	3	3	1	4	4
233	<b>Dojka, in situ</b> Breast, in situ	M	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
		Ž	100	0	0	0	0	0	0	1	2	8	14	19	16	14	14	9	1	2
235	<b>Jajčnik, neopl. negotovega značaja</b> Ovary, neopl. of uncertain behavior	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	48	0	0	0	1	0	1	3	7	3	3	11	2	8	5	2	2	0
237.6	<b>Sečni mehur, in situ</b> Urinary bladder, in situ	M	106	0	0	0	0	0	0	1	1	1	5	5	14	15	16	20	19	9
		Ž	23	0	0	0	0	0	0	0	0	1	0	3	1	5	3	5	4	1
238.1	<b>Možgani, neopredeljeno</b> Brain, unspecified	M	7	0	0	0	0	0	0	2	0	0	1	0	2	0	1	0	1	0
		Ž	11	0	0	1	0	0	0	0	0	0	0	2	0	0	0	1	3	4

**Tabela 5. Groba in starostno specifična incidenčna stopnja na 100.000 prebivalcev ter kumulativna stopnja (KS) po lokaciji in spolu – Slovenija 2006**

Table 5. Crude and age specific cancer incidence rate per 100.000 and cumulative rate (CR) by site and by sex – Slovenia 2006

Šifra MKB lokacija ICD Primary code site	Primarna lokacija	Vse starosti All ages		Starost Age											KS CR						
		Spol Sex	0 –	5 –	10 –	15 –	20 –	25 –	30 –	35 –	40 –	45 –	50 –	55 –	60 –	65 –	70 –	75 –	80 +	0 – 74	
C00	Vse lokacije	Skupaj Total	549,8	22,2	10,9	11,0	20,6	39,9	54,0	83,0	130,8	198,6	376,8	581,5	850,0	1236,4	1536,2	2013,8	2281,3	2403,6	35,8
-		Moški Male	588,2	19,5	10,6	9,7	22,4	43,6	53,9	79,0	107,0	139,6	316,0	609,9	971,4	1503,3	2047,4	2829,2	3385,8	3403,9	43,8
C96	All sites	Ženske Female	512,8	25,2	11,2	12,4	18,6	36,0	54,1	87,4	155,6	259,4	439,8	551,3	726,3	991,6	1102,5	1438,5	1659,4	2051,3	29,5
C00	Ustnica Lip	M	2,5	0	0	0	0	0	0	0	0	0	0	5,0	3,0	4,2	20,3	2,8	20,3	11,7	0,2
		Ž	1,4	0	0	0	0	0	0	0	0	0	0	0	0	1,9	3,8	4,0	9,1	10,3	0,0
C01	Baza jezika Base of tongue	M	1,0	0	0	0	0	0	0	0	0	0	0	1,2	5,9	4,2	4,5	0	4,1	0	0,1
		Ž	0,3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,0	2,3	2,1	0,0
C02	Jezik, drugi deli Tongue, other & unspecified parts	M	1,3	0	0	0	0	0	0	0	0	0	2,5	5,0	3,0	4,2	4,5	2,8	0	0	0,1
		Ž	0,7	0	0	0	0	0	0	1,4	0	0	1,3	1,3	0	3,9	1,9	0	0	2,1	0,0
C03	Dlesen Gum	M	0,4	0	0	0	0	0	0	0	0	0	0	0	1,5	2,1	0	2,8	4,1	0	0,0
		Ž	0,2	0	0	0	0	0	0	0	0	0	0	0	1,5	1,9	0	0	0	0	0,0
C04	Ustno dno Floor of mouth	M	3,3	0	0	0	0	0	0	0	0	1,3	3,8	9,9	14,8	8,4	4,5	14,2	0	0	0,3
		Ž	0,7	0	0	0	0	0	1,4	0	0	0	0	0	4,5	0	0	4,0	0	2,1	0,0
C05	Nebo Palate	M	0,8	0	0	0	0	0	0	0	0	0	1,3	1,2	1,5	4,2	2,3	0	4,1	5,8	0,1
		Ž	0,2	0	0	0	0	0	1,4	0	0	0	0	1,3	0	0	0	0	0	0	0,0
C06	Usta, drugi deli Mouth, other & unspecified parts	M	1,2	0	0	0	0	0	0	0	0	1,3	0	1,2	3,0	2,1	11,3	0	4,1	5,8	0,1
		Ž	0,2	0	0	0	0	0	1,4	0	0	0	0	0	0	0	0	0	2,3	0	0,0
C07	Parotidna žleza Parotid gland	M	0,7	0	0	0	0	0	0	0	0	1,3	0	1,2	0	2,1	2,3	2,8	0	11,7	0,0
		Ž	0,3	0	0	0	0	0	1,4	0	0	0	1,3	0	0	0	1,9	0	0	0	0,0
C08	Druge in neopredeljene velike žleze slinavke Other & unspecified major salivary glands	M	0,2	0	0	0	0	0	0	0	0	0	0	0	0	0	2,3	0	4,1	0	0,0
		Ž	0,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4,0	0	0	0,0
C09	Tonzila Tonsil	M	3,8	0	0	0	0	0	0	0	0	2,5	1,3	13,6	17,7	10,5	6,8	2,8	4,1	5,8	0,3
		Ž	0,6	0	0	0	0	0	0	0	0	1,3	1,3	1,3	3,0	0	1,9	0	0	0	0,0
C10	Orofarinks Oropharynx	M	3,7	0	0	0	0	0	0	0	0	2,5	7,6	14,9	8,9	4,2	2,3	8,5	16,2	0	0,2
		Ž	0,6	0	0	0	0	0	0	0	0	1,3	1,3	1,3	1,5	1,9	1,9	0	0	2,1	0,0
C11	Nazofarinks Nasopharynx	M	1,0	0	0	0	0	0	0	0	0	3,8	2,5	0	4,2	2,3	0	0	0	0	0,1
		Ž	0,2	0	0	0	0	0	0	0	0	0	1,3	0	1,9	0	0	0	0	0	0,0

nadaljevanje / cont'd →

Tabela 5. – Table 5. Nadaljevanje – Continued

Šifra MKB lokacija ICD code site	Primarna lokacija Primary site	Vse starosti All ages	Starost Age													KS CR				
			0 – 5 –	10 – 15 –	20 – 25 –	30 – 35 –	40 – 45 –	50 – 55 –	60 – 65 –	70 – 75 –	80 +	0 – 74	75 +							
	Spol Sex																			
C12	Piriformni sinus Pyiform sinus	M 3,2 Ž 0,1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,2	0,0
C13	Hipofarinks Hypopharynx	M 1,9 Ž 0,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,2	0,0
C14	Druga in slabo opredeljena mesta na ustnici, v ustni votlini in farinksu Other and ill-defined sites in the lip, oral cavity and pharynx	M 0 Ž 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0,0
C15	Požiralnik Oesophagus	M 6,8 Ž 1,6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,5	0,1
C16	Želodec Stomach	M 27,2 Ž 15,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,9	0,8
C17	Tanko črevo Small intestine	M 1,6 Ž 1,0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1	0,1
C18	Debelo črevo Colon	M 38,2 Ž 31,6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,7	1,6
C19	Rektosigmoidna zveza Rectosigmoid junction	M 8,1 Ž 5,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,6	0,3
C20	Rektum Rectum	M 28,2 Ž 16,9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,1	1,0
C21	Anus in anadni kanal Anus and anal canal	M 0,9 Ž 1,6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0,1
C22	Jetra in intrahepatični vodi Liver and intrahepatic bile ducts	M 10,5 Ž 5,1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,9	0,2
C23	Žolčnik Gallbladder	M 2,6 Ž 4,8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,2	0,2
C24	Drugi in neopredeljeni deli bilarnega trakta Biliary tract, other and unspecified parts	M 3,7 Ž 4,8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,3	0,2
C25	Trebušna slinavka Pancreas	M 16,4 Ž 13,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,3	0,6
C26	Druga in slabo opredeljena mesta v prebavnih organih Other and ill-defined digestive organs	M 0,1 Ž 0,4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0,0

nadaljevanje / cont'd →

Tabela 5. – Table 5. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Vse starosti All ages	Spol Sex	Starost Age													KS CR									
				0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64		65-69	70-74	75-79	80+					
C30	Nosna votlina in srednje uho Nasal cavity and middle ear	M 0,6 Ž 0,1	M Ž	0	2,1	0	0	0	0	0	0	0	0	1,3	1,2	1,5	0	4,5	0	0	0	0	0	0	0,1	0,0
C31	Obnosni sinusi Accessory sinuses	M 0,5 Ž 0,5	M Ž	0	0	0	0	0	0	0	0	0	0	0	2,5	0	4,2	0	0	0	0	4,1	0	0	0,0	0,0
C32	Grlo Larynx	M 9,7 Ž 0,9	M Ž	0	0	0	0	0	0	0	0	0	0	10,2	22,3	23,7	31,5	18,0	45,3	36,5	23,3	4,6	2,1	0,1	0,8	0,1
C33	Sapnik Trachea	M 0,2 Ž 0	M Ž	0	0	0	0	0	0	0	0	0	0	0	1,2	0	0	0	0	0	0	0	0	0	5,8	0,0
C34	Sapnica in pljuča Bronchus and lung	M 92,9 Ž 28,5	M Ž	0	0	0	0	0	0	0	4,0	17,6	57,1	120,2	212,9	245,6	353,6	453,1	483,1	349,7	82,1	1,8	0,0	0,0	7,3	1,8
C37	Timus Thymus	M 0,2 Ž 0,2	M Ž	0	0	0	0	0	0	0	0	1,3	0	0	0	0	0	0	2,8	0	0	0	0	0	2,1	0,0
C38	Srce, mediastinum, plevra Heart, mediastinum, pleura	M 0,6 Ž 0,3	M Ž	0	0	0	0	2,8	0	0	0	1,3	0	0	1,5	0	4,5	0	0	0	0	4,6	0	0	0,1	0,0
C39	Druga in slabo opredeljena mesta v dihalih in prsni organih Other and ill-defined sites in the respiratory system and intrathoracic organs	M 0 Ž 0	M Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0,0
C40	Kosti, sklepni hrustanec udov Bone and articular cartilage of limbs	M 0,5 Ž 0,5	M Ž	0	0	0	0	0	1,3	1,3	0	0	0	0	0	0	2,1	2,3	2,8	0	0	0	0	0	0,0	0,0
C41	Kosti, sklepni hrustanec, drugje Bone and articular cartilage of other and unspecified parts	M 0,3 Ž 0,3	M Ž	0	0	1,9	0	0	1,7	0	0	0	0	1,3	0	0	1,9	0	2,8	0	0	0	0	0	0,0	0,0
C43	Malignni melanom kože Malignant melanoma of skin	M 19,7 Ž 19,5	M Ž	0	0	0	0	4,2	3,8	9,1	13,4	18,9	20,3	19,8	39,9	52,5	27,0	70,8	73,1	99,1	43,4	51,3	1,4	1,2	1,4	1,2
C44	Druge maligne neoplazme kože Skin, other malignomas	M 85,2 Ž 89,6	M Ž	0	0	0	0	0	0	1,3	11,6	16,0	15,1	49,5	60,7	107,9	210,0	292,8	388,0	617,1	734,4	544,1	4,3	5,8	4,3	5,8
C45	Mezoteliom Mesothelioma	M 2,3 Ž 0,9	M Ž	0	0	0	0	0	0	0	0	0	2,5	2,5	8,9	8,4	4,5	11,3	8,1	5,8	2,1	0,1	0,0	0,2	0,1	
C46	Kaposijev sarkom Kaposi sarcoma	M 0 Ž 0	M Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0,0

nadaljevanje / cont'd →

Tabela 5. – Table 5. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Vse starosti All ages	Spol Sex	Starost Age											KS CR												
				0-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55		55-60	60-65	65-70	70-75	75-80	80+						
C47	Periferni živci in avtonomno živčevje Peripheral nerves and autonomic nervous system	M	0,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0					
		Ž	0,1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0				
C48	Retiro- in peritonej Retiro- and peritoneum	M	0,3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0				
		Ž	2,2	2,3	0	0	0	0	0	0	0	0	1,4	0	0	1,3	0	0	2,6	4,5	3,9	7,6	6,0	9,1	6,2	0,1	
C49	Drugo vezivno in meško tkivo Other connective and soft tissue	M	2,2	2,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1		
		Ž	1,8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1	
C50	Dojka Breast	M	0,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	
		Ž	108,7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7,2
C51	Žensko zunanje spolovilo Vulva	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	3,7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,2
C52	Nožnica Vagina	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	0,7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0
C53	Maternični vrat Cervix uteri	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	15,8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1
C54	Maternično telo Corpus uteri	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	27,4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1
C55	Maternica, neopredeljeno Uterus, unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	1,4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1
C56	Jajčnik Ovary	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	16,7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1
C57	Drugi in neopredeljeni ženski spolni organi Other and unspecified parts of female genital organs	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	1,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1
C58	Posteljica Placenta	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0
C60	Penis Penis	M	1,8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C61	Prostata Prostate	M	86,1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C62	Modo Testis	M	11,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,7
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Drugi in neopredeljeni moški spolni organi Other and unspecified male genital organs	M	0,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0
		Ž	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

nadaljevanje / cont'd →

Tabela 5. – Table 5. Nadaljevanje – Continued

Šifra MKB	Primarna lokacija	Vse starosti	Spol	Starost															KS			
				All ages		0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+
C64	<b>Ledvica razen meha</b> Kidney, except renal pelvis	M 17,1 Ž 8,5	M Ž	0	2,1	0	0	0	0	1,3	2,6	4,0	5,0	10,2	24,8	37,0	60,9	51,8	56,6	85,3	64,1	1,3
C65	<b>Ledvični meh</b> Renal pelvis	M 1,3 Ž 0,6	M Ž	0	0	0	0	0	0	0	0	0	0	1,2	0	2,1	6,8	5,7	24,4	0	0	0,1
C66	<b>Sečevod</b> Ureter	M 0,6 Ž 0,4	M Ž	0	0	0	0	0	0	0	0	0	0	0	0	1,5	1,9	0	2,0	0	4,1	5,8
C67	<b>Sečni mehur</b> Bladder	M 17,3 Ž 6,6	M Ž	0	0	0	0	0	0	0	0	0	1,3	9,9	28,1	46,2	65,3	110,5	138,0	110,7	110,7	1,3
C68	<b>Drugi in neopredeljeni sečni organi</b> Other and unspecified urinary organs	M 0,1 Ž 0	M Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2,8	0	0	0,0
C69	<b>Oklo in očesni adneksi</b> Eye and adnexa	M 0,9 Ž 1,2	M Ž	2,2	2,2	0	0	0	0	0	0	0	1,3	2,6	1,3	0	4,2	2,3	5,7	0	0	0,1
C70	<b>Meninge</b> Meninges	M 0 Ž 0,2	M Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0
C71	<b>Možgani</b> Brain	M 8,2 Ž 4,4	M Ž	4,3	2,1	0	6,4	2,8	2,5	1,4	1,4	2,8	1,3	12,7	16,1	14,8	18,9	13,5	22,7	16,2	29,1	0,6
C72	<b>Hrbtini mozeg, možganski živci in drugi deli CZS</b> Spinal cord, cranial nerves and other parts of CNS	M 0,3 Ž 0,1	M Ž	2,2	0	0	0	0	0	0	0	0	0	0	1,2	1,5	0	0	0	0	0	0,0
C73	<b>Ščitnica</b> Thyroid gland	M 2,6 Ž 10,4	M Ž	0	0	4,1	1,7	2,8	2,5	9,0	1,3	1,3	6,3	1,3	3,7	3,0	4,2	6,8	2,8	4,1	11,7	0,2
C74	<b>Nadledvična žleza</b> Adrenal gland	M 0,5 Ž 0,5	M Ž	2,2	0	0	0	0	0	0	1,3	1,3	0	0	0	3,0	0	0	0	0	11,7	0,0
C75	<b>Druge endokrine žleze in sorodne strukture</b> Other endocrine glands and related structures	M 0 Ž 0,1	M Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0
C76	<b>Druga in slabo opredeljena mesta</b> Other and ill-defined sites	M 0,3 Ž 2,1	M Ž	0	0	0	0	0	0	0	0	0	0	1,3	0	0	3,9	0	5,7	0	12,3	0,1
C77	<b>Metastaza in neopredeljena maligna neoplazma bezgavk</b> Metastasis and unspecified malignant neoplasm of lymph nodes	M 3,2 Ž 1,0	M Ž	0	0	0	0	0	0	0	0	0	0	3,8	1,2	11,8	10,5	6,8	14,2	24,4	5,8	0,2

nadaljevanje / cont'd →

Tabela 5. – Table 5. Nadaljevanje – Continued

Šifra MKB	Primarna lokacija	Vse starosti	Spol	Starost											KS								
				Age											CR	0-74							
ICD code	Primary site	All ages	Sex	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	CR	0-74	
C78	Metastaze dihal in prebavil Metastases of respiratory and digestive organs	M	M	0	0	0	0	0	0	0	0	0	1,3	5,0	1,5	8,4	13,5	19,8	28,4	46,6	0,2	0,2	
		Ž	Ž	0	0	0	0	0	0	0	0	0	0	0	9,0	3,9	11,5	20,0	29,7	47,2	0,2	0,2	
C79	Metastaze, drugje Metastases of other sites	M	M	0	0	0	0	0	0	0	0	1,3	2,5	0	3,0	2,1	6,8	8,5	24,4	29,1	0,1	0,1	
		Ž	Ž	0	0	0	0	0	0	0	0	0	0	2,6	0	1,9	1,9	0	2,3	8,2	0,0	0,0	
C80	Maligna neoplazma brez opredeljenega mesta Malignant neoplasm without specification of site	M	M	0	0	0	0	0	0	0	1,3	2,5	2,5	11,2	7,4	18,9	11,3	25,5	24,4	40,8	0,4	0,4	
		Ž	Ž	0	0	0	0	0	1,4	0	1,4	1,3	0	2,6	4,5	7,7	19,1	14,0	29,7	16,4	0,3	0,3	
C81	Hodgkinova bolezen Hodgkin's disease	M	M	2,7	0	2,1	0	3,2	2,8	7,5	5,2	6,7	2,5	1,3	0	3,0	0	2,3	2,8	0	0	0,2	0,2
		Ž	Ž	1,6	0	0	0	3,4	1,5	2,7	1,4	2,8	1,3	0	1,3	1,5	0	1,9	4,0	2,3	2,1	0,1	0,1
C82	Folikularni Ne-Hodgkinov limfom Follicular Non-Hodgkin's lymphoma	M	M	1,8	0	0	0	0	0	0	0	0	2,5	2,5	5,9	4,2	4,5	0	16,2	11,7	0,1	0,1	
		Ž	Ž	4,1	0	0	0	0	0	0	0	6,5	2,6	7,9	1,5	7,7	5,7	16,0	13,7	14,4	0,2	0,2	
C83	Difuzni Ne-Hodgkinov limfom Diffuse Non-Hodgkin's lymphoma	M	M	8,0	2,2	0	0	3,2	0	1,3	1,3	2,5	5,1	9,9	10,4	12,6	24,8	34,0	48,7	64,1	0,5	0,5	
		Ž	Ž	6,7	0	0	1,7	1,5	0	1,4	0	0	4,0	7,9	9,0	9,6	21,0	28,0	20,6	24,6	0,4	0,4	
C84	Limfomi celic T in kožni limfom celic T T-cell lymphomas	M	M	1,0	0	0	0	0	0	0	2,7	0	0	0	3,0	0	4,5	5,7	4,1	5,8	0,1	0,1	
		Ž	Ž	1,3	0	0	0	1,5	0	2,8	0	2,8	0	1,3	2,6	4,5	0	1,9	4,0	2,3	0	0,1	0,1
C85	Druge in neopredeljene vrste Ne-Hodgkinovega limfoma Other and unspecified types of Non-Hodgkin's lymphoma	M	M	0,6	0	0	0	0	0	0	1,3	0	0	0	0	4,2	0	0	4,1	11,7	0,0	0,0	
		Ž	Ž	1,0	0	0	0	0	0	0	0	1,3	0	0	0	0	0	1,9	2,0	4,6	10,3	0,0	0,0
C88	Maligne imunoproliferativne bolezni Malignant immunoproliferative diseases	M	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0	0,0
		Ž	Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,0
C90	Difuzni plazmocitom neoplazme plazmocitov Multiple myeloma and malignant plasma cell neoplasms	M	M	6,2	0	0	0	0	1,4	0	1,3	0	2,5	1,3	5,0	10,4	16,8	29,3	31,2	24,4	40,8	0,5	0,5
		Ž	Ž	6,2	0	0	0	0	0	0	0	1,4	2,6	5,3	1,3	6,0	15,4	19,1	30,0	16,0	22,6	0,4	0,4
C91.0	Limfatična levkemija, akutna Lymphoblastic leukaemia, acute	M	M	1,5	2,2	2,1	5,8	0	0	1,3	2,6	1,3	3,8	0	2,5	0	0	0	2,8	0	0	0,1	0,1
		Ž	Ž	0,6	9,2	2,2	0	0	1,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0,1
C91.1	Limfatična levkemija, druga – C91.9 Lymphoid leukaemia, other	M	M	5,9	0	0	0	0	0	0	1,3	0	3,8	6,2	10,4	6,3	20,3	36,8	36,5	46,6	0,4	0,4	
		Ž	Ž	3,8	0	0	0	0	0	0	0	0	0	1,3	4,5	7,7	3,8	14,0	11,4	34,9	0,2	0,2	

nadaljevanje / cont'd →



Tabela 5. – Table 5. Nadaljevanje – Continued

Šifra MKB	Primarna lokacija	Vse starosti	Spol	Starost																KS				
				Sex		0 –	5 –	10 –	15 –	20 –	25 –	30 –	35 –	40 –	45 –	50 –	55 –	60 –	65 –	70 –	75 –	80 +	CR	0 –74
C92	Mieločna levkemija Myeloid leukaemia	M 5,0 Ž 3,4	M Ž	0	0	0	1,6	0	1,3	0	2,7	0	7,6	3,7	4,4	12,6	20,3	22,7	16,2	35,0	0,4	0,4		
C93	Monocitna levkemija Monocytic leukaemia	M 0,5 Ž 0,3	M Ž	0	0	0	0	0	0	0	0	0	0	1,2	0	0	2,3	2,8	4,1	5,8	0,0	0,0		
C94	Druge opredeljene levkemije Other leukaemias of specified cells	M 0,1 Ž 0,2	M Ž	0	0	0	0	0	0	0	0	0	0	1,2	0	0	0	0	0	0	0	0,0	0,0	
C95	Levkemija z neopredeljenim celičnim tipom Leukaemia, unspecified cell type	M 0,4 Ž 0,5	M Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	2,3	0	8,1	5,8	0,0	0,0		
C96	Druge in neopredeljene maligne neoplazme limfatičnega, krvotvornega ali sorodnega tkiva Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue	M 5,0 Ž 6,9	M Ž	0	0	0	3,2	0	3,4	1,5	0	2,5	1,3	0	7,9	6,0	11,3	25,5	36,5	64,1	0,3	0,3		
D03	Melanom, in situ Melanoma, in situ	M 2,4 Ž 3,4	M Ž	0	0	0	0	1,4	0	1,4	0	2,6	2,7	0	2,5	1,2	7,4	4,2	9,0	5,7	0	17,5	0,2	
D05	Dojka, in situ Breast, in situ	M 0,1 Ž 9,8	M Ž	0	0	0	0	0	0	0	1,4	2,8	10,4	18,4	25,0	24,1	27,0	26,8	18,0	2,3	4,1	0,0	0,8	
D06	Maternični vrat, in situ (CIN III) Cervix uteri, in situ (CIN III)	M – Ž 115,1	M Ž	0	0	0	1,7	130,6	343,3	323,1	270,9	216,6	147,5	78,9	46,7	21,2	24,8	14,0	9,1	4,1	–	–	8,1	
D09.0	Sečni mehur, in situ Bladder, in situ	M 10,8 Ž 2,2	M Ž	0	0	0	0	0	0	1,3	1,3	1,3	0	1,3	0	3,9	31,5	36,0	56,6	77,1	52,5	0,8	0,2	
D32.0	Meninge, benigna neoplazma Benign neoplasm of meninges	M 1,5 Ž 3,5	M Ž	0	0	0	0	0	0	0	1,3	1,4	1,3	4,0	6,6	6,0	4,2	4,5	8,5	12,2	0	0,1	0,2	
D33.0	Možgani, benigna neoplazma – D332 Benign neoplasm of brain	M 0,1 Ž 0	M Ž	0	0	0	0	0	0	0	1,3	0	0	0	0	0	0	0	0	0	0	0	0,0	0,0
D39.1	Jajčnik, neopl. negotovnega značaja Ovary, neopl. of uncertain behavior	M – Ž 4,7	M Ž	0	0	0	1,7	0	1,4	4,2	9,7	3,9	4,0	14,5	3,0	15,4	9,6	4,0	4,6	–	–	0	0,4	
D43.0	Možgani, neopredeljeno – D43.2 Brain, uncertain or unknown	M 0,7 Ž 1,1	M Ž	0	0	0	0	0	0	0	2,6	0	1,3	0	3,0	0	2,3	0	2,0	4,1	0	0,0	0,0	

Tabela 6a. Incidenca najpogostejših lokacij raka po statističnih regijah in spolu – Slovenija 2006

Table 6a. Incidence of most frequent cancer sites by statistical regions and by sex – Slovenia 2006

Statistična regija Statistical region	Spol Sex	Skupaj C00–C96 All sites	Lokacija (šifre MKB–10) Site (ICD–10 codes)											Druga Other D06*
			C16	C18	C19	C20	C34	C44	C50	C53	C54	C61		
Slovenija, skupaj Slovenia, total	M	5799	268	377	80	278	916	840	5	–	–	849	2186	–
	Ž	5244	159	323	53	173	291	916	1112	162	280	–	1775	1177
Pomurska	M	395	21	30	6	21	61	50	0	–	–	75	131	–
	Ž	312	10	20	3	16	8	74	61	10	16	–	94	78
Podravska	M	875	59	51	12	53	139	71	1	–	–	153	336	–
	Ž	730	28	57	10	21	41	88	174	32	55	–	224	199
Koroška	M	196	10	9	4	9	41	31	0	–	–	24	68	–
	Ž	192	5	11	4	8	11	41	25	8	8	–	71	38
Savinjska	M	638	26	34	5	34	99	82	0	–	–	119	239	–
	Ž	607	16	28	8	23	33	78	163	26	34	–	198	196
Zasavska	M	142	9	9	2	6	15	19	0	–	–	25	57	–
	Ž	121	4	8	2	3	10	17	29	2	7	–	39	21
Spodnjeposavska	M	187	8	16	6	9	35	11	0	–	–	31	71	–
	Ž	154	7	9	1	7	6	22	26	5	6	–	65	38
Jugovzhodna Slovenija	M	389	12	26	15	22	62	54	0	–	–	48	150	–
	Ž	323	11	25	3	11	21	51	61	14	15	–	111	72
Osrednjeslovenska	M	1560	61	110	16	66	245	291	3	–	–	197	571	–
	Ž	1508	37	93	10	36	90	307	282	37	72	–	544	306
Gorenjska	M	606	27	33	5	12	95	102	0	–	–	99	233	–
	Ž	594	19	28	4	23	32	128	120	15	28	–	197	99
Notranjsko-kraška	M	148	5	9	1	5	27	16	0	–	–	17	68	–
	Ž	114	5	3	2	8	8	18	26	2	6	–	36	34
Goriška	M	357	12	38	3	27	53	38	1	–	–	40	145	–
	Ž	296	8	23	4	10	15	33	78	4	19	–	102	40
Obalno-kraška	M	306	18	12	5	14	44	75	0	–	–	21	117	–
	Ž	293	9	18	2	7	16	59	67	7	14	–	94	56

## Opis šifer MKB

Description of the ICD code

C16	Želodec Stomach	C44	Druge maligne neoplazme kože Skin, other malignomas
C18	Debelo črevo Colon	C50	Dojka Breast
C19	Rektosigmoidna zveza Rectosigmoid junction	C53	Maternični vrat Cervix uteri
C20	Rektum Rectum	C54	Maternično telo Corpus uteri
C34	Sapnica in pljuča Bronchus and lung	C61	Prostata Prostate
		D06	Maternični vrat, in situ (CIN III) Cervix uteri, in situ (CIN III)

\* Neupoštevano v skupnem številu: D06 – Maternični vrat, in situ (CIN III)  
Not included in All sites: D06 – Cervix uteri, in situ (CIN III)

**Tabela 6b. Starostno standardizirana\* incidenčna stopnja najpogostejših lokacij raka po statističnih regijah in spolu – Slovenija 2006**

**Table 6b.** Age standardized incidence rate of most frequent cancer sites by statistical regions and by sex – Slovenia 2006

Statistična regija Statistical region	Spol Sex	Skupaj C00–C96 All sites	Lokacija (šifre MKB–10) Site (ICD–10 codes)										Drugo Other D06**	
			C16	C18	C19	C20	C34	C44	C50	C53	C54	C61		
Slovenija, skupaj Slovenia, total	M	643,7	30,6	43,5	9,1	30,8	98,9	96,6	0,5	–	–	97,1	236,6	–
	Ž	431,8	12,3	25,4	4,3	13,7	24,1	70,7	97,1	15,3	23,5	–	145,3	120,2
Pomurska	M	742,8	41,3	57,2	11,7	39,9	110,4	95,8	0,0	–	–	152,6	234,0	–
	Ž	397,8	11,1	24,0	4,1	18,7	10,8	88,8	83,2	16,4	21,1	–	119,6	129,6
Podravska	M	594,3	40,0	36,6	8,3	37,1	90,9	50,3	0,7	–	–	106,0	224,4	–
	Ž	364,5	13,8	26,8	5,0	10,3	20,1	40,8	90,8	18,8	27,3	–	110,7	125,6
Koroška	M	591,3	30,1	28,2	11,7	30,2	122,5	98,8	0,0	–	–	71,4	198,6	–
	Ž	462,3	11,5	24,9	10,4	18,9	28,0	93,7	62,8	21,5	18,7	–	171,9	105,6
Savinjska	M	572,5	24,8	31,9	5,6	28,7	84,8	75,2	0,0	–	–	111,8	209,6	–
	Ž	411,4	10,1	18,0	4,9	15,1	22,4	50,5	115,1	19,6	23,2	–	132,7	154,1
Zasavska	M	696,0	47,6	47,1	10,3	31,1	63,6	99,4	0,0	–	–	128,8	268,1	–
	Ž	424,1	10,4	27,2	7,9	8,9	32,8	55,3	102,7	9,0	27,1	–	142,7	97,0
Spodnjeposavska	M	575,3	27,7	51,1	19,4	27,3	101,8	33,2	0,0	–	–	98,5	216,3	–
	Ž	346,1	14,6	20,6	3,1	15,0	14,4	40,4	69,2	13,3	13,3	–	142,2	114,5
Jugovzhodna Slovenija	M	649,0	21,3	49,9	23,9	35,8	99,8	94,2	0,0	–	–	88,9	235,3	–
	Ž	410,4	12,8	29,3	3,2	13,1	28,7	62,1	84,5	19,8	19,7	–	137,3	107,4
Osrednjeslovenska	M	700,6	28,0	51,4	7,2	30,3	108,2	136,0	1,1	–	–	89,5	249,0	–
	Ž	494,5	11,5	29,8	3,8	12,2	29,5	94,0	98,2	13,6	23,6	–	178,4	123,9
Gorenjska	M	684,0	32,9	36,4	6,2	13,5	103,8	118,2	0,0	–	–	115,2	257,8	–
	Ž	502,8	16,1	22,4	3,0	17,1	26,7	104,9	109,0	14,6	23,6	–	165,4	103,5
Notranjsko–kraška	M	591,8	19,6	34,1	4,0	18,2	109,8	68,2	0,0	–	–	72,1	265,9	–
	Ž	353,5	14,6	7,9	5,1	23,8	27,3	50,7	80,9	5,8	21,4	–	115,9	139,1
Goriška	M	627,2	20,7	66,4	5,6	44,7	89,1	67,9	2,1	–	–	73,8	256,9	–
	Ž	388,7	9,0	30,9	4,8	12,7	18,7	34,0	109,5	7,2	30,6	–	131,3	72,7
Obalno–kraška	M	596,5	34,1	23,6	9,6	27,1	86,8	146,7	0,0	–	–	41,6	227,0	–
	Ž	445,2	11,1	26,3	2,6	10,7	22,3	89,2	110,5	11,0	21,7	–	139,8	108,1

Opis šifer MKB

Description of the ICD code

C16	Želodec Stomach	C44	Druge maligne neoplazme kože Skin, other malignomas
C18	Debelo črevo Colon	C50	Dojka Breast
C19	Rektosigmoidna zveza Rectosigmoid junction	C53	Maternični vrat Cervix uteri
C20	Rektum Rectum	C54	Maternično telo Corpus uteri
C34	Sapnica in pljuča Bronchus and lung	C61	Prostata Prostate
		D06	Maternični vrat, in situ (CIN III) Cervix uteri, in situ (CIN III)

\* Standard – prebivalstvo Slovenije po popisu 2002  
Standard – population of Slovenia according to census 2002

\*\* Neupoštevano v skupnem številu: D06 – Maternični vrat, in situ (CIN III)  
Not included in All sites: D06 – Cervix uteri, in situ (CIN III)

**Tabela 7. Incidenca histološko (H) in citološko (C) potrjenih primerov raka po histološki vrsti in lokaciji – Slovenija 2006****Table 7. Incidence of histologically (H) and cytologically (C) confirmed cancer cases by histological type and by site – Slovenia 2006**

Histološka vrsta Histologic type	Skupaj All sites		Lokacija (šifre MKB-10) Site (ICD-10 codes)																					
			C00-C96		C00		C01		C02		C03		C04		C05		C06		C07		C08		C09	
			H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C
<b>Vse vrste / All Types</b>	<b>9515</b>	<b>832</b>	<b>38</b>	<b>1</b>	<b>12</b>	<b>1</b>	<b>20</b>	<b>0</b>	<b>6</b>	<b>0</b>	<b>40</b>	<b>0</b>	<b>10</b>	<b>0</b>	<b>14</b>	<b>0</b>	<b>10</b>	<b>0</b>	<b>4</b>	<b>0</b>	<b>42</b>	<b>1</b>		
Small cell carcinoma	159	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
Non-small cell carcinoma	42	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Squamous cell carcinoma	1326	74	38	-	12	1	18	-	6	-	40	-	8	-	12	-	2	-	-	-	39	1		
Basal cell carcinoma	1365	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Transitional cell carcinoma	254	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adenocarcinoma	4695	203	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-	1	-	-	-		
Other specified carcinomas	151	16	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-		
Carcinoma, unspecified	196	139	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-		
Malignant thymoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant paraganglioma /pheochromocytoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant melanoma	409	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Fibrosarcoma	9	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Fibrohistiocytic sarcoma	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Liposarcoma	19	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Leiomyosarcoma	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Rhabdomyosarcoma	7	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Synovial sarcoma	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Angiosarcoma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kaposi sarcoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Osteosarcoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chondrosarcoma	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ewing sarcoma/PNET	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other specified sarcomas	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sarcoma, unspecified	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant complex mixed and stromal tumors	42	0	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-		
Malignant fibroepithelial tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant mesothelioma	32	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant gonadal stromal tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dysgerminoma and seminoma	56	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other malignant germ cell tumors	49	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant trophoblastic tumors	11	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant gliomas	110	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant neuroepithelial tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant meningioma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant nerve sheath tumors	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Non Hodgkin lymphoma	217	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hodgkin lymphoma	40	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Plasma cell tumors	81	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chronic lymphoid leukemia	44	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Leukemia except chronic lymphoid	77	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other lymphoreticular neoplasms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chronic myeloproliferative diseases	20	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Myelodysplastic syndromes	24	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other specified malignant tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant tumor, unspecified	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

nadaljevanje / cont'd →

Tabela 7. – Table 7. Nadaljevanje – Continued

Histološka vrsta Histologic type	Skupaj All sites		Lokacija (šifre MKB-10) Site (ICD-10 codes)																			
			C00-C96		C10		C11		C12		C13		C14		C15		C16		C17		C18	
	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C
<b>Vse vrste / All Types</b>	<b>9515</b>	<b>832</b>	<b>39</b>	<b>2</b>	<b>12</b>	<b>0</b>	<b>33</b>	<b>0</b>	<b>21</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>76</b>	<b>1</b>	<b>402</b>	<b>6</b>	<b>24</b>	<b>0</b>	<b>667</b>	<b>5</b>	<b>131</b>	<b>0</b>
Small cell carcinoma	159	48	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
Non-small cell carcinoma	42	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous cell carcinoma	1326	74	37	2	10	-	31	-	19	-	-	-	59	1	2	-	-	-	-	-	-	-
Basal cell carcinoma	1365	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Transitional cell carcinoma	254	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Adenocarcinoma	4695	203	-	-	1	-	-	-	1	-	-	-	13	-	367	3	17	-	647	2	129	-
Other specified carcinomas	151	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-
Carcinoma, unspecified	196	139	2	-	1	-	2	-	1	-	-	-	4	-	20	3	-	-	15	3	2	-
Malignant thymoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant paraganglioma/ pheochromocytoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	409	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrosarcoma	9	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liposarcoma	19	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Rhabdomyosarcoma	7	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Synovial sarcoma	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kaposi sarcoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteosarcoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewing sarcoma/PNET	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sarcomas	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoma, unspecified	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant complex mixed and stromal tumors	42	0	-	-	-	-	-	-	-	-	-	-	-	-	9	-	5	-	-	-	-	-
Malignant fibroepithelial tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	32	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gonadal stromal tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	56	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant germ cell tumors	49	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant trophoblastic tumors	11	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gliomas	110	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neuroepithelial tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant nerve sheath tumors	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Non Hodgkin lymphoma	217	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgkin lymphoma	40	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	81	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	44	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	77	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other lymphoreticular neoplasms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic myeloproliferative diseases	20	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndromes	24	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified malignant tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant tumor, unspecified	14	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-

nadaljevanje / cont'd →

Tabela 7. – Table 7. Nadaljevanje – Continued

Histološka vrsta Histologic type	Skupaj All sites		Lokacija (šifre MKB-10) Site (ICD-10 codes)																				
			C00-C96		C20		C21		C22		C23		C24		C25		C26		C30		C31		C32
	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	
<b>Vse vrste / All Types</b>	<b>9515</b>	<b>832</b>	<b>444</b>	<b>1</b>	<b>25</b>	<b>0</b>	<b>66</b>	<b>20</b>	<b>36</b>	<b>7</b>	<b>46</b>	<b>4</b>	<b>121</b>	<b>35</b>	<b>1</b>	<b>0</b>	<b>7</b>	<b>0</b>	<b>10</b>	<b>0</b>	<b>102</b>	<b>1</b>	
Small cell carcinoma	159	48	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Non-small cell carcinoma	42	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous cell carcinoma	1326	74	-	-	19	-	-	-	-	-	-	-	-	-	-	-	4	-	6	-	98	-	-
Basal cell carcinoma	1365	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Transitional cell carcinoma	254	0	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Adenocarcinoma	4695	203	428	1	3	-	62	20	28	5	41	4	109	23	1	-	1	-	1	-	-	-	-
Other specified carcinomas	151	16	1	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	2	-	2	-	-
Carcinoma, unspecified	196	139	11	-	-	-	1	-	4	2	3	-	9	12	-	-	1	-	-	-	2	1	-
Malignant thymoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant paraganglioma/ pheochromocytoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	409	9	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrosarcoma	9	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Fibrohistiocytic sarcoma	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liposarcoma	19	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhabdomyosarcoma	7	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Synovial sarcoma	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2	0	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kaposi sarcoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteosarcoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewing sarcoma/PNET	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sarcomas	2	0	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoma, unspecified	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant complex mixed and stromal tumors	42	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant fibroepithelial tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	32	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gonadal stromal tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	56	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant germ cell tumors	49	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant trophoblastic tumors	11	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gliomas	110	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neuroepithelial tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant nerve sheath tumors	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	217	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgkin lymphoma	40	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	81	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	44	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	77	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other lymphoreticular neoplasms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic myeloproliferative diseases	20	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndromes	24	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified malignant tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant tumor, unspecified	14	7	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

nadaljevanje / cont'd →

Tabela 7. – Table 7. Nadaljevanje – Continued

Histoška vrsta Histologic type	Skupaj All sites		Lokacija (šifre MKB-10) Site (ICD-10 codes)																			
			C00-C96		C33		C34		C37		C38		C39		C40		C41		C43		C44	
	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C
<b>Vse vrste / All Types</b>	<b>9515</b>	<b>832</b>	<b>2</b>	<b>0</b>	<b>887</b>	<b>237</b>	<b>4</b>	<b>0</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>390</b>	<b>3</b>	<b>1702</b>	<b>50</b>	<b>32</b>	<b>0</b>
Small cell carcinoma	159	48	-	-	146	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-small cell carcinoma	42	39	-	-	42	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous cell carcinoma	1326	74	2	-	334	52	-	-	-	-	-	-	-	-	-	-	-	-	-	321	12	-
Basal cell carcinoma	1365	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1362	36	-
Transitional cell carcinoma	254	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Adenocarcinoma	4695	203	-	-	282	76	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-
Other specified carcinomas	151	16	-	-	70	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Carcinoma, unspecified	196	139	-	-	11	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-
Malignant thymoma	4	0	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant paraganglioma/ pheochromocytoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	409	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	390	3	-	-	-	-
Fibrosarcoma	9	0	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Liposarcoma	19	0	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Rhabdomyosarcoma	7	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Synovial sarcoma	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2	0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Kaposi sarcoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteosarcoma	4	0	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Chondrosarcoma	5	1	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-
Ewing sarcoma/PNET	7	1	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-
Other specified sarcomas	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoma, unspecified	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant complex mixed and stromal tumors	42	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant fibroepithelial tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	32	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
Malignant gonadal stromal tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	56	0	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant germ cell tumors	49	0	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant trophoblastic tumors	11	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gliomas	110	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neuroepithelial tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant nerve sheath tumors	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	217	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgkin lymphoma	40	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	81	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	44	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	77	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other lymphoreticular neoplasms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic myeloproliferative diseases	20	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndromes	24	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified malignant tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant tumor, unspecified	14	7	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

nadaljevanje / cont'd →

Tabela 7. – Table 7. Nadaljevanje – Continued

Histološka vrsta Histologic type	Skupaj All sites		Lokacija (šifre MKB-10) Site (ICD-10 codes)																			
			C00-C96		C46		C47		C48		C49		C50		C51		C52		C53		C54	
	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C
<b>Vse vrste / All Types</b>	<b>9515</b>	<b>832</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>25</b>	<b>0</b>	<b>35</b>	<b>5</b>	<b>1023</b>	<b>73</b>	<b>37</b>	<b>0</b>	<b>7</b>	<b>0</b>	<b>161</b>	<b>0</b>	<b>278</b>	<b>1</b>	<b>10</b>	<b>0</b>
Small cell carcinoma	159	48	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Non-small cell carcinoma	42	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous cell carcinoma	1326	74	-	-	-	-	-	-	-	-	2	-	32	-	6	-	120	-	-	-	-	1
Basal cell carcinoma	1365	36	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Transitional cell carcinoma	254	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Adenocarcinoma	4695	203	-	-	-	15	-	-	-	995	13	2	-	-	-	-	25	-	240	1	-	-
Other specified carcinomas	151	16	-	-	-	-	-	-	-	6	-	-	-	-	-	-	14	-	24	-	-	-
Carcinoma, unspecified	196	139	-	-	-	-	-	-	-	17	60	-	-	-	-	-	1	-	2	-	-	-
Malignant thymoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant paraganglioma/ pheochromocytoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	409	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrosarcoma	9	0	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liposarcoma	19	0	-	-	-	5	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	12	1	-	-	-	1	-	4	1	-	-	-	-	-	-	-	-	-	1	-	3	-
Rhabdomyosarcoma	7	0	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Synovial sarcoma	3	0	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kaposi sarcoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteosarcoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewing sarcoma/PNET	7	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sarcomas	2	0	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoma, unspecified	9	5	-	-	-	-	-	3	4	-	-	-	-	1	-	-	-	-	-	-	-	2
Malignant complex mixed and stromal tumors	42	0	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	11	-	2	-
Malignant fibroepithelial tumors	1	0	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	32	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gonadal stromal tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	56	0	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant germ cell tumors	49	0	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant trophoblastic tumors	11	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gliomas	110	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neuroepithelial tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant nerve sheath tumors	4	0	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	217	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgkin lymphoma	40	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	81	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	44	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	77	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other lymphoreticular neoplasms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic myeloproliferative diseases	20	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndromes	24	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified malignant tumors	3	0	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant tumor, unspecified	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

nadaljevanje / cont'd →



Tabela 7. – Table 7. Nadaljevanje – Continued

Histoška vrsta Histologic type	Skupaj All sites		Lokacija (šifre MKB-10) Site (ICD-10 codes)																				
			C00-C96		C56		C57		C58		C60		C61		C62		C63		C64		C65		C66
	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	
<b>Vse vrste / All Types</b>	<b>9515</b>	<b>832</b>	<b>152</b>	<b>12</b>	<b>14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>18</b>	<b>0</b>	<b>775</b>	<b>9</b>	<b>110</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>219</b>	<b>10</b>	<b>19</b>	<b>0</b>	<b>10</b>	<b>0</b>	
Small cell carcinoma	159	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-small cell carcinoma	42	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous cell carcinoma	1326	74	-	-	-	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Basal cell carcinoma	1365	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Transitional cell carcinoma	254	0	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	19	-	10	-	-
Adenocarcinoma	4695	203	142	6	12	-	-	-	-	-	719	5	-	-	-	-	213	8	-	-	-	-	-
Other specified carcinomas	151	16	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma, unspecified	196	139	3	6	-	-	-	-	-	-	53	4	-	-	-	-	2	1	-	-	-	-	-
Malignant thymoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant paraganglioma/ pheochromocytoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	409	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrosarcoma	9	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liposarcoma	19	0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhabdomyosarcoma	7	0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Synovial sarcoma	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kaposi sarcoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteosarcoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewing sarcoma/PNET	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sarcomas	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoma, unspecified	9	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant complex mixed and stromal tumors	42	0	3	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
Malignant fibroepithelial tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	32	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gonadal stromal tumors	1	0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	56	0	-	-	-	-	-	-	-	-	-	-	52	-	-	-	-	-	-	-	-	-	-
Other malignant germ cell tumors	49	0	-	-	-	-	-	-	-	-	-	-	47	-	-	-	-	-	-	-	-	-	-
Malignant trophoblastic tumors	11	0	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-
Malignant gliomas	110	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neuroepithelial tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant nerve sheath tumors	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	217	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgkin lymphoma	40	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	81	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	44	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	77	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other lymphoreticular neoplasms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic myeloproliferative diseases	20	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndromes	24	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified malignant tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant tumor, unspecified	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

nadaljevanje / cont'd →

Tabela 7. – Table 7. Nadaljevanje – Continued

Histološka vrsta Histologic type	Skupaj All sites		Lokacija (šifre MKB-10) Site (ICD-10 codes)																				
			C00-C96		C67		C68		C69		C70		C71		C72		C73		C74		C75		C76
	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	
Vse vrste / All Types	9515	832	228	2	1	0	20	1	2	0	106	1	4	0	122	9	8	0	1	0	7	6	
Small cell carcinoma	159	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Non-small cell carcinoma	42	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Squamous cell carcinoma	1326	74	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Basal cell carcinoma	1365	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Transitional cell carcinoma	254	0	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Adenocarcinoma	4695	203	2	-	-	-	-	-	-	-	-	-	-	121	3	5	-	-	-	-	-	1	4
Other specified carcinomas	151	16	3	-	-	-	1	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	
Carcinoma, unspecified	196	139	1	2	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	
Malignant thymoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant paraganglioma/ pheochromocytoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant melanoma	409	9	-	-	-	-	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fibrosarcoma	9	0	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Fibrohistiocytic sarcoma	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liposarcoma	19	0	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leiomyosarcoma	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rhabdomyosarcoma	7	0	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Synovial sarcoma	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Angiosarcoma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kaposi sarcoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Osteosarcoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chondrosarcoma	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ewing sarcoma/PNET	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other specified sarcomas	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sarcoma, unspecified	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Malignant complex mixed and stromal tumors	42	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Malignant fibroepithelial tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant mesothelioma	32	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant gonadal stromal tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dysgerminoma and seminoma	56	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other malignant germ cell tumors	49	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant trophoblastic tumors	11	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant gliomas	110	1	-	-	-	-	-	-	-	106	1	4	-	-	-	-	-	-	-	-	-	-	
Malignant neuroepithelial tumors	3	0	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Malignant meningioma	2	0	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant nerve sheath tumors	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Non Hodgkin lymphoma	217	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hodgkin lymphoma	40	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plasma cell tumors	81	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic lymphoid leukemia	44	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leukemia except chronic lymphoid	77	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other lymphoreticular neoplasms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic myeloproliferative diseases	20	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Myelodysplastic syndromes	24	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other specified malignant tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Malignant tumor, unspecified	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	

nadaljevanje / cont'd →

Tabela 7. – Table 7. Nadaljevanje – Continued

Histoška vrsta Histologic type	Skupaj All sites		Lokacija (šifre MKB-10) Site (ICD-10 codes)																			
			C00-C96		C77		C78		C79		C80		C81		C82		C83		C84		C85	
	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C
<b>Vse vrste / All Types</b>	<b>9515</b>	<b>832</b>	<b>29</b>	<b>13</b>	<b>34</b>	<b>23</b>	<b>16</b>	<b>4</b>	<b>39</b>	<b>35</b>	<b>40</b>	<b>3</b>	<b>54</b>	<b>6</b>	<b>135</b>	<b>13</b>	<b>23</b>	<b>0</b>	<b>5</b>	<b>11</b>	<b>0</b>	<b>0</b>
Small cell carcinoma	159	48	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Non-small cell carcinoma	42	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous cell carcinoma	1326	74	21	1	2	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Basal cell carcinoma	1365	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Transitional cell carcinoma	254	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Adenocarcinoma	4695	203	1	2	23	15	9	-	23	12	-	-	-	-	-	-	-	-	-	-	-	-
Other specified carcinomas	151	16	3	2	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma, unspecified	196	139	2	4	8	5	3	2	6	16	-	-	-	-	-	-	-	-	-	-	-	-
Malignant thymoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant paraganglioma/ pheochromocytoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	409	9	1	3	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Fibrosarcoma	9	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liposarcoma	19	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhabdomyosarcoma	7	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Synovial sarcoma	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kaposi sarcoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteosarcoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewing sarcoma/PNET	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sarcomas	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoma, unspecified	9	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant complex mixed and stromal tumors	42	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant fibroepithelial tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	32	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gonadal stromal tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	56	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant germ cell tumors	49	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant trophoblastic tumors	11	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gliomas	110	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neuroepithelial tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant nerve sheath tumors	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	217	30	-	-	-	-	-	-	-	-	-	-	54	6	135	13	23	-	5	11	-	-
Hodgkin lymphoma	40	3	-	-	-	-	-	-	-	-	40	3	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	81	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	44	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	77	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other lymphoreticular neoplasms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic myeloproliferative diseases	20	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndromes	24	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified malignant tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant tumor, unspecified	14	7	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-

nadaljevanje / cont'd →

Tabela 7. – Table 7. Nadaljevanje – Continued

Histološka vrsta Histologic type	Skupaj All sites		Lokacija (šifre MKB - 10) Site (ICD - 10 codes)													
			C00-C96		C90		C91		C92		C93		C94		C95	
	H	C	H	C	H	C	H	C	H	C	H	C	H	C	H	C
Vse vrste / All Types	9515	832	81	43	54	63	55	29	5	3	3	0	4	5	45	75
Small cell carcinoma	159	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-small cell carcinoma	42	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Squamous cell carcinoma	1326	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Basal cell carcinoma	1365	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Transitional cell carcinoma	254	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Adenocarcinoma	4695	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified carcinomas	151	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma, unspecified	196	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant thymoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant paraganglioma/ pheochromocytoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma	409	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrosarcoma	9	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibrohistiocytic sarcoma	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liposarcoma	19	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyosarcoma	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhabdomyosarcoma	7	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Synovial sarcoma	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kaposi sarcoma	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteosarcoma	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chondrosarcoma	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewing sarcoma/PNET	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sarcomas	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoma, unspecified	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant complex mixed and stromal tumors	42	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant fibroepithelial tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mesothelioma	32	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gonadal stromal tumors	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysgerminoma and seminoma	56	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant germ cell tumors	49	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant trophoblastic tumors	11	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant gliomas	110	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neuroepithelial tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant meningioma	2	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant nerve sheath tumors	4	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Non Hodgkin lymphoma	217	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgkin lymphoma	40	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell tumors	81	43	81	43	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphoid leukemia	44	47	-	-	44	47	-	-	-	-	-	-	-	-	-	-
Leukemia except chronic lymphoid	77	53	-	-	10	16	55	29	5	3	3	-	4	5	-	-
Other lymphoreticular neoplasms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Chronic myeloproliferative diseases	20	38	-	-	-	-	-	-	-	-	-	-	-	-	20	38
Myelodysplastic syndromes	24	36	-	-	-	-	-	-	-	-	-	-	-	-	24	36
Other specified malignant tumors	3	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant tumor, unspecified	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Tabela 8. Incidenca ne-Hodgkinovih limfomov\* po lokaciji, spolu in starosti – Slovenija 2006

Table 8. Incidence of Non-Hodgkin's malignant lymphomas\* by site, sex, and age – Slovenia 2006

Šifra MKB-8 Lokacija ICD-8 Site code	Spol Sex	Vse starosti All ages	S t a r o s t i A g e																
			0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
<b>Vse lokacije</b> All sites	<b>Skupaj</b> Total	<b>247</b>	1	0	0	3	2	1	3	5	8	12	24	23	19	31	39	36	40
	<b>Moški</b> Male	<b>113</b>	1	0	0	2	0	1	2	3	2	6	10	13	10	15	14	18	16
	<b>Ženske</b> Female	<b>134</b>	0	0	0	1	2	0	1	2	6	6	14	10	9	16	25	18	24
141 Jezik Tongue	M Ž	2 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 0	0 0	1 0
142 Slinavke Salivary glands	M Ž	0 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 1	0 0
143 Dlesni Gum	M Ž	1 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0
146 Orofarinks Oropharynx	M Ž	4 4	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 1	1 0	0 1	0 0	1 0	1 0	0 1	0 1
147 Epifarinks Epipharynx	M Ž	2 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	1 0
148 Hipofarinks Hypopharynx	M Ž	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1
150 Požiralnik Oesophagus	M Ž	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1
151 Želodec Stomach	M Ž	13 13	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	2 1	3 3	1 1	1 2	1 1	2 4	2 2
152 Tanko črevo Small Intestine	M Ž	4 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	1 0	1 0	1 0	0 0	1 0
153 Debelo črevo Colon	M Ž	3 1	1 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	1 0	0 1	0 0
157 Trebušna slinavka Pancreas	M Ž	1 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0
158 Retro- in peritonej Retro- and peritoneum	M Ž	1 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0 0	0 0
160 Nos, obnosne votline, drugo Nose, sinuses, etc.	M Ž	2 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 1	0 0
161 Grlo Larynx	M Ž	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0 0
162 Sapnik, sapnica, pljuča Trachea, bronchus, lung	M Ž	0 3	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 1	0 1	0 0
171 Mehka tkiva Soft tissues	M Ž	1 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 1	0 1	0 0
173 Koža, drugi malignomi Skin, other malignancies	M Ž	3 2	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 0	1 0	0 1	0 0	1 0	0 0	0 0
174 Dojka Breast	M Ž	0 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 1
189 Ledvica, sečevod, drugo Kidney, ureter, etc.	M Ž	1 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0
190 Oko Eye	M Ž	0 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 1
191 Možgani Brain	M Ž	0 4	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 1	0 1	0 1	0 0	0 0
193 Ščitnica Thyroid	M Ž	0 3	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 1	0 1	0 1	0 0
195 Slabo opredeljene lokacije Ill-defined site	M Ž	1 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 0
202 Bezgavke Lymph nodes	M Ž	74 89	0 0	0 0	0 1	2 2	0 0	1 0	1 1	1 2	2 6	5 4	6 12	5 3	6 5	12 11	7 16	15 11	11 15

\* Vključeni so samo citološko in histološko potrjeni primeri

All cases included have been verified cytologically and histologically

**Tabela 9. Incidenca raka po bolnišnicah ugotovitve diagnoze ter število in odstotek\* primerov, napotenih na Onkološki inštitut Ljubljana (OI) – Slovenija 2006****Table 9.** Cancer incidence by reporting hospitals, and number and percentage\* of cases referred to the Institute of Oncology Ljubljana (IO) – Slovenia 2006

Bolnišnice Hospitals	Število novih primerov Number of new cases	Napoteni na OI	
		Število Referred to the IO Number	Odstotek* Percent*
<b>Skupaj</b> Total	<b>10966</b>	<b>5290</b>	<b>48,2</b>
<b>Onkološki inštitut Ljubljana</b> Institute of Oncology Ljubljana	<b>617</b>	<b>617</b>	<b>100</b>
<b>Univerzitetni klinični center Ljubljana</b> University Medical center Ljubljana	<b>3284</b>	<b>1317</b>	<b>40,1</b>
SPS Interna klinika	806	277	34,4
Klinični oddelek za gastroenterologijo	405	158	39,0
Drugi klinični oddelki	401	119	29,7
SPS Kirurška klinika	1860	603	32,4
Klinični oddelek za abdominalno kirurgijo	401	172	42,9
Klinični oddelek za nevrokirurgijo	80	63	78,8
Klinični oddelek za maksilofacialno in oralno kirurgijo	64	49	76,6
Klinični oddelek za plastično kirurgijo in opeklino	702	86	12,3
Klinični oddelek za torakalno kirurgijo	95	52	54,7
Klinični oddelek za urologijo	494	172	34,8
Drugi klinični oddelki	24	9	37,5
SPS Ginekološka klinika	206	130	63,1
SPS Nevrološka klinika	65	42	64,6
SPS Pediatrična klinika	32	22	68,8
Dermatovenerološka klinika	24	19	79,2
Klinika za infektivne bolezni in vročinska stanja	19	9	47,4
Klinika za otorinolaringologijo in cervikofacialno kirurgijo	210	183	87,1
Očesna klinika	46	16	34,8
Ortopedska klinika	16	16	100

nadaljevanje / cont'd →

Tabela 9. – Table 9. Nadaljevanje – Continued

Bolnišnice Hospitals	Število novih primerov Number of new cases	Napoteni na OI	
		Število Number	Odstotek* Percent*
<b>Splošne in specialistične bolnišnice</b> General and special hospitals	<b>5976</b>	<b>2864</b>	<b>47,9</b>
Splošna bolnišnica Brežice	123	53	43,1
Splošna bolnišnica Celje	796	427	53,6
Bolnišnica Golnik	568	362	63,7
Splošna bolnišnica Jesenice	261	122	46,7
Splošna bolnišnica Izola	283	151	53,4
Univerzitetni klinični center Maribor	1646	706	42,9
Splošna bolnišnica Murska Sobota	516	197	38,2
Splošna bolnišnica dr. Franc Derganc Nova Gorica	414	175	42,3
Splošna bolnišnica Novo mesto	503	224	44,5
Splošna bolnišnica dr. Jožeta Potrča Ptuj	131	71	54,2
Splošna bolnišnica Slovenj Gradec	418	151	36,1
Splošna bolnišnica Trbovlje	84	47	56,0
Bolnišnica za ginekologijo in porodništvo Kranj	52	38	73,1
Bolnišnica Topolšica	134	107	79,9
Bolnišnica za ginekologijo in porodništvo Postojna	26	19	73,4
Bolnica Sežana	18	11	61,1
Ortopedska bolnica Valdoltra	3	3	–
Psihiatrična klinika Ljubljana	0	0	–
Psihiatrična bolnišnica Begunje	0	0	–
Psihiatrična bolnišnica Idrija	0	0	–
<b>Zasebne ordinacije</b> Private clinics	<b>781</b>	<b>266</b>	<b>34,1</b>
<b>Drugi zdravstveni zavodi</b> Other health institutions	<b>308</b>	<b>226</b>	<b>73,4</b>

\* Odstotki niso računani, če je število novih primerov manjše od 15  
Percentages are not calculated for less than 15 new cases

**Tabela 10. Incidenca raka (brez primerov, registriranih samo iz zdravniških poročil o vzroku smrti) po stadiju, lokaciji in spolu – Slovenija 2006****Table 10.** Cancer incidence (without cases registered from death certificates only) by stage, by site and by sex – Slovenia 2006

Šifra MKB	Primarna lokacija	Spol	Število novih primerov	Omejen		S t a d i j		Razsejan		Neznan	
				Število	%*	Število	%*	Število	%*	Število	%*
ICD code	Primary site	Sex	Number of new cases	Localized Number	%*	Stage Regional Number	%*	Distant Number	%*	Unknown Number	%*
<b>C00</b>	<b>Vse lokacije</b>	<b>M+Ž</b>	<b>10966</b>	<b>4920</b>	<b>44,9</b>	<b>3058</b>	<b>27,9</b>	<b>2555</b>	<b>23,3</b>	<b>432</b>	<b>3,9</b>
<b>Č96</b>	<b>All sites</b>	<b>M</b>	<b>5765</b>	<b>2455</b>	<b>42,6</b>	<b>1648</b>	<b>28,6</b>	<b>1400</b>	<b>24,3</b>	<b>262</b>	<b>4,5</b>
		<b>Ž</b>	<b>5201</b>	<b>2465</b>	<b>47,4</b>	<b>1410</b>	<b>27,1</b>	<b>1155</b>	<b>22,2</b>	<b>170</b>	<b>3,3</b>
C00	Ustnica	M	25	24	96,0	1	4,0	0	0	0	0
	Lip	Ž	14	14	-	0	-	0	-	0	-
C01	Baza jezika	M	10	1	-	8	-	1	-	0	-
	Base of tongue	Ž	3	0	-	3	-	0	-	0	-
C02	Jezik, drugi deli	M	13	7	-	6	-	0	-	0	-
	Tongue, other & unspecified parts	Ž	7	2	-	5	-	0	-	0	-
C03	Dlesen	M	4	0	-	4	-	0	-	0	-
	Gum	Ž	2	1	-	1	-	0	-	0	-
C04	Ustno dno	M	33	11	33,3	22	66,7	0	0	0	0
	Floor of mouth	Ž	7	4	-	3	-	0	-	0	-
C05	Nebo	M	8	3	-	5	-	0	-	0	-
	Palate	Ž	2	2	-	0	-	0	-	0	-
C06	Usta, drugi deli	M	12	2	-	9	-	0	-	1	-
	Mouth, other & unspecified parts	Ž	2	2	-	0	-	0	-	0	-
C07	Parotidna žleza	M	7	3	-	4	-	0	-	0	-
	Parotid gland	Ž	3	2	-	1	-	0	-	0	-
C08	Druge in neopredeljene velike žleze slinavke	M	2	0	-	1	-	1	-	0	-
	Other & unspecified major salivary glands	Ž	2	2	-	0	-	0	-	0	-
C09	Tonzila	M	37	5	13,5	31	83,8	1	2,7	0	0
	Tonsil	Ž	6	0	-	6	-	0	-	0	-
C10	Orofarinks	M	36	5	13,9	29	80,5	1	2,8	1	2,8
	Oropharynx	Ž	6	0	-	5	-	1	-	0	-
C11	Nazofarinks	M	10	2	-	8	-	0	-	0	-
	Nasopharynx	Ž	2	1	-	1	-	0	-	0	-
C12	Piriformni sinus	M	32	3	9,4	26	81,2	3	9,4	0	0
	Pyiform sinus	Ž	1	0	-	1	-	0	-	0	-
C13	Hipofarinks	M	19	0	0	18	94,7	0	0	1	5,3
	Hypopharynx	Ž	2	0	-	2	-	0	-	0	-
C14	Druge in slabo opredeljena mesta na ustnici, v ustni votlini in farinksu	M	0	0	-	0	-	0	-	0	-
	Other and ill-defined sites in the lip, oral cavity and pharynx	Ž	0	0	-	0	-	0	-	0	-
C15	Požiralnik	M	67	11	16,4	20	29,8	19	28,4	17	25,4
	Oesophagus	Ž	15	1	6,7	7	46,7	3	20,0	4	26,7
C16	Želodec	M	265	45	17,0	101	38,1	101	38,1	18	6,8
	Stomach	Ž	157	29	18,5	61	38,9	50	31,8	17	10,8
C17	Tanko črevo	M	16	3	18,7	6	37,5	7	43,8	0	0
	Small intestine	Ž	10	1	-	5	-	3	-	1	-
C18	Debelo črevo	M	376	42	11,2	231	61,4	92	24,5	11	2,9
	Colon	Ž	320	32	10,0	193	60,3	84	26,3	11	3,4
C19	Rektosigmoidna zveza	M	80	6	7,5	51	63,7	19	23,8	4	5,0
	Rectosigmoid junction	Ž	53	8	15,1	32	60,4	12	22,6	1	1,9

nadaljevanje / cont'd →



Tabela 10. – Table 10. Nadaljevanje – Continued

Šifra MKB	Primarna lokacija	Spol	Število novih primerov	Omejen		S t a d i j Razširjen		Razsejan		Neznan	
				Število	%*	Število	%*	Število	%*	Število	%*
ICD code	Primary site	Sex	Number of new cases	Localized Number	%*	S t a g e Regional		Distant		Unknown	
						Number	%*	Number	%*	Number	%*
C20	Rektum Rectum	M	278	48	17,3	168	60,4	52	18,7	10	3,6
		Ž	172	30	17,4	103	59,9	30	17,4	9	5,2
C21	Anus in analni kanal Anus and anal canal	M	9	6	–	2	–	1	–	0	–
		Ž	16	4	25	7	43,7	5	31,3	0	0
C22	Jetra in intrahepatični vodi Liver and intrahepatic bile ducts	M	104	37	35,6	12	11,5	30	28,8	25	24,0
		Ž	49	13	26,5	4	8,2	18	36,7	14	28,6
C23	Žolčnik Gallbladder	M	25	2	8,0	6	24,0	16	64,0	1	4,0
		Ž	47	5	10,6	21	44,7	19	40,4	2	4,3
C24	Drugi in neopredeljeni deli biliarnega trakta Biliary tract, other and unspecified parts	M	35	5	14,3	14	40,0	11	31,4	5	14,3
		Ž	49	13	26,5	16	32,7	9	18,4	11	22,4
C25	Trebušna slinavka Pancreas	M	162	6	3,7	42	25,9	92	56,8	22	13,6
		Ž	127	8	6,3	38	29,9	70	55,1	11	8,7
C26	Druga in slabo opredeljena mesta v prebavnih organih Other and ill-defined digestive organs	M	1	0	–	0	–	1	–	0	–
		Ž	0	0	–	0	–	0	–	0	–
C30	Nosna votlina in srednje uho Nasal cavity and middle ear	M	6	3	–	2	–	0	–	1	–
		Ž	1	0	–	1	–	0	–	0	–
C31	Obnosni sinusi Accessory sinuses	M	5	0	–	5	–	0	–	0	–
		Ž	5	0	–	5	–	0	–	0	–
C32	Grlo Larynx	M	96	56	58,3	38	39,6	0	0	2	2,1
		Ž	9	6	–	3	–	0	–	0	–
C33	Sapnik Trachea	M	2	0	–	2	–	0	–	0	–
		Ž	0	0	–	0	–	0	–	0	–
C34	Sapnica in pljuča Bronchus and lung	M	910	139	15,3	360	39,6	386	42,4	25	2,7
		Ž	287	51	17,8	93	32,4	132	46,0	11	3,8
C37	Timus Thymus	M	2	0	–	1	–	1	–	0	–
		Ž	2	0	–	2	–	0	–	0	–
C38	Srce, mediastinum, plevra Heart, mediastinum, pleura	M	6	3	–	1	–	1	–	1	–
		Ž	3	1	–	0	–	1	–	1	–
C39	Druga in slabo opredeljena mesta v dihalih in prsni organih Other and ill-defined sites in the respiratory system and intrathoracic organs	M	0	0	–	0	–	0	–	0	–
		Ž	0	0	–	0	–	0	–	0	–
C40	Kosti, sklepni hrustanec udov Bone and articular cartilage of limbs	M	5	0	–	3	–	0	–	2	–
		Ž	5	1	–	3	–	1	–	0	–
C41	Kosti, sklepni hrustanec, drugje Bone and articular cartilage of other and unspecified parts	M	3	1	–	1	–	0	–	1	–
		Ž	3	1	–	2	–	0	–	0	–
C43	Maligni melanom kože Malignant melanoma of skin	M	194	154	79,4	28	14,4	5	2,6	7	3,6
		Ž	199	166	83,4	26	13,1	5	2,5	2	1,0
C44	Druge maligne neoplazme kože Skin, other malignomas	M	840	826	98,3	14	1,7	0	0	0	0
		Ž	916	897	97,9	17	1,9	0	0	2	0,2
C45	Mezoteliom Mesothelioma	M	23	6	26,1	8	34,8	3	13,0	6	26,1
		Ž	9	2	–	3	–	3	–	1	–
C46	Kaposijev sarkom Kaposi's sarcoma	M	0	0	–	0	–	0	–	0	–
		Ž	0	0	–	0	–	0	–	0	–

nadaljevanje / cont'd →

Tabela 10. – Table 10. Nadaljevanje – Continued

Šifra MKB	Primarna lokacija	Spol	Število novih primerov	Omejen		S t a d i j Razširjen		Razsejan		Neznan	
				Število	%*	Število	%*	Število	%*	Število	%*
ICD code	Primary site	Sex	Number of new cases	Localized Number	%*	S t a g e Regional Number	%*	Distant Number	%*	Unknown Number	%*
C47	Periferni živci in avtonomno živčevje Peripheral nerves and autonomic nervous system	M	2	2	–	0	–	0	–	0	–
		Ž	1	0	–	1	–	0	–	0	–
C48	Retro- in peritonej Retro- and peritoneum	M	3	0	–	1	–	1	–	1	–
		Ž	23	1	4,3	8	34,8	12	52,2	2	8,7
C49	Drugo vezivno in mehko tkivo Other connective and soft tissue	M	22	7	31,8	11	50,0	3	13,6	1	4,5
		Ž	18	6	33,3	7	38,9	4	22,2	1	5,6
C50	Dojka Breast	M	5	0	–	4	–	1	–	0	–
		Ž	1103	540	49,0	479	43,4	78	7,1	5	0,5
C51	Žensko zunanje spolovilo Vulva	M	–	–	–	–	–	–	–	–	–
		Ž	37	24	64,9	12	32,4	0	0	1	2,7
C52	Nožnica Vagina	M	–	–	–	–	–	–	–	–	–
		Ž	7	2	–	5	–	0	–	0	–
C53	Maternični vrat Cervix uteri	M	–	–	–	–	–	–	–	–	–
		Ž	162	98	60,5	55	34,0	9	5,5	0	0
C54	Maternično telo Corpus uteri	M	–	–	–	–	–	–	–	–	–
		Ž	280	201	71,8	55	19,6	13	4,6	11	3,9
C55	Maternica, neopredeljeno Uterus, unspecified	M	–	–	–	–	–	–	–	–	–
		Ž	13	3	–	4	–	5	–	1	–
C56	Jajčnik Ovary	M	–	–	–	–	–	–	–	–	–
		Ž	171	17	9,9	8	4,7	141	82,5	5	2,9
C57	Drugi in neopredeljeni ženski spolni organi Other and unspecified parts of female genital organs	M	–	–	–	–	–	–	–	–	–
		Ž	15	2	13,3	4	26,7	9	60,0	0	0
C58	Posteljica Placenta	M	–	–	–	–	–	–	–	–	–
		Ž	0	0	–	0	–	0	–	0	–
C60	Penis Penis	M	18	13	72,2	5	27,8	0	0	0	0
		Ž	–	–	–	–	–	–	–	–	–
C61	Prostata Prostate	M	834	513	61,5	201	24,1	77	9,2	43	5,2
		Ž	–	–	–	–	–	–	–	–	–
C62	Modo Testis	M	110	82	74,5	19	17,3	8	7,3	1	0,9
		Ž	–	–	–	–	–	–	–	–	–
C63	Drugi in neopredeljeni moški spolni organi Other and unspecified male genital organs	M	2	1	–	1	–	0	–	0	–
		Ž	–	–	–	–	–	–	–	–	–
C64	Ledvica razen meha Kidney, except renal pelvis	M	169	85	50,3	39	23,1	42	24,8	3	1,8
		Ž	87	49	56,3	11	12,6	21	24,1	6	6,9
C65	Ledvični meh Renal pelvis	M	13	5	–	7	–	1	–	0	–
		Ž	6	5	–	1	–	0	–	0	–
C66	Sečevod Ureter	M	6	4	–	2	–	0	–	0	–
		Ž	4	3	–	1	–	0	–	0	–
C67	Sečni mehur Bladder	M	170	140	82,4	16	9,4	9	5,3	5	2,9
		Ž	67	46	68,6	9	13,4	6	9,0	6	9,0
C68	Drugi in neopredeljeni sečni organi Other and unspecified urinary organs	M	1	1	–	0	–	0	–	0	–
		Ž	0	0	–	0	–	0	–	0	–
C69	Oko in očesni adnaksi Eye and adnexa	M	9	9	–	0	–	0	–	0	–
		Ž	12	12	–	0	–	0	–	0	–
C70	Meninge Meninges	M	0	0	–	0	–	0	–	0	–
		Ž	2	2	–	0	–	0	–	0	–
C71	Možgani Brain	M	81	81	100	0	0	0	0	0	0
		Ž	45	44	97,8	1	2,2	0	0	0	0

nadaljevanje / cont'd →

Tabela 10. – Table 10. Nadaljevanje – Continued

Šifra MKB	Primarna lokacija	Spol	Število novih primerov	Omejen		S t a d i j Razširjen		Razsejan		Neznan	
				Število	%*	Število	%*	Število	%*	Število	%*
ICD code	Primary site	Sex	Number of new cases	Localized Number	%*	Stage Regional Number	%*	Distant Number	%*	Unknown Number	%*
C72	<b>Hrbtini mozeg, možganski živci in drugi deli CŽS</b> Spinal cord, cranial nerves and other parts of CNS	M	3	3	–	0	–	0	–	0	–
		Ž	1	0	–	0	–	1	–	0	–
C73	<b>Ščitnica</b> Thyroid gland	M	26	16	61,5	8	30,8	2	7,7	0	0
		Ž	106	74	69,8	27	25,5	5	4,7	0	0
C74	<b>Nadledvična žleza</b> Adrenal gland	M	5	2	–	1	–	1	–	1	–
		Ž	5	3	–	0	–	2	–	0	–
C75	<b>Druge endokrine žleze in sorodne strukture</b> Other endocrine glands and related structures	M	0	0	–	0	–	0	–	0	–
		Ž	1	1	–	0	–	0	–	0	–
C76	<b>Druga in slabo opredeljena mesta</b> Other and ill-defined sites	M	3	0	–	0	–	2	–	1	–
		Ž	20	0	0	9	45,0	7	35,0	4	20,0
C77	<b>Metastaza in neopredeljena maligna neoplazma bezgavk</b> Metastasis and unspecified malignant neoplasm of lymph nodes	M	32	0	0	0	0	2	6,2	30	93,8
		Ž	10	0	–	0	–	0	–	10	–
C78	<b>Metastaze dihal in prebavil</b> Metastases of respiratory and digestive organs	M	37	0	0	0	0	37	100	0	0
		Ž	60	0	0	0	0	60	100	0	0
C79	<b>Metastaze, drugje</b> Metastases of other sites	M	24	0	0	0	0	24	100	0	0
		Ž	9	0	–	0	–	9	–	0	–
C80	<b>Maligna neoplazma brez opredeljenega mesta</b> Malignant neoplasm without specification of site	M	51	0	0	0	0	51	100	0	0
		Ž	49	0	0	0	0	49	100	0	0

Šifra MKB	Primarna lokacija	Spol	Število primerov	S t a d i j ( A n n - A r b o r )						Neznan	
				I		II		III + IV		Število	Odstotek*
ICD code	Primary site	Sex	Number of cases	Number	Percent*	Number	Percent*	Number	Percent*	Number	Percent*
C81	<b>Hodgkinova bolezen</b> Hodgkin's disease	M	27	2	7,4	14	51,9	11	40,7	0	0
		Ž	16	5	31,2	7	43,7	3	18,8	1	6,3
C82- C85	<b>Ne-Hodgkinov limfom</b> Ne-Hodgkin's lymphoma	M	113	22	19,5	31	27,4	45	39,8	15	13,3
		Ž	134	28	20,9	35	26,1	52	38,8	19	14,2

\* Odstotki niso računani pri številih pod 15  
Percentages are not calculated for less than 15 cases

Tabela 11. Umrljivost za rakom po lokaciji, spolu in starosti – Slovenija 2006\*

Table 11. Cancer mortality by site, by sex and by age – Slovenia 2006\*

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti		Starosti																
			All ages	0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+	
																					Age
	<b>Vse lokacije</b> All sites	<b>Skupaj</b> Total	<b>5284</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>9</b>	<b>10</b>	<b>18</b>	<b>13</b>	<b>52</b>	<b>165</b>	<b>349</b>	<b>464</b>	<b>474</b>	<b>647</b>	<b>847</b>	<b>907</b>	<b>1323</b>	
		<b>Moški</b> Male	<b>2938</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>6</b>	<b>11</b>	<b>7</b>	<b>29</b>	<b>105</b>	<b>208</b>	<b>303</b>	<b>309</b>	<b>421</b>	<b>499</b>	<b>487</b>	<b>547</b>	
		<b>Ženske</b> Female	<b>2346</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>4</b>	<b>7</b>	<b>6</b>	<b>23</b>	<b>60</b>	<b>141</b>	<b>161</b>	<b>165</b>	<b>226</b>	<b>348</b>	<b>420</b>	<b>776</b>	
C00	Ustnica Lip	M Ž	1 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 0	0 1	
C01	Baza jezika Base of tongue	M Ž	1 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 1	0 0	0 0	0 0	
C02	Jezik, drugi deli Tongue, other & unspecified parts	M Ž	8 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	3 0	1 0	0 1	2 0	0 0	1 0	0 0	
C03	Dlesen Floor of mouth	M Ž	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
C04	Ustno dno Gum	M Ž	13 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	2 1	2 0	3 0	3 1	3 0	3 0	0 0	0 0	
C05	Nebo Palate	M Ž	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	
C06	Usta, drugi deli Mouth, other & unspecified parts	M Ž	12 2	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	2 0	3 0	4 0	1 1	0 0	0 1	2 0	0 0	
C07	Parotidna žleza Parotid gland	M Ž	2 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	1 0	0 0	0 0	0 0	0 0	0 0	0 1	
C08	Druge in neopredeljene velike žleze slinavke Other & unspecified major salivary glands	M Ž	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
C09	Tonzila Tonsil	M Ž	3 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	1 0	0 0	1 0	0 0	0 0	0 0	
C10	Orofarinks Oropharynx	M Ž	46 4	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	2 0	8 1	9 0	10 0	8 2	5 1	3 0	0 0	0 0	
C11	Nazofarinks Nasopharynx	M Ž	4 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 0	1 0	1 0	0 0	0 0	1 0	0 0	0 0	0 0	
C12	Piriformni sinus Pyriform sinus	M Ž	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
C13	Hipofarinks Hypopharynx	M Ž	28 4	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	1 0	6 1	6 2	6 0	4 0	1 0	3 0	0 1	0 1	
C14	Druge in slabo opredeljena mesta na ustnici, v ustni votlini in farinksu Other and ill-defined sites in the lip, oral cavity and pharynx	M Ž	7 6	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 1	2 1	3 0	0 1	1 0	0 1	0 1	0 1	
C15	Požiralnik Oesophagus	M Ž	65 15	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	4 1	9 10	10 1	10 3	13 2	8 0	7 2	3 5		
C16	Želodec Stomach	M Ž	209 129	0 0	0 0	0 0	0 1	0 0	1 0	1 0	5 3	11 5	9 4	16 4	21 7	26 12	26 20	52 25	41 48		
C17	Tanko črevo Small intestine	M Ž	6 5	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	1 0	2 0	2 0	1 1	0 2	0 1		
C18	Debelo črevo Colon	M Ž	212 173	0 0	0 0	0 0	0 0	1 0	0 0	1 0	0 1	7 7	5 10	14 11	21 18	36 22	36 38	39 52	52 65		
C19	Rektosigmoidna zveza Rectosigmoid junction	M Ž	35 29	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	1 2	2 1	2 0	5 4	9 5	3 3	5 5	7 9		
C20	Rektum Rectum	M Ž	134 99	0 0	0 0	0 0	0 0	1 1	0 0	2 0	4 0	5 1	11 5	8 6	28 11	19 19	29 20	27 34			
C21	Anus in analni kanal Anus and anal canal	M Ž	1 8	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	1 0	0 2	0 2	0 0	0 3		
C22	Jetra in intrahepatični vodi Liver and intrahepatic bile ducts	M Ž	98 61	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	4 0	10 4	7 2	17 5	18 5	20 5	12 15	10 25		
C23	Žolčnik Gallbladder	M Ž	23 38	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 1	3 3	3 2	5 4	5 6	4 6	3 15		

nadaljevanje / cont'd →

Tabela 11. – Table 11. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																		
				0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+		
C24	Drugi in neopredeljeni deli biliarnega trakta Biliary tract, other and unspecified parts	M	35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	7	8	7	9
		Ž	24	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	9	10
C25	Trebušna slinavka Pancreas	M	144	0	0	0	0	0	0	0	0	0	4	6	13	13	19	21	25	18	25	
		Ž	161	0	0	0	0	0	0	0	0	0	1	2	9	9	12	17	37	26	48	
C26	Druga in slabo opredeljena mesta v prebavnih organih Other and ill-defined digestive organs	M	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	
		Ž	22	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	3	16	
C30	Nosna votlina in srednje uho Nasal cavity and middle ear	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
C31	Obnosni sinusi Accessory sinuses	M	3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	
		Ž	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1	
C32	Grlo Larynx	M	54	0	0	0	0	0	0	0	0	0	1	2	8	8	4	8	13	6	4	
		Ž	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	3	
C33	Sapnik Trachea	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0		
C34	Sapnica in pljuča Trachea and lung	M	802	0	0	0	0	0	0	1	1	7	32	75	117	95	112	143	132	87		
		Ž	257	0	0	0	0	0	1	0	1	6	10	26	30	23	27	37	45	51		
C37	Timus Thymus	M	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0		
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
C38	Srce, mediastinum, plevra Heart, mediastinum, pleura	M	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	
		Ž	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	
C39	Druga in slabo opredeljena mesta v dihalih in prsnih organih Other and ill-defined sites in the respiratory system and intrathoracic organs	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
C40	Kosti, sklepni hrustanec udov Bone and articular cartilage of limbs	M	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	
		Ž	7	0	0	0	1	1	0	0	0	0	1	0	0	0	0	0	0	0	4	
C41	Kosti, sklepni hrustanec, druge Bone and articular cartilage of other and unspecified parts	M	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0		
		Ž	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	1	
C43	Maligni melanom kože Malignant melanoma of skin	M	45	0	0	0	0	1	0	1	1	0	4	6	7	2	4	8	5	6		
		Ž	51	0	0	0	0	0	0	1	2	0	0	3	5	1	5	7	9	18		
C44	Druge maligne neoplazme kože Skin, other malignomas	M	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	6		
		Ž	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	12	
C45	Mezoteliom Mesothelioma	M	20	0	0	0	0	0	0	0	0	1	0	7	2	3	5	1	1			
		Ž	13	0	0	0	0	0	0	0	0	1	0	1	4	3	0	2	2			
C46	Kaposijev sarkom Kaposi's sarcoma	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
C47	Periferni živci in avtonomno živčevje Peripheral and autonomic nervous system	M	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0		
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
C48	Retro- in peritonej Retro- and peritoneum	M	6	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	1	1		
		Ž	19	0	0	0	0	0	0	0	0	0	1	0	3	3	2	1	5	4		
C49	Drugo vezivno in mehko tkivo Other connective and soft tissue	M	11	0	0	0	0	1	1	2	1	0	0	1	1	0	1	0	2	1		
		Ž	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1		
C50	Dojka Breast	M	5	0	0	0	0	0	0	0	0	0	0	0	3	1	0	1	0	0		
		Ž	400	0	0	0	0	0	0	2	1	5	17	36	35	30	38	45	43	148		
C51	Žensko zunanje spolovilo Vulva	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Ž	14	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	7		

nadaljevanje / cont'd →

Tabela 11. – Table 11. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																
				0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80+
C52	Nožnica Vagina	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
C53	Maternični vrat Cervix uteri	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	62	0	0	0	0	1	0	1	1	4	3	5	6	8	4	5	10	14
C54	Maternično telo Corpus uteri	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	59	0	0	0	0	0	0	0	0	0	1	5	3	7	4	14	5	20
C55	Maternica, neopredeljeno Uterus, unspecified	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	34	0	0	0	0	0	0	0	0	0	2	2	1	3	2	4	7	13
C56	Jajčnik Ovary	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	125	0	0	0	0	0	0	0	0	1	4	10	12	11	12	21	22	32
C57	Drugi in neopredeljeni ženski spolni organi Other and unspecified parts of female genital organs	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
C58	Posteljica Placenta	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C60	Penis Penis	M	4	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	0	
		Ž	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C61	Prostata Prostate	M	338	0	0	0	0	0	0	0	0	2	0	3	9	17	35	61	74	137
		Ž	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C62	Modo Testis	M	7	0	0	0	0	1	0	3	0	0	1	1	0	0	0	1	0	0
		Ž	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C63	Drugi in neopredeljeni moški spolni organi Other and unspecified parts male genital organs	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Ž	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C64	Ledvica razen meha Kidney, except renal pelvis	M	69	0	0	0	0	0	0	0	1	0	1	5	8	3	12	15	9	15
		Ž	49	0	0	0	0	0	0	0	0	1	1	3	2	1	5	14	11	11
C65	Ledvični meh Renal pelvis	M	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
C66	Sečevod Ureter	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
C67	Sečni mehur Bladder	M	88	0	0	0	0	0	0	0	0	0	2	3	6	7	10	21	14	25
		Ž	41	0	0	0	0	0	0	0	0	0	0	3	1	1	4	5	9	18
C68	Drugi in neopredeljeni sečni organi Other and unspecified urinary organs	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
C69	Oko in očesni adneksi Eye and adnexa	M	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
		Ž	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1
C70	Meninge Meninges	M	5	0	0	0	0	0	0	0	0	1	0	1	1	0	0	1	1	0
		Ž	8	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	1	3
C71	Možgani Brain	M	70	0	0	0	1	0	1	1	0	1	5	11	7	10	11	10	6	6
		Ž	59	1	0	1	0	1	0	0	0	0	2	4	3	9	7	9	13	9
C72	Hrbtini mozeg, možganski živci in drugi deli CZS Spinal cord, cranial nerves and other parts of CNS	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C73	Ščitnica Thyroid gland	M	7	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	2	2
		Ž	13	0	0	0	0	0	0	0	0	0	0	0	1	0	1	5	2	4
C74	Nadledvična žleza Adrenal gland	M	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2
		Ž	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0
C75	Druge endokrine žleze in sorodne strukture Other endocrine glands and related structures	M	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C76	Druga in slabo opredeljena mesta Other and ill-defined sites	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
		Ž	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2

nadaljevanje / cont'd →

Tabela 11. – Table 11. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																	
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	
C77	<b>Metastaza in neopredeljena maligna neoplazma bezgavk</b> Metastasis and unspecified malignant neoplasm of lymph nodes	M	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
		Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C78	<b>Metastaze dihal in prebavil</b> Metastases of respiratory and digestive organs	M	25	0	0	0	0	0	0	0	0	0	0	1	1	1	4	3	1	6	8
		Ž	34	0	0	0	0	0	0	0	0	1	0	0	0	3	2	5	4	8	11
C79	<b>Metastaze, drugje</b> Metastases of other sites	M	18	0	0	0	0	0	0	0	0	0	0	0	5	1	3	3	2	4	
		Ž	8	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	3	2	
C80	<b>Maligna neoplazma brez opredeljenega mesta</b> Malignant neoplasm without specification of site	M	36	0	0	0	0	0	0	0	0	0	2	4	2	1	6	9	5	7	
		Ž	37	0	0	0	0	0	0	0	0	0	0	5	1	3	10	8	10		
C81	<b>Hodgkinova bolezen</b> Hodgkin's disease	M	8	0	0	0	0	0	0	0	0	1	0	0	0	1	2	1	0	3	
		Ž	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	
C82	<b>Folikularni ne-Hodgkinov limfom</b> Follicular non-Hodgkin's lymphoma	M	4	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	0	
		Ž	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
C83	<b>Difuzni ne-Hodgkinov limfom</b> Diffuse non-Hodgkin's lymphoma	M	10	0	0	0	0	0	0	0	0	1	0	1	0	1	3	0	4		
		Ž	7	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	1		
C84	<b>Limfomi celic T in kožni limfom celic T</b> Peripheral and cutaneous T-cell lymphomas	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Ž	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	
C85	<b>Druge in neopredeljene vrste ne-Hodgkinovega limfoma</b> Other and unspecified types of non-Hodgkin's lymphoma	M	44	0	0	0	0	0	0	1	0	1	2	2	0	6	3	13	6	10	
		Ž	50	0	0	0	1	1	2	0	0	0	0	1	2	3	4	5	7	24	
C88	<b>Maligne imunoproliferativne bolezni</b> Malignant immunoproliferative diseases	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
C90	<b>Difuzni plazmocitom in maligne neoplazme plazmocitov</b> Multiple myeloma and malignant plasma cell neoplasms	M	38	0	0	0	0	0	0	0	0	0	2	7	5	3	5	7	9		
		Ž	53	0	0	0	0	0	0	0	0	1	3	1	2	3	10	17	16		
C91	<b>Limfatična levkemija</b> Lymphoid leukaemia	M	26	0	0	0	0	0	0	0	0	0	1	0	3	2	1	5	4	10	
		Ž	30	0	0	0	0	0	0	0	0	0	0	0	1	5	5	3	16		
C92	<b>Mieločna levkemija</b> Myeloid leukaemia	M	39	0	0	0	1	0	0	0	0	0	2	1	3	2	7	5	7	11	
		Ž	27	0	0	0	1	0	1	0	0	0	0	1	2	2	2	6	5	7	
C93	<b>Monocitna levkemija</b> Monocytic leukaemia	M	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1		
		Ž	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1		
C94	<b>Druge opredeljene levkemije</b> Other leukaemias of specified cells	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0		
C95	<b>Levkemija z neopredeljenim celičnim tipom</b> Leukaemia, unspecified cell type	M	8	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	1	
		Ž	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	6	
C96	<b>Druge in neopredeljene maligne neoplazme limfatičnega, krvotvornega in sorodnega tkiva</b> Other & unspecified malignant neoplasms of lymphoid, haemopoetic & related tissues	M	7	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	0	2	
		Ž	5	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	2	

nadaljevanje / cont'd →

Tabela 11. – Table 11. Nadaljevanje – Continued

Šifra MKB ICD code	Primarna lokacija Primary site	Spol Sex	Vse starosti All ages	Starosti Age																	
				0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	
C97	<b>Maligne neoplazme na več neodvisnih (primarnih) mestih</b> Malignant neoplasms of independent (primary) multiple sites	M	12	0	0	0	0	0	0	0	0	0	0	0	3	1	0	3	0	5	0
		Ž	7	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0
<b>Zgoraj neupoštevani</b> Not included above																					
D32	<b>Meninge, benigna neoplazma</b> Benign neoplasm of meninges	M	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
		Ž	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
D33	<b>CŽS, benigna neoplazma</b> Benign neoplasm of brain and other parts of CNS	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
		Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
D43	<b>CŽS, neopredeljeno</b> CNS, uncertain or unknown	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Ž	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1

\* Vir: Inštitut za varovanje zdravja Republike Slovenije  
Source: Institute of Public Health of Republic of Slovenia



**Tabela 12. Prevalenca po spolu in izbrani primarni lokaciji – Slovenija 31. 12. 2006****Table 12.** Prevalence of cancer patients by sex and selected primary site – Slovenia December 31, 2006

Šifra MKB ICD code	Primarna lokacija Primary site	Skupaj Total	Moški Males	Ženske Females
<b>C00 – C96</b>	<b>Vse lokacije</b> All sites	<b>67713</b>	<b>27394</b>	<b>40319</b>
C00 –C14	<b>Usta in žrelo</b> Mouth and pharynx	1797	1338	459
C15	<b>Požiralnik</b> Oesophagus	130	104	26
C16	<b>Želodec</b> Stomach	1645	938	707
C18	<b>Debelo črevo</b> Colon	3593	1834	1759
C19 –C20	<b>Rektum in rektosigmoidna zveza</b> Rectum and rectosigmoid junction	2984	1657	1327
C22	<b>Jetra in intrahepatični vodi</b> Liver and intrahepatic bile ducts	116	80	36
C23 –C24	<b>Žolčnik in žolčevodi</b> Gallbladder and biliary tract	203	86	117
C25	<b>Trebušna slinavka</b> Pancreas	206	108	98
C32	<b>Grlo</b> Larynx	890	788	102
C33 –C34	<b>Sapnik, sapnici in pljuča</b> Trachea, bronchus and lung	1980	1482	498
C43	<b>Maligni melanom kože</b> Malignant melanoma of skin	2935	1182	1753
C44	<b>Druge maligne neoplazme kože</b> Skin, other malignomas	14171	6471	7700
C48 –C49	<b>Vezivno in mehko tkivo</b> Connective and soft tissue	580	261	319
C50	<b>Dojka</b> Breast	10827	68	10759
C53	<b>Maternični vrat</b> Cervix uteri	3553	–	3553
C54	<b>Maternično telo</b> Corpus uteri	3541	–	3541
C56	<b>Jajčnik</b> Ovary	1355	–	1355
C61	<b>Prostata</b> Prostate	3844	3844	–
C62	<b>Modo</b> Testis	1531	1531	–
C64 –C65	<b>Ledvica z ledvičnim mehcom</b> Kidney with renal pelvis	1656	977	679
C67	<b>Sečni mehur</b> Bladder	1247	946	301
C70 –C72	<b>Centralni in avtonomni živčni sistem</b> Central and autonomic nervous system	546	317	229
C73	<b>Ščitnica</b> Thyroid gland	1322	281	1041
C81	<b>Hodgkinova bolezen</b> Hodgkin's disease	814	437	377
C82 –C85	<b>Ne-Hodgkinovi limfomi</b> Non-Hodgkin's lymphoma	1675	820	855
C90	<b>Difuzni plazmocitom in maligne neoplazme plazmocitov</b> Multiple myeloma and malignant plasma cell neoplasms	323	157	166
C91 –C95	<b>Levkemije</b> Leukaemias	1105	589	516

## IZBOR PUBLIKACIJ, ki so jih sodelavci Epidemiologije in Registra raka objavili v zadnjih petih letih (tudi v sodelovanju z drugimi raziskovalci)

### SELECTED PUBLICATIONS, published by the members of Epidemiology and Cancer Registry in the last five years (also in cooperation with other researchers)

#### 2004

- de Vries E, Boniol M, Dore JF, Coebergh JW, Pompe-Kirn V and Eurocare Working Group. Lower incidence rates but thicker melanomas in Eastern Europe before 1992: a comparison with Western Europe. *Eur J Cancer* 2004; 40: 1045–52.
- Norčič G, Repše S, Pompe-Kirn V. Rezultati zdravljenja raka debelega črevesa in danke v Sloveniji – analiza leta 1997. *Gastroenterolog* 2004; 8: Suppl 2: 287–9.
- Primic Žakelj M, Kirar Fazarinc I. Cervical cancer screening – a Slovenian experience. In: *Better health outcomes through public health approaches in primary health care. Fourth international forum on common access to health care. Brdo pri Kranju: Ministry of Health, 2004: 1–5.*
- Primic Žakelj M, Ravnihar B and Collaborative Group on Hormonal Factors in Breast Cancer. Breast cancer and abortion: collaborative reanalysis of data from 53 epidemiological studies, including 83000 women with breast cancer from 16 countries. *Lancet* 2004; 363: 1007–16.
- Primic Žakelj M, Zadnik V. Kajenje in rak v Sloveniji. In: Štabuc B, Primic Žakelj M, Zdešar A eds. *Kajenje in rak. 12. seminar »In memoriam dr. Dušana Reje«.* Ljubljana: Zveza slovenskih društev za boj proti raku, Onkološki inštitut, Inštitut za varovanje zdravja RS, Rdeči križ Slovenije, 2004: 36–42.
- Primic Žakelj M, Zadnik V. Epidemiologija raka dojke v svetu in v Sloveniji. *Radiol Oncol* 2004; 38: Suppl 1: S1–S7.
- Primic Žakelj M, Zadnik V, Škrlec F. Nekaj osnovnih podatkov in zanimivosti iz novega letnega poročila Registra raka za Slovenijo. *Onkologija* 2004; 8: 22–4.
- Tyczynski JE, Bray F, Pompe-Kirn V, et al. Lung cancer mortality patterns in selected Central Eastern and Southern European countries. *Int J Cancer* 2004; 109: 598–610.
- Tyczynski JE, Pleško I, Primic Žakelj M, et al. Breast cancer mortality patterns and time trends in 10 new EU member states: mortality declining in young women, but still increasing in the elderly. *Int J Cancer* 2004; 112: 1056–64.
- Zadnik V, Primic Žakelj M. Vpliv dejavnikov tveganja in genske nagnjenosti na pojavljanje raka dojke pri mladih ženskah. In: Bešič N, Anderluh F, Benedik J et al eds. *Novosti v onkologiji in smernice za obravnavo bolnic z rakom dojke in bolnikov z malignim melanomom. 17. onkološki vikend. Laško: Kancerološko združenje Slovenskega zdravniškega društva, 2004: 114–5.*

#### 2005

- Bray F, Carstensen B, Moller H, Zappa M, Žakelj MP, Lawrence G, et al. Incidence trends of adenocarcinoma of the cervix in 13 European countries. *Cancer Epidemiol Biomarkers Prev* 2005; 14: 2191–9.
- Brennan P, Scelo G, Hemminki K, Mellekjaer L, Tracey E, Pompe-Kirn V, et al. Second primary cancers among 109 000 cases of non-Hodgkin's lymphoma. *Br J Cancer* 2005; 93: 159–66.
- Hemminki K, Scélo G, Boffetta P, Mellekjaer L, Tracey E, Andersen A, Pompe-Kirn V, et al. Second primary malignancies in patients with male breast cancer. *Br J Cancer* 2005; 92: 1288–92.
- Kobal AB, Horvat M, Prezelj M, Pompe-Kirn V, Zadnik V, Osredkar J, et al. Vpliv elementarnega živega srebra na peroksidacijo lipidov in funkcijsko sposobnost posameznih tarčnih organov pri prebivalcih mesta Idrija in delavcih rudnika: zaključno poročilo raziskovalnega projekta (skrajšana verzija). *Idrij Razgl* 2005; 50: 20–30.
- Norčič G, Repše S, Pompe-Kirn V. Rak debelega črevesa in danke v Sloveniji – razlike v kirurškem zdravljenju in preživetju bolnikov. *Zdrav vestn* 2005; 74: št. 12, 767–70.
- Pompe-Kirn V. Podrobnejši pregled trenda incidence raka ščitnice v obdobju 1983–2002 v Sloveniji. *Onkologija* 2005; 9: 12–4.
- Primic Žakelj M. Epidemiology of breast cancer: incidence and mortality trends, prevention and control. 3rd Sarajevo breast cancer conference. Sarajevo: ESO, 2005: 15–27.
- Primic Žakelj M. Prenovljeni evropski kodeks proti raku. In: Štabuc B, ed. *Poročilo Zveze in regijskih društev za boj proti raku Slovenije: leto 2004.* Ljubljana: Zveza društev za boj proti raku Slovenije, 2005: 6–11.
- Primic Žakelj M. Zgodnje odkrivanje pogostejših rakov pri starejših. In: Turk J, ed. *Zdrava poznejša leta.* Ljubljana: Društvo za zdravje srca in ožilja Slovenije, 2005: 97–110.
- Primic Žakelj M, Zadnik V. Epidemiologija raka dojke v Sloveniji in v svetu. In: Štabuc B, ed. *Poročilo Zveze in regijskih društev za boj proti raku Slovenije: leto 2004.* Ljubljana: Zveza društev za boj proti raku Slovenije, 2005: 13–6.
- Primic Žakelj M, Zadnik V. Presejanje in zgodnje odkrivanje raka. In: Štabuc B, ed. *Zgodnje odkrivanje raka – izzivi za prihodnost. XIII. seminar »In memoriam dr. Dušana Reje«, Zbornik.* Ljubljana: Zveza slovenskih društev za boj proti raku, 2005: 8–13.
- Primic Žakelj M, Zadnik V. Raziskovalno delo službe epidemiologija in registri raka na Onkološkem inštitutu. In: Bilban M, ed. *Cvahtetovi dnevi javnega zdravja 2005.* Ljubljana: Medicinska fakulteta, 2005: 125–34.
- Primic Žakelj M, Zadnik V, Žagar T. Epidemiološki podatki o raku materničnega vratu v Sloveniji. In: Takač I, ed. *50 let laboratorija za ginekološko citologijo v Mariboru. Mednarodni znanstveni simpozij.* Maribor: Splošna bolnišnica, 2005: 151–60.
- Primic Žakelj M, Zadnik V, Žagar T. Is cancer epidemiology different in Western Europe to that in Eastern Europe? *Ann Oncol* 2005; 16 Suppl 2: ii 27–9.
- Zadnik V. Evropska raziskava vplivov dejavnikov tveganja na zbolevanje za rakom dojke pri mladih ženskah: podatki za Slovenijo. In: Bilban M, ed. *Cvahtetovi dnevi javnega zdravja 2005.* Ljubljana: Medicinska fakulteta, 2005: 135–49.

- Zadnik V, Primic Žakelj M. Epidemiologija želodčnega raka. In: Omejc M, Repše S, eds. Kirurgija želodca – standardi in novosti. Simpozij. Ljubljana: Klinični oddelek za abdominalno kirurgijo, SPS Kirurška klinika, Klinični center, 2005: 122–7.
- Žagar T, Primic Žakelj, Zadnik V. Povezovanje Registra raka za Slovenijo s sorodnimi državnimi podatkovnimi zbirkami. In: Tkačik B, Urbas M, eds. Komuniciranje z dajalci in uporabniki statističnih podatkov ter podpora EMU in Lizbonski strategiji. 15. statistični dnevi. Ljubljana: Statistični urad Republike Slovenije, Statistično društvo Slovenije, 2005: 268–77.
- Žagar T. Lifetables for Slovenia 1982–2004. Rostock: Max Planck, 2005: 1–94. <http://www.lifetable.de/cgi-bin/country.plx?country=Slovenia>.
- Steliarova-Foucher E, Kaatsch P, Lacour B, Pompe-Kirn V, Eser S, Miranda A, et al. Quality, comparability and methods of analysis of data on childhood cancer in Europe (1978–1997) : report from the Automated Childhood Cancer Information System project. *Eur J Cancer* 2006; 42: 1915–51.
- Zadnik V, Primic Žakelj M. Breme želodčnega raka v svetu in Sloveniji (The burden of stomach cancer worldwide and in Slovenia). In: Zbornik predavanj XII. podiplomskega tečaja kirurgije, 10.–11. februar 2006. Ljubljana: Kirurška klinika, Klinični center, 2006: 77–80.
- Zadnik V, Reich BJ. Analysis of the relationship between socioeconomic factors and stomach cancer incidence in Slovenia. *Neoplasma* 2006; 53: 103–10.
- Zadnik V. Geografska analiza razporejanja incidence raka. *Onkologija* 2006; 10: 92–5.

## 2006

- Hertl K, Primic Žakelj M, Žgajnar J, Kocijančič I. Performance of opportunistic breast cancer screening in Slovenia. *Neoplasma* 2006; 53: 237–41.
- Mellemkjaer L, Friis S, Olsen JH, Scelo G, Hemminki K, Tracey E, Pompe-Kirn V, et al. Risk of second cancer among women with breast cancer. *Int J Cancer* 2006; 118: 2285–92.
- Pompe-Kirn V, Primic Žakelj M. Ali vemo, koliko je raka prostate v Sloveniji in kaj vpliva na razvoj te bolezni? *Onkologija* 2006; 10: 9–13.
- Pompe-Kirn V. Obolevnost za rakom dojke med ženskami, vključenimi v pilotno študijo. *Onkologija* 2006; 10: 96–8.
- Primic Žakelj M, Zadnik V, Žagar T. Breast cancer risk factors. *Liječ Vjesn* 2006; 128, Suppl 3: 49–50.
- Primic Žakelj M, Zadnik V, Žagar T. Epidemiologija raka debelega črevesa in danke (Epidemiology of colorectal cancer). In: Repše S, Štor Z eds. Kirurgija raka debelega črevesa in danke: standardi in novosti. Zbornik simpozija (Standards & novelties: proceedings of the symposium, Ljubljana 2006. Ljubljana: Kirurška šola, Klinični oddelek za abdominalno kirurgijo, Kirurška klinika, Klinični center, 2006: 14–20.
- Primic Žakelj M, Zadnik V, Žagar T. Ali se učinki programa ZORA že kažejo v incidenci invazivskega raka materničnega vratu. In: Možina A ed. Dan ginekološke onkologije: rak jajčnikov. Zbornik. Ljubljana: Združenje za ginekološko onkologijo, kolposkopijo in cervikalno patologijo: Ginekološka klinika, Klinični center, 2006: 55–6.
- Sandeep TC, Strachan MW, Reynolds RM, Brewster DH, Scelo G, Pukkala E, Pompe-Kirn V, et al. Second primary cancers in thyroid cancer patients : a multinational record linkage study. *J Clin Endocrinol Metab* 2006; 91: 1819–25.
- Scélo G, Boffetta P, Hemminki K, Pukkala E, Olsen JH, Andersen A, Pompe-Kirn V, et al. Associations between small intestine cancer and other primary cancers: an international population-based study. *Int J Cancer* 2006; 118: 189–96.
- Shen M, Boffetta P, Olsen JH, Andersen A, Hemminki K, Pukkala E, Pompe-Kirn V, et al. A pooled analysis of second primary pancreatic cancer. *Am J Epidemiol* 2006; 163: 502–11.
- Snoj M, Zadnik V. Starostnik z rakom – kirurški bolnik. In: Smrkolj V ed. Kirurgija v starostnem obdobju : zbornik povzetkov. Ljubljana: Združenje kirurgov Slovenije, 2006: 28–36.
- Strojman P, Šmid A, Čizmarevič B, Žagar T, Auersperg M. Verrucous carcinoma of the larynx : determining the best treatment option. *Eur J Surg Oncol* 2006; 32: 984–8.
- Zadnik V, Žagar T, Primic Žakelj M. Pojavljanje raka v občini Brežice v primerjavi z ostalo Slovenijo : geografska analiza incidence raka v občini Brežice na podlagi podatkov Registra raka za Slovenijo : zaključno poročilo. Ljubljana: Onkološki inštitut, 2006.
- Zadnik V, Žagar T, Primic Žakelj M. The geographical variation of cervical cancer screening efficiency in Slovenia. In: Batagelj V, Ferligoj A, Žiberna A eds. Data science and classification : program and abstracts. Ljubljana: Center of Methodology and Informatics, Institute of Social Sciences at Faculty of Social Sciences, 2006: 173.
- Žagar T, Primic Žakelj M, Zadnik V. Pretok in uporaba informacij v Registru raka – najstarejšem zdravstvenem registru v Sloveniji. *Bilt ekon organ inform zdrav* 2006; 22: 6.
- Žagar T, Zadnik V, Pohar M, Primic Žakelj M. Complete yearly life tables by sex for Slovenia, 1982–2004, and their use in public health (Popolne letne tablice umrljivosti za Slovenijo po spolu, 1982–2004, in možnosti uporabe v javnem zdravju). *Radiol Oncol* 2006; 40: 115–24.

## 2007

- Arbyn M, Primic Žakelj M, Raifu AO, Grce M, Paraskevaidis E, Diakomanolis E, et al. The burden of cervical cancer in South-East Europe at the beginning of the 21st century. *Coll Antropol* 2007; 31 Suppl 2: 7–10.
- Bidoli E, Zadnik V, De Dettori M, Zanier L, Serraino D. Prostate cancer pattern in the bordering areas of Friuli-Venezia Giulia, Italy, and Slovenia, 1995–2003. In: Primic Žakelj M, Žagar T, Zadnik V, eds. At the crossroad of tradition and new technologies in cancer registration. The role of cancer registries in cancer control : programme and book of abstracts. Ljubljana: Institute of Oncology, 2007.
- Bizjak-Ogrinc U, Čufer T, Pompe-Kirn V. Survival of patients with invasive urinary bladder cancer in Slovenia regarding to stage of disease and treatment in years 1987–1997. In: Primic Žakelj M, Žagar T, Zadnik V, eds. At the crossroad of tradition and new technologies in cancer registration. The role of cancer registries in cancer control : programme and book of abstracts. Ljubljana: Institute of Oncology, 2007.
- Maule M, Scélo G, Pastore G, Brennan P, Hemminki K, Tracey E, Pompe-Kirn V, et al. Risk of second malignant neoplasms after childhood leukemia and lymphoma: an international study. *J Natl Cancer Inst* 2007; 10: 790–800.

- Primic-Žakelj M. Epidemiologija raka pri moških in ženskah. In: Mlakar-Masnak D, Lokar K, eds. Ženske, moški in rak. Ljubljana: Sekcija medicinskih sester in zdravstvenih tehnikov v onkologiji pri Zbornici zdravstvene in babiške nege Slovenije – Zvezi društev medicinskih sester, babic in zdravstvenih tehnikov Slovenije; 2007.
  - Primic-Žakelj M. Obvladovanje raka v Sloveniji. In: Kraigher A, Berger T, Piškur-Kosmač D, eds. 4. slovenski kongres preventivne medicine, Portorož, 17. do 19. maj 2007. Izzivi javnega zdravja v tretjem tisočletju : knjiga izvečkov. Ljubljana: Sekcija za preventivno medicino Slovenskega zdravniškega društva; 2007.
  - Primic-Žakelj M. Rak materničnega vratu v Sloveniji in program ZORA. In: Kraigher A, Berger T, Piškur-Kosmač D, eds. 4. slovenski kongres preventivne medicine, Portorož, 17. do 19. maj 2007. Izzivi javnega zdravja v tretjem tisočletju : knjiga izvečkov. Ljubljana: Sekcija za preventivno medicino Slovenskega zdravniškega društva; 2007.
  - Primic-Žakelj M, Zadnik V, Žagar T. Rak v Sloveniji. Zdrav Vest 2007; 76: 775–80.
  - Primic-Žakelj M, Žagar T. Breast cancer epidemiology in Slovenia. Senologie 2007; 4: 205.
  - Primic-Žakelj M, Žagar T, Zadnik V. Epidemiologija malignega melanoma. Radiol Oncol 2007; 41 Suppl 1: S1–S12.
  - Primic-Žakelj M, Žagar T, Zadnik V. Epidemiologija pljučnega raka. In: Rott T, Luzar B, eds. Pljučni rak – današnje stanje in perspektive. Ljubljana: Inštitut za patologijo, Medicinska fakulteta, 2007.
  - Ravnik M, Arko D, Žagar T, Primic-Žakelj M, Čufer T. Breast cancer and second malignancies. Senologie 2007; 4: 209.
  - Richiardi L, Scélo G, Boffetta P, Hemminki K, Pukkala E, Olsen JH, Pompe-Kirn V, et al. Second malignancies among survivors of germ-cell testicular cancer : a pooled analysis between 13 cancer registries. Int J Cancer 2007; 120: 623–31.
  - Riska A, Pukkala E, Scélo G, Mellekjaer L, Hemminki K, Weiderpass E, Pompe-Kirn V, et al. Second primary malignancies in females with primary fallopian tube cancer. Int J Cancer 2007; 120: 2047–51.
  - Scélo G, Boffetta P, Autier P, Hemminki K, Pukkala E, Olsen JH, Pompe-Kirn V. Associations between ocular melanoma and other primary cancers : an international population-based study. Int J Cancer 2007; 120: 152–9.
  - Scélo G, Boffetta P, Corbex M, Chia KS, Hemminki K, Friis S, Pompe-Kirn V, et al. Second primary cancers in patients with nasopharyngeal carcinoma : a pooled analysis of 13 cancer registries. Cancer Causes Control 2007; 18: 269–78.
  - Tuohimaa P, Pukkala E, Scélo G, Olsen JH, Brewster DH, Hemminki K, Pompe-Kirn V, et al. Does solar exposure, as indicated by the non-melanoma skin cancers, protect from solid cancers: vitamin D as a possible explanation. Eur J Cancer 2007; 43: 1701–12.
  - Zadnik V, Pompe-Kirn V. Effects of 500-year mercury mining and milling on cancer incidence in the region of Idrija, Slovenia. Coll Antropol 2007; 31: 897–903.
  - Zver S, Zadnik V, Bunc M, Rogel P, Černelč P, Koželj M. Cardiac toxicity of high-dose cyclophosphamide in patients with multiple myeloma undergoing autologous hematopoietic stem cell transplantation. Int J Hematol 2007; 85: 408–14.
  - Žagar T, Droljc A. Connection of Cancer Registry of Slovenia to other state databases. In: Primic-Žakelj M, Žagar T, Zadnik V, eds. At the crossroad of tradition and new technologies in cancer registration. The role of cancer registries in cancer control : programme and book of abstracts. Ljubljana: Institute of Oncology, 2007.
  - Žagar T, Zadnik V, Primic-Žakelj M. Različne možnosti prikazovanja geografskega razporejanja incidence raka na materničnem vratu v Sloveniji. In: Kraigher A, Berger T, Piškur-Kosmač D, eds. 4. slovenski kongres preventivne medicine, Portorož, 17. do 19. maj 2007. Izzivi javnega zdravja v tretjem tisočletju : knjiga izvečkov. Ljubljana: Sekcija za preventivno medicino Slovenskega zdravniškega društva; 2007.
- 2008**
- Bailli P, Micheli A, De Angelis R, Weir HK, Primic Žakelj M, Pompe-Kirn V, et al. Life tables for world-wide comparison of relative survival for cancer (CONCORD study). Tumori 94:658–68.
  - Besic N, Cernivc B, de Grčve J, Lokar K, Krajc M, Novakovic S, et al. BRCA2 gene mutations in Slovenian male breast cancer patients. Genet Test 2008;12:203–9.
  - Chuang S, Hashibe M, Scelo G, Brewster DH, Pukkala E, Pompe-Kirn V, et al. Risk of second primary cancer among esophageal cancer patients: a pooled analysis of 13 cancer registries. Cancer Epidemiol Biomarkers Prev 2008;17:1543–9.
  - Chuang S, Scelo G, Tonita JM, Tamaro S, Jonasson JG, Pompe-Kirn V, et al. Risk of second primary cancer among patients with head and neck cancers: A pooled analysis of 13 cancer registries. Int J Cancer 2008;123:2390–6.
  - Glumac N, Hocevar M, Zadnik V, Snoj M. Sentinel lymph node micrometastasis may predict non-sentinel involvement in cutaneous melanoma patients. J Surg Oncol 2008; 98:46–8.
  - Gondos A, Bray F, Brewster DH, Coebergh JWW, Hakulinen T, Primic Žakelj M, et al. Recent trends in cancer survival across Europe between 2000 and 2004: a model-based period analysis from 12 cancer registries. Eur J Cancer 2008;44:1463–75.
  - Gouveia J, Coleman MP, Haward R, Zanetti R, Hakama M, Primic-Žakelj M, et al. Improving cancer control in the European Union: conclusions from the Lisbon round-table under the Portuguese EU Presidency, 2007. Eur J Cancer 2008;44:1457–62.
  - Krajc M. Screening. In: Kovačič L, Zaletel-Kragelj L, eds. Management in health care practice: a handbook for teachers, researchers and health professionals. Laga: Hans Jacobs Publishing Company; 2008. p. 286–307.
  - Krajc M, Teugels E, Zgajnar J, Goelen G, Besic N, Novakovic S, et al. Five recurrent BRCA1/2 mutations are responsible for cancer predisposition in the majority of Slovenian breast cancer families. BMC Med Genet 2008;9:83–91.
  - Maule M, Scélo G, Pastore G, Brennan P, Hemminki K, Pompe-Kirn V, et al. Risk of second malignant neoplasms after childhood central nervous system malignant tumours: an international study. Eur J Cancer 2008;44:830–9.
  - Primic-Žakelj M. Cancer epidemiology. In: Schrijvers D, Zakotnik B, eds. ESMO handbook of cancer prevention. London: Informa Healthcare; 2008. p. 1–9.

- Primic-Žakelj M, Zadnik V. Rak pri starejših. In: Bilban M, ed. Zbornik prispevkov Cvahtetovih dnevov. Ljubljana: Katedra za javno zdravje; 2008.
- Primic-Žakelj M, Zadnik V, Žagar T. Karcinom debelega črevesa in danke v Sloveniji in v Evropi = Colorectal cancer in Slovenia and in Europe. In: Luzar B, Cerar A, Štabuc B, eds. Tumorji debelega črevesa in danke. Ljubljana: Inštitut za patologijo, Medicinska fakulteta; 2008.
- Primic-Žakelj M, Žagar T. Cancer control in Slovenia: achievements, shortcomings and opportunities. In: Coleman MP, ed. Responding to the challenge of cancer in Europe. Ljubljana: Institute of Public Health of the Republic of Slovenia; 2008.
- Primic-Žakelj M, Žagar T, Zadnik V. Lung cancer in Slovenia = Pljučni rak v Sloveniji. *Endosk rev* 2008;13:5–13.
- Repše-Fokter A, Primic-Žakelj M. Auditing screening laboratories in Slovenia. *Cytopathology* 2008;19 Suppl 1:20.
- Repše-Fokter A, Primic-Žakelj M. Cervical cancer screening in Slovenia. *Cytopathology* 2008;19 Suppl 1:3.
- Robins G, Crabtree JE, Bailey A, Forman D, Primic-Žakelj M, et al. International variation in *Helicobacter pylori* infection and rates of oesophageal cancer. *Eur J Cancer*. 2008;44:726–32.
- Rojnik K, Naversnik K, Mateović-Rojnik T, Primic Žakelj M. Probabilistic cost-effectiveness modeling of different breast cancer screening policies in Slovenia. *Value Health* 11:139–48.
- Sant M, Allemani C, De Angelis R, Carbone A, de Sanjosé S, Pompe-Kirn V, et al. Influence of morphology on survival for non-Hodgkin lymphoma in Europe and the United States. *Eur J Cancer* 2008;44:579–87.
- Tercej M, Ales A, Rott T, Sever N, Prodnik L, Primic-Žakelj M, et al. DNA-based sputum cell image analysis for lung cancer in a clinical setting. *Acta Cytol* 2008;52:584–90.
- Virgili G, Gatta G, Ciccolallo L, Capocaccia R, Primic Žakelj M, Pompe-Kirn V, et al. Survival in patients with uveal melanoma in Europe. *Arch Ophthalmol* 2008;126:1413–8.
- Zadnik V, Ivanuš U, Florjančič M, Primic-Žakelj M. Vloga registra ZORA pri obvladovanju bremena raka materničnega vratu v Sloveniji = The role of ZORA registry in cervical cancer burden control in Slovenia. *Bilt-ekon organ inform zdrav* 2008;24179–83.
- Zadnik V, Primic-Žakelj M. Rak pri ženskah. In: Štabuc B, Primic Žakelj M, Klemenčič M, Piškur J, eds. Rak rodil. Ljubljana: Zveza slovenskih društev za boj proti raku; 2008.
- Zadnik V, Žagar T, Drobne S, Primic Zakelj M. Estimation of cancer burden in Brezice municipality, a community neighboring Krško nuclear power plant in Slovenia. *Croat Med J* 2008;49:257–66.
- Zadnik V, Žagar T, Primic-Žakelj M. Ginekološki raki v Sloveniji = Gynecological cancers in Slovenia. In: Takač I, ed. 80 let hospitalne ginekologije in porodništva v Maribor: mednarodni znanstveni simpozij. Maribor: Univerzitetni klinični center Maribor; 2008.
- Zver S, Zadnik V, Cernelc P, Kozelj M. Cardiac toxicity of high-dose cyclophosphamide and melphalan in patients with multiple myeloma treated with tandem autologous hematopoietic stem cell transplantation. *Int J Hematol*. 2008;88:227–36.
- Zwitter M, Primic-Žakelj M. Lung cancer in Europe. In: Parikh PM, ed. Lung cancer. Mumbai: Green Room Media & Event Management Services; 2008. p. 350–7.





