

Index

‘Note: Page numbers followed by “f” indicate figures and “t” indicate tables.’

A

- Abies alba, 383
 - seed lots, 384, 399
 - seed propagation, 383–384
- Acer, 390
 - campestre, 390, 399
 - platanoides, 390, 399
 - pseudoplatanus, 390–391, 399
 - seedlings, 383–384
 - seed lots, 399
- Adaptation, 93, 99–100
 - genetic adaptation, 99–100
 - local adaptation, 100
- Afforestation, 2, 14, 19, 27, 36–38, 59–64, 67, 75–76, 78, 95, 97, 101, 193, 195, 213, 216, 276–277, 297, 353–354, 363, 393
 - climate change mitigation, 38
 - Loess Plateau, 289
 - marginal farmland, 14
 - opposition to, 38
 - Pinus pinea, 391
 - progress tracking, 370
 - Quercus ilex, 393
- Agroforestry, 23–25
- Air circulation, 259
- Airplane-mounted LiDAR (ALS), 290, 298
- Air pruning, 392, 420, 436
- Alicante, 388
 - Pinus halepensis, 388
- Alisols, 75
- Allelopathic compounds, 195
- Alpha diversity, 311–313
 - evenness, 312–313
 - species abundance, 312–313
 - species richness, 310–312
- Alps, 72–73
- Alternative growing media, 165, 172, 178–179
 - effectiveness, 170–172
 - recommendations, 178–179
 - sustainability, 165, 178–179
- Ancient forests, 27, 28t–35t
- Anemophilous, 601
- Angiosperms, 134, 137, 142, 144, 146, 150, 154–155, 159, 162, 170
 - specific leaf area, 144, 146
 - survival, 142, 144, 146, 170
- Animal browsing, 243–245
 - managing, 244–245
 - protection against, 247, 249–250
- Animal repellents, 245
 - bio-based, 245–246
 - biodegradable, 243–246, 251–252
 - drones for application, 243–244, 251–252
 - eco-friendly, 243
 - predator-based, 245
 - spruce bark extract, 246
- Arbuscular mycorrhizae, 392
- Arenosols, 75
 - characteristics, 60–61
 - management implications, 60–61
- Aridity index, 137, 140, 142, 148–149, 154–156, 159, 170–172
 - dry climates, 140, 143–144, 172
 - humid climates, 140, 142–144, 146, 172
- Aril, 401–402, 407, 420, 427, 436–437, 448, 457, 462–466, 469–472, 475–479, 481–489, 493–500, 503–511, 514–519, 522–526, 529–534, 537–545, 551–557, 560–568, 572–576, 578–581, 586–592, 597–599, 601–607, 610–615, 619–620, 622–634, 640–647, 650–655, 657–659, 661–668, 671–676, 680–690, 693–701, 703–711, 715–723
- Aristotle University of Thessaloniki, 21t
- Aronia melanocarpa, 219–221
- Artificial intelligence (AI), 275–276, 288, 294–295
 - applications in forestry, 295
 - image-based identification of species, 296
- Artificial regeneration, 195, 200–201, 203–204, 211
 - advantages of, 200–201
 - blending with natural regeneration, 201
- Assisted gene flow, 100, 316–318

Assisted migration, 93–94, 98–99, 103–105,
107, 116, 244
assisted population migration, 104–105
assisted species migration, 104–105
Assisted migration (AM), 14, 22, 40–42,
315–320, 324
assisted colonization, 316–317
barriers to use, 14
definition, 14
migration distances, 41–42
objectives, 316–317
species rescue AM, 316–317
species translocation, 41–42
Assisted natural regeneration (ANR), 212
Atmosphere, 353–356, 362–363, 367
Austria, 23–25
Automated Stereo Vision, 289

B

Baltic Sea, 72
Barents Sea, 72
Bareroot, 42
Bareroot stock, 136–137, 142–143,
147–150, 172
limitations, 148–149
soil preparation, 150
Bark-beetle outbreaks, 2, 6–8, 10–11
Beta diversity, 308, 311–314
nestedness of assemblages, 314
species loss, 314
species replacement, 314
species turnover, 314
Biochar, 206, 211, 216
application of, 211
benefits of, 216
Bioclimatic variables, 113–114
Bio-control, 257–258
products, 257–258
Biodiversity, 1–8, 11–14, 19, 27, 36–37, 40,
61–63, 76, 308–309, 311–312, 325,
328–330
assessment, 312
conservation, 28t–35t, 317–318, 325
ecosystem services, 307
forest multifunctionality, 308
forest resilience, 308–309
losses, 11–14
Bioenergy, 353–354, 356, 365
fossil fuels substitution, 353–354, 365–366

wood-based fuels, 353–354
Bioenergy Carbon Capture Storage (BeCCS), 354,
367
Biogeographical regions
Central-East Europe, 3–4, 6–8
Central-West Europe, 3–4, 6
European, 3–4, 11
North Europe, 3–5
South-East Europe, 3–4, 9
South-West Europe, 3–4, 8
Bioherbicides, 260
Biomass, 353–354, 356, 361–363, 367–370
aboveground, 353–354, 362, 368–369
belowground, 353–354, 362–363
Biomes, 25
forest, 25
Biopesticides, 260
Biophysical conditions, 59, 67
Biostimulants, 217
Black Forest (Germany), 27–36
Blackout, 136, 151–152, 156–159
effect on growth, 156–159
recommendations, 159
Black Sea, 69–70, 72
Bonn Challenge/New York Declaration on
Forests, 276
Border controls, 254–255
Boreal biome, 1, 3–5
Boreal forests, 73–76
Breeding, 94, 100–103
breeding method, 102–103
genetic gain, 103
seedling, family, and clonal forestry, 103
British Isles, 72–73
Building phase, 279
definition of failure, 283
definition of success, 282

C

Cambisols, 75
Canopy height models (CHM), 290–291
Carbon cycle, 353–356, 365, 367, 371–372
biological componentf, 353–354, 371–372
industrial componentf, 353–356, 371–372
Carbon sequestration, 353–354, 356–358,
360–363, 365, 367–372
factors affecting, 358
measuring, 367
Carbon storage, 1–2

- Caspian Sea, 69–70
- Celtic Sea, 72
- Citizen science, 257
- Climate, 59–61, 67, 69–73, 78–79
 - crisis, 276
 - future, 2–3, 11, 14
 - models, 69
 - models microclimate, 60–61, 67–70, 72
- Climate adaptation, 20, 38–39, 42
 - adaptive capacity, 38–39
 - forests, 38–39
- Climate change, 1–3, 10–11, 14, 19, 22, 37–38, 40–41, 59, 63–65, 67, 69–72, 78–79, 93–94, 96–100, 103–108, 110, 112–114, 116–118, 193–195, 199–202, 206–207, 211–213, 224, 243–245, 253–254, 308–309, 314–318, 320, 331–334, 353–354, 356–358, 360–362, 364–365, 367–368, 371–372
 - adaptation, 1–3, 11, 14, 194, 353, 367
 - forest management, 99
 - forest resilience, 193–194
 - mitigation, 1–2, 11, 38, 40, 212, 353–354, 356–358, 362–366, 371–372
 - projections, 11
 - vulnerability, 110
- Climate-smart forestry, 20, 39
 - sustainable forest management, 39
- Clones, 43
 - clonal mixture, 43
- CO₂ sequestration, 289
- Competing vegetation, 59–60, 67–68, 76
- Competition, 259–261
 - for resources, 243–244, 259
- Conservation, 28t–35t, 36
 - forests, 27
- Container properties, 136, 152, 160–164
 - cultivation density, 161–164
 - volume, 161, 163–164
- Container stock, 136–137, 142–143, 147–150, 172
 - advantages, 147–149
 - soil preparation, 150
- Convention on Biological Diversity (CBD), 23–24, 36
 - definition of degradation, 36
- Coppice, 20, 28t–35t, 37, 43
- Coppice forest systems, 194–195
- CORDEX, 69
- Creosote, 247
- Crown cover, 23–25, 36
- D**
- Decomposition, 354–356, 363
- Deer, 243–245, 248, 251
 - red deer (*Cervus elaphus*), 244, 248
 - roe deer (*Capreolus capreolus*), 244, 248
- Deforestation, 2, 19, 27, 36–37
 - reversing, 37–38
- Degradation, 19, 36–37
 - human activity, 36
- Detection methods, 254–256
 - molecular methods, 255
 - volatile organic compounds (VOCs), 255
- Digital elevation model, 73
- Digital surface model, 291
- Digital technologies, 203–204
- Digital terrain models (DTM), 290–291
- Digital tracking (DT), 288
 - automated stereo vision, 289
 - morphological traits, 289
 - physiological traits, 289
- Digital twin, 205
- Diplodia tip blightf, 245, 253–254
- Direct seeding, 193–195, 200–201, 203, 206, 213, 219–221
 - advances in, 206
 - drone-based, 207
 - mechanical, 206
 - precision, 206–207
- Disturbances, 353–354, 356–358, 360–364, 368–369
 - extreme events, 354, 360–361, 364
 - frequency, intensity
 - and severity, 10–11, 14
 - natural, 1–2, 10–11, 14
 - resilience, 356–357, 360–361, 364
 - resistance, 360–361
- Douglas-fir, 72
- Drone fly-overs (DFO), 288, 290–291
- Drones, 204, 207–208, 243–244, 251–252, 261
 - drone-assisted counting, 204
 - drone swarms, 204, 207–208
- Drone seeding, 206–208
- Drought, 283–284, 286
 - hardening, 136, 151–156, 159
 - intensity, 154

Drought (*Continued*)

- recommendations, 159
- species drought tolerance, 154–155

E

- Earth System Models, 69
- Ecosystem diversity, 309, 311–312, 314, 325
 - gamma diversity, 311–312
 - landscape heterogeneity, 311–312
- Ecosystem legacies, 22
- Ecosystem services (ESs), 1–2, 4–5, 36, 39–42, 59–63, 67, 93, 96–97, 105–110, 112–113, 193–194, 305, 307–309, 325, 331, 356–357, 363–364, 371–372
 - cultural ecosystem services (CESs), 306, 308
 - provisioning ecosystem services (PES), 305, 307
 - regulating and maintenance ecosystem services (RMES), 305–306
- Electronic nose, 243–244, 255
- Emerging pests, 243–244, 253–254
- Environmentally friendly treatments, 257
- Eradication, 254
- Establishment phase, 279, 283
 - definition of success and failure, 279
 - seedling growth, 279
 - survival, 279
- Estonian University of Life Sciences, 21t, 59
- EU Forest Strategy, 11–14
- Europe, 59, 61, 65, 69–78, 281–283, 286, 288, 356–357, 360–361, 367–368
- European Forest Types, 25
- European Nature Information System, 25
- European Parliament, 77
- European Union (EU), 2, 11–14
 - Green Deal, 2, 11–14
- Extinction risk, 11–14

F

- Facilitation, 199–200, 218–219
- Fagus sylvatica*, 75–76
- Failures, 276–277, 282–284, 291, 298
 - causes, 277
 - reasons, 283
- Farmer-managed natural regeneration (FMNR), 212
- Fencing, 243–245, 247, 251
 - guidelines for choosing, 251
 - nontarget wildlife, 244–245, 247
- Fennoscandia, 69–70, 73

- Fisher's z-transformation, 137
- Flooding, 1
- Floodplain forests, 28t–35t
- Fog catchers, 223
- Food and Agriculture Organization (FAO), 22–25, 27, 36–38
 - definition of forest, 36
- Forest area, 3–14
- Forestation, 36, 61–64, 67, 70, 77–79, 202–204, 207–209, 212–213, 275–276, 279, 284, 291, 297
 - initiatives, 277
 - monitoring, 275–276
 - objectives, 61, 64
 - process, 61
- Forest condition, 20, 23–25, 27, 42
 - landscape position, 27
 - legal status, 27
- Forest degradation, 1–2, 14, 19
- ForestGALES, 72
- Forestland, 20, 23–25, 36
 - definition, 24
 - transitions, 20, 36, 42
- Forest landscape restoration (FLR), 37, 42, 275–276
- Forest management, 1–6, 8–14, 97–98, 101–105, 118, 277, 290–291, 297, 308, 325, 328, 353, 356–357, 362–363, 368–372
 - active, 1–2
 - intensive, 357, 363
 - practices, 3–4
 - regulation, 4
 - silviculture, 353, 362–363, 367
 - site preparation, 327
 - traditional practices, 325
- Forest reproductive material (FRM), 1, 3, 14, 21, 41–43, 95–96, 100–101, 103, 112–113, 118, 314–317, 320–322, 324–325
 - climate-adapted, 3, 14
 - genetic diversity, 314
 - seed zones, 118
 - selection, 100–101
 - transfers, 316
- Forest Resource Assessment (2020), 3–4
- Forest restoration, 1–3, 14, 93–95, 97, 107
 - need for, 2
- Forestry
 - close-to-nature, 11–14

continuous cover, 11–14

Forests, 19, 23–25, 27, 38–40, 42

- definitions, 20, 23–24
- management, 38–39

Forest sector, 4–8

Forest tree species, 2–6, 8–9, 11, 14

- nonnative (NNT), 4–6, 8–10, 14

Forest types, 1, 3–4

Fossil fuels, 353–356, 359, 365

- substitution effects, 365–367

Functional attributes, 131–133, 137, 160

- seedling size, 131–132
- shoot-to-root mass ratio, 132

Fusarium circinatum, 245, 253, 258

G

Gamma diversity, 311–312, 314

- biotic homogenization, 314
- ecosystem diversity, 314

Genetic diversity, 96, 100, 102–103, 116, 309–310, 314–316, 320–325

- conservation, 309–310, 320
- gene flow, 309–310, 320
- genetic drift, 102–103
- genetic pollution, 100
- genetic resources, 310

Genetic selection, 21, 38–39

Geographic Information Systems (GIS), 206–207

Germany, 24–25, 27–36

Gleysols, 75

- characteristics, 60–61
- management implications, 60–61

Global Forest Watch project, 290

Globalization, 243, 253

Global Wind Atlas, 72

Greenhouse gas emissions, 11

Greenhouse gases (GHG), 353–354, 365–368

Gremmeniella abietina, 259

Groasis waterboxx, 222–223

Gymnosperms, 137, 142, 146, 150, 154, 159, 162, 170

- specific leaf area, 146
- survival, 142, 146, 170

H

Herbicides, 217–218

Herbivory, 243, 247, 260, 284, 297, 307–309, 326–327

- pest regulation, 309

Heterobasidion species, 257–258

High forest systems, 194–195

Histosols, 75

- characteristics, 60–61
- management implications, 60–61

HoliSoils, 75

Holobiont, 21–22

- hologenome, 21

Hydrogels, 216–217

Hydroseeding, 208–209

Hylobius abietis, 76–77, 213, 223–224, 257–258

Hyperspectral imaging, 289–290

I

Image-based identification of species, 296

Indicators, 276, 279, 286, 288, 291, 293, 297–298

- morphological, 276, 288, 291–294, 297
- physiological, 276, 288, 291–293, 297

Indigenous species, 22

Intergovernmental Panel on Climate Change (IPCC), 25, 37–38, 353, 368

Internet of Things (IoT), 225, 297

Invasive nonnative plants, 260

Invasive species, 22, 107–108, 111

Ips typographus, 253–254

IUCN Global Ecosystem Typology, 25–27

K

Karadeniz Technical University, 59

Karrikinolide, 211

Kyoto Protocol, 23–24

L

Land cover, 20, 23, 38

- forest, 23

Landform, 60–61, 69, 72–73

Land ownership, 3–6, 8–10

Land use, 19–20, 23–24, 36–38, 42

- transitions, 36

Leptosols, 75

- characteristics, 60–61
- management implications, 60–61

Less Represented Main Species (LRMS), 262–264, 266

LiDAR, 23, 42

Light Detection and Ranging (LiDAR)

- technology, 290–291, 370

Linnaeus University, 245–246

Lixisols, 75

Lixisols (*Continued*)
 characteristics, 60–61
 management implications, 60–61
 Loop-mediated isothermal amplification (LAMP), 255
 Low-risk plant protection products, 243–244, 258
 Luvisols, 75
 characteristics, 60–61
 management implications, 60–61

M

Machine learning (ML), 275–276, 288, 291, 295–296
 Managed forests, 28t–35t
 Management implications, 60–61
 Maritime climate, 1, 3–4
 Mature forests, 28t–35t
 Mechanical site preparation (MSP), 213, 215, 223–225
 methods in, 215
 tools for, 225
 Mediterranean Basin, 73, 357–358, 361
 Mediterranean biome, 1, 3–4
 Meta-analysis, 137, 152, 162
 effect size, 137, 140, 143, 152–154, 156–159, 163–164
 heterogeneity, 140
 Microbiome, 194, 205
 Microcatchments, 221–223
 Microclimate, 247–248, 251, 259
 Microplastics, 252
 Microsite, 59–60, 67–69, 75
 Mixed stands, 94–95, 112–113
 Monitoring, 244–246, 254–257, 261, 275–277, 279, 284–286, 288–295, 297–298
 adult phase (MAP), 276, 291–292, 294
 developing phase (MDP), 276, 291–292, 294–295
 early, 275
 methodologies, 275–276, 279, 288, 291
 methods, 243–244, 255–256
 performance, 275–276, 285, 288, 291, 297
 smart traps, 256
 stand establishment (MSE), 276, 291–294
 timeframe, 286
 Monospecific stands, 353–354, 362, 364
 Moose (*Alces alces*)f, 243–246, 248

Morphological traits, 289, 292–294
 root traits, 294
 Mortality, 243, 260–262, 265–266
 Mosaic landscapes, 1, 3–4
 Mulching, 212–213, 216
 Multifunctionality, 356–358, 364
 Multispectral sensors, 23
 Mycorrhizae, 202, 205–206, 209, 224

N

National Forest Inventories (NFI), 368–369
 Native forests, 36, 41f
 Native species, 2, 11, 14, 93–95, 100, 103–108, 111–113
 Natural regeneration, 2–9, 11–14, 193–195, 200–201, 203, 211–212, 219, 224
 innovations in, 212
 limitations, 2, 14
 management of, 212
 Nature-based climate solutions (NBCS), 40
 Nature-Based Solutions (NBS), 20, 40
 natural climate solutions, 40
 Nature Restoration Law, 357, 367–368
 Nature Restoration Regulation, 77
 N-deposition, 359
 Nematodes, 253, 257–258
 New Forest (UK), 27–36
 Nongovernmental organizations, 276
 Nonnative species, 22–23, 27–36, 42
 established, 22
 invasive, 22
 Nonnative tree (NNT) species, 93–96, 98–99, 105–113, 330–334
 definition, 107
 ecological risks, 331
 economic importance, 331
 impacts, 108–112
 introduction pathways, 107
 management, 331
 Normalized difference vegetation index (NDVI), 245–246
 North Sea, 72
 Norway spruce, 200–201
 Norway spruce (*Picea abies*), 246
 Nurse crops, 199–200, 218–219
 Nursery cultivation, 131–133, 136, 151, 160, 165, 172
 hardening, 151

- target plant concept, 132–133
- Nurse trees, 195, 199–200, 218–221
- sacrificial, 219
- O**
- Old-growth forests, 28t–35t
- Outplanting, 131–133, 136–137, 140–143, 147, 151–154, 156, 160, 162, 166–167, 172
- performance, 131–133, 136–137, 140–143, 147, 151–154, 156, 160, 162, 166–167, 172
- practices, 132, 137, 142, 144
- Overstory, 194–195, 197–198, 211–213
- P**
- Paris Agreement, 24
- Passive management, 1–2, 14
- Past land use, 193–195
- Pathogens, 243–244, 253–259
- introduced, 243–244, 253–255
- Pelleting, 209
- Pesticides, 243–244, 251–252, 257–258, 260
- Pest outbreaks, 243–244, 258–259
- Pests, 61, 76–77, 243–244, 253–259
- introduced, 243–244, 253–255
- Phenology, 243
- Phenotypic plasticity, 99–100, 117
- Phlebiopsis gigantea (Rotstop), 257–258
- Phosphorus, 75–76
- Photo-oxidation, 244–245, 252
- Photosynthesis, 354, 358
- Phylogenetic diversity, 311
- environmental filtering, 311
- functional similarity, 311
- Phytophthora, 253, 255
- Phytophthora cinnamomi, 77
- Pine seedlings, 245
- Pine weevil, 213, 223–224
- PlanetScope, 289
- Planosols, 75
- characteristics, 60–61
- management implications, 60–61
- Plantation forestry, 27–36, 93, 95, 112
- Plantations, 19–20, 24–25, 27–36, 38
- commercial, 27–36
- Planted forests, 3–9, 11–14, 353–354, 356–358, 361–365, 367–369, 371–372
- carbon cycle role, 356
- ecosystem services, 356–357
- guidelines, 371–372
- Planting, 59–65, 71–72, 76–78, 193–195, 200–205, 211–213, 215, 219, 221–225, 275–277, 279, 281–286, 288, 291–293, 295–298
- advances in, 203–204
- density, 243–244, 251, 259, 262–264
- design, 251, 261
- improper, 284
- initiatives, 275
- mobile phone apps for, 204
- performance, 275, 285, 288, 291, 297
- precision, 205
- remote sensing tools for, 203–204
- success, 275, 281–282, 286, 288, 295–297
- Planting sites, 132, 137, 140, 142–144, 148–150, 152, 154–156, 159, 170–172
- aridity, 137, 140, 142, 148–149, 154–156, 159, 170–172
- soil preparation, 144, 150
- Plastic Reduction Directive (EU), 252
- Podzols, 73–75
- characteristics, 60–61
- management implications, 60–61
- Polygraphus poligraphus, 253–254
- Populus spp.*, 200
- Postplanting management, 243–244, 258
- practices, 243
- silviculture, 258
- vegetation, 260
- Precision forestry, 204
- Precision seeding, 194, 206–207
- Prestoration, 20, 38, 41f, 42
- Pretreatment, 206, 209–210
- Proforestation, 20, 38, 41f
- Property Rights Index in Forestry (PRIF), 4
- Protection forests, 27
- Provenance, 20, 41–42, 94, 96, 98–102, 105, 107, 113, 116–117, 194, 212
- provenance trials, 101–102, 105
- Provenance research, 318–319
- climate-adjusted provenancing, 315
- composite provenancing strategy, 315
- Public-sector resources, 1
- Pure stands, 105, 113
- Pyrenees, 72–73

Q

Quercus coccifera, 247, 264–265, 264t–265t
Quercus ilex, 247, 264t–265t, 265

R

Rabbits, 243–245, 248
 Radiation, 247–249, 260
 Reforestation, 2–4, 14, 20, 27, 36–38, 41f, 42, 59, 61, 63–64, 70–71, 78, 93–94, 96–97, 101, 193–194, 202, 206, 217–218, 276–277, 279, 284, 296–297
 natural regeneration, 37
 Regeneration, 20, 23–24, 27, 37, 43, 59–60, 67–68, 76–77, 193–195, 197–201, 203–207, 211–212, 217, 219–221, 223–224, 320, 325–328
 forestation, 305, 326
 methods of, 193–194
 natural, 37–38, 42
 natural regeneration, 59–61, 65, 76, 326
 reforestation, 325–326, 328
 regeneration niche, 59–60, 67–68
 techniques of, 200–201
 Regosols, 75
 characteristics, 60–61
 management implications, 60–61
 Remote sensing (RS), 23, 42, 194, 203–204, 206–207, 288–292, 295, 353, 368–370
 optical sensors, 369–370
 satellite, 369–370
 Representative concentration pathways (RCP), 11
 Resilience and resistance
 forest, 1, 14
 Restoration, 20, 27, 36–38, 41–42, 41f, 59–65, 70, 193–195, 200, 205, 207–208, 212–213, 217–219, 221–223, 275–277, 279, 296–297
 ecological, 37
 ecological restoration, 63, 65
 forest, 37
 forest landscape, 37
 forest landscape restoration, 59
 prestration, 63
 Rhamnus lycioides, 247, 264t–265t, 265
 RNA interference, 243–244, 258
 Rodents, 243–245, 248, 250–251

Root collar diameter (RCD), 289, 292–295, 297–298
Rosa canina, 247, 264–265, 264t–265t
Rosmarinus officinalis, 247, 262–265, 264t–265t
 Rowan, 219–221
 Rust fungi, 259

S

Sacrificial nurse trees, 219–221
 Salvage cutting, 2
 Sampling, 261–265
 design, 261–262
 error, 262–265, 265t
 Sanitary practices, 243–244, 259
 Scandinavian Shield, 73
 Scarification, 201, 215–216, 223–225
 Scots pine (*Pinus sylvestris*)f, 244–246, 259
 Secondary forests, 28t–35t
 Seed coating, 206–209
 Seedlings, 59–60, 65, 76
 Seedling, 193, 195, 199–203, 205, 207–208, 212–213, 217–218, 221–224, 243–245, 247–248, 253, 255–266, 277, 279, 283–286, 292–294, 297–298
 age, 143
 effect on survival, 143
 recommendations, 177–178
 characteristics of, 202
 drought-resistant, 202
 establishment, 193, 195, 202, 205, 209, 212–213, 216–217, 223, 225
 forensics, 284, 298
 growth, 276, 279, 285–286, 292–294, 297–298
 handling, 284
 morphology, 131–132, 136–137, 140, 142, 144, 160, 172
 root collar diameter, 135, 173–177
 shoot height, 135, 173–177
 mortality, 277, 283–286, 297
 planting, 277
 quality, 285, 297
 size, 131–132, 135–137, 140, 142–144, 146, 172–177
 effect on survival, 140, 142, 144, 146
 recommendations, 172–177
 survival, 243, 247–251, 260–261, 277, 283–286, 292, 297
 target, 202

- Seed orchards, 316–317, 320–322
 - plus trees, 322
 - seed quality, 322
- Seed priming, 210
- Seed sources, 98–101, 103–104, 108, 116–117
- Seed treatment, 202, 206, 208–209, 211
 - advances in, 209
 - pretreatment, 210
- Serbia, 277, 283–284, 286
- Shelter trees, 199–200
- Shelterwood, 195, 197–200, 211
- Shoot-to-root mass ratio, 132, 136–137, 140, 142–144, 146, 172, 177–178
 - effect on survival, 140, 142–143, 146
 - recommendations, 172, 177–178
- Silvicultural systems, 3, 194–195, 199
- Silviculture, 3, 11, 37, 40, 94–96, 258
 - systems, 27, 37, 42
- Single-tree sheltersf, 243–245, 247–252, 261
 - guidelines for choosing, 251
 - mesh sheltersf, 243–244, 247–250, 252
 - plastic, 244–245, 252
 - solid wall tubesf, 243–244, 247–250, 252
- Site conditions, 193–195, 200–204, 206–207, 209–210, 225
- Site index, 27
- Site potential, 59–61, 67, 70
- Site preparation, 193–195, 197–198, 201–204, 212–213, 216, 218, 223–225, 243, 258, 326–330
 - advances in, 225
 - mechanical, 213
 - mechanical treatments, 328
 - methods in, 215
 - terracing, 328
- site suitability, 59, 67
- Sitka spruce, 219
- Skyseed, 59
- Soil, 60–63, 67–69, 71–77, 79–80
 - amendments, 212–213, 216
 - compaction, 195, 213, 225
 - degradation, 195
 - desiccation, 197–198
 - erosion, 289
 - health, 193–194, 216
 - moisture, 204, 212–213, 225
 - orders, 60–61
 - organic carbon, 354, 362–363, 368
 - preparation, 132, 137, 144, 148–150, 172
 - high-intensity, 144
 - low-intensity, 144
 - scarification, 201, 223–224
- Soil organic matter (SOM), 216
- Sorbus aucuparia, 219–221
- Spacing, 243–244, 259
- Spain, 24–25, 27–36
- Species distribution models (SDM), 70, 94, 113–117
 - applications, 116
 - limitations, 116–117
 - reliability, 115
- Species diversity, 309–312, 325
 - functional diversity, 311, 325
 - habitat filtering, 310–311
 - species richness, 307, 310–311, 325
- Species extinction, 93, 97
- Species mix, 251, 258–259
- Species selection, 93–97, 100–101, 113, 117, 353–354, 356, 361–362, 364, 367
 - criteria, 95
 - tools, 94, 117
- Specific leaf area, 132, 136–137, 142, 144, 146, 172–173
 - angiosperms, 144, 146
 - gymnosperms, 146
- Spruce bark extract, 246
- Stakeholders, 61–64, 70
 - engagement, 3, 244–245
- Stand establishment, 276, 291, 294
- Stand initiation, 27–36
- Stand-oriented silviculture, 199
- Substitution effectsf, 353. *See also* Fossil fuels
- SUPERB project, 70
- Supplemental planting, 243–244, 260–262, 265–266
- Survival, 260–262, 265, 265t
- Survival rate, 277, 281–284, 286, 296, 298
- Sustainability, 39–40
 - strong, 39–40
 - weak, 39–40
- Sustainable forest management (SFM), 24, 37, 39–40
- Sweden, 246, 259
 - Linnaeus Universityf, 245–246

T

- Taiga, 25
- Target plant concept, 132–133, 165–166
 - seedling functional attributes, 132
 - species ecology, 133
- Target seedling, 202
- Tembleque (Toledo Spain), 246–247, 262
- Temperate biome, 1, 3–4, 6–8
- Temperate climate, 69–70
- Temperate forests, 25
- Terracing, 215
- Thinning, 259
- TreeAlert, 257
- Tree-oriented silviculture, 199
- Tree planting, 275–277, 279, 283–286,
 - 291, 295, 297–298
 - campaigns, 1–2
 - initiatives, 275
 - performance, 275, 285, 288, 291, 297
 - success, 275, 281–282, 286, 288, 295–297
- Trees, 20–25, 27, 41
 - concepts, 20
 - definitions, 20
 - outside forests, 23–24
- Triple threats, 1–2
- Tropical forests, 25

U

- Ukraine, 277, 286
- Uncrewed aerial vehicles (UAVs), 23, 42, 261,
 - 275–276, 296
- UN Decade on Ecosystem Restoration
 - Declaration, 276
- Ungulate herbivory, 211–212

- Ungulates, 59–60, 65, 243–245, 247–248, 251
- United Nations Brundtland Commission, 39–40
- United Nations Framework Convention on
 - Climate Change (UNFCCC), 23–25
- UN Sustainable Development Goals, 357
- Urban forests, 28t–35t

V

- Vapor pressure deficit, 59, 71–72
- Vegetation indices, 369–370
- Vegetation management, 217
 - control of competition, 217
- Ventilation, 248
- Volatile organic compounds (VOCs), 255

W

- Water availability, 195, 202–203, 221–222
- Weed management, 249–250, 260
- Wild boars (*Sus scrofa*), 243–244, 248, 251
- Wildlife, 244–245, 247, 251
- Wind, 71–72, 78–79
- Windstorms, 71–72
- Windthrow, 199
- Winter browsing, 246
- Wolves, 244–245
- Wood products, 353–356, 363, 365–367
 - recycling, 355–356
 - substitution effects, 365–367
- World Wildlife Fund (WWF), 261

X

- Xylella bacterium, 255