

Appendix 2

All publications of the here-presented literature collection (Fig. 5) are listed in sections of LSGL cases, inventories, and detection. References listed in the appendix are formatted in APA 7th citation style, which is different from the format used by GEOLOGIJA.

Cases of LSGL (#52)

- Ben-Yehoshua, D., Sæmundsson, P., Helgason, J., Belart, J. M. C., Sigurðsson, J. V., & Erlingsson, S. I. (2022). Paraglacial exposure and collapse of glacial sediment: The 2013 landslide onto Svínafellsjökull, southeast Iceland. *Earth Surface Processes and Landforms*, 47(10), 2612–2627. <https://doi.org/10.1002/esp.5398>
- Benn, D. I., Bolch, T., Hands, K., Gulley, J., Luckman, A., Nicholson, L. I., Quincey, D., Thompson, S., Toumi, R., & Wiseman, S. (2012). Response of debris-covered glaciers in the Mount Everest region to recent warming, and implications for outburst flood hazards. *Earth-Science Reviews*, 114(1-2), 156–174. <https://doi.org/10.1016/j.earscirev.2012.03.008>
- Bessette-Kirton, E. K., & Coe, J. A. (2020). A 36-Year Record of Rock Avalanches in the Saint Elias Mountains of Alaska, With Implications for Future Hazards. *Frontiers in Earth Science*, 8(-), 23. <https://doi.org/10.3389/feart.2020.00293>
- Bessette-Kirton, E. K., Coe, J. A., & Zhou, W. (2018). Using Stereo Satellite Imagery to Account for Ablation, Entrainment, and Compaction in Volume Calculations for Rock Avalanches on Glaciers: Application to the 2016 Lamplugh Rock Avalanche in Glacier Bay National Park, Alaska. *Journal of Geophysical Research: Earth Surface*, 123(4), 622–641. <https://doi.org/10.1002/2017jf004512>
- Bull, C., & Marangunić, C. (1966). The Earthquake-Induced Slide on the Sherman Glacier, South-Central Alaska, and Its Glaciological Effects, no. 108 (pp. 395–408). Institute of Polar Studies, Ohio State University. https://eprints.lib.hokudai.ac.jp/dspace/bitstream/2115/20314/1/1_p395-408.pdf
- Citterio, M., Mottram, R., Hillerup Larsen, S., & Ahlstrøm, A. (2009). Glaciological investigations at the Malmbjerg mining prospect, central East Greenland. *Geological Survey of Denmark and Greenland Bulletin*, 17(-), 73–76. <https://doi.org/10.34194/geusb.v17.5018>
- Coe, J. A. (2020). Bellwether sites for evaluating changes in landslide frequency and magnitude in cryospheric mountainous terrain: a call for systematic, long-term observations to decipher the impact of climate change. *Landslides*, 17(-), 2483–2501. <https://doi.org/10.1007/s10346-020-01462-y>
- Coe, J. A., Bessette-Kirton, E. K., & Geertsema, M. (2017). Increasing rock-avalanche size and mobility in Glacier Bay National Park and Preserve, Alaska detected from 1984 to 2016 Landsat imagery. *Landslides*, 15(3), 393–407. <https://doi.org/10.1007/s10346-017-0879-7>
- Delaney, K. B., & Evans, S. G. (2014). The 1997 Mount Munday landslide (British Columbia) and the behaviour of rock avalanches on glacier surfaces. *Landslides*, 11(6), 1019–1036. <https://doi.org/10.1007/s10346-013-0456-7>
- Deline, P. (2005). Change in surface debris cover on Mont Blanc massif glaciers after the “Little Ice Age” termination. *The Holocene*, 15(2), 302–309. <https://doi.org/10.1191/0959683605hl809rr>
- Dokukin, M. D., Savernyuk, E. A., & Chernomorets, S. S. (2015). Обвальные процессы в высокогорной зоне Кавказа в XXI веке [Landslide processes in the high mountain zone of the Caucasus in the 21st century]. *Природа [Priroda]*, 7(-), 52–62. https://priroda.ras.ru/pdf/2015_07.pdf. (in Russian).
- Dufresne, A., Wolken, G. J., Hibert, C., Bessette-Kirton, E. K., Coe, J. A., Geertsema, M., & Ekström, G. (2019). The 2016 Lamplugh rock avalanche, Alaska: deposit structures and emplacement dynamics. *Landslides*, 16(12), 2301–2319. <https://doi.org/10.1007/s10346-019-01225-4>
- Dunning, S. A., Rosser, N. J., McColl, S. T., & Reznichenko, N. V. (2015). Rapid sequestration of rock avalanche deposits within glaciers. *Nature Communications*, 6(1), 7. <https://doi.org/10.1038/ncomms8964>

- Ekström, G., & Stark, C. P. (2013). Simple Scaling of Catastrophic Landslide Dynamics. *Science*, 339(6126), 1416–1419. <https://doi.org/10.1126/science.1232887>
- Evans, D. J. A., Ewertowski, M., Jamieson, S. S. R., & Orton, C. (2015). Surficial geology and geomorphology of the Kumtor Gold Mine, Kyrgyzstan: human impacts on mountain glacier landsystems. *Journal of Maps*, 12(5), 757–769. <https://doi.org/10.1080/17445647.2015.1071720>
- Evans, D. J. A., Ewertowski, M., & Orton, C. (2017). The glaciated valley landsystem of Morsárjökull, southeast Iceland. *Journal of Maps*, 13(2), 909–920. <https://doi.org/10.1080/17445647.2017.1401491>
- Evans, S. G., & Clague, J. J. (1994). Recent climatic change and catastrophic geomorphic processes in mountain environments. *Geomorphology*, 10(1-4), 107–128. [https://doi.org/10.1016/0169-555x\(94\)90011-6](https://doi.org/10.1016/0169-555x(94)90011-6)
- Evans, S. D., Clague, J. J., Woodsworth, G. J., & Hungr, O. (1989). The Pandemonium Creek rock avalanche, British Columbia. *Canadian Geotechnical Journal*, 26(3), 427–446. <https://doi.org/10.1139/t89-056>
- Evans, S. G., Tutubalina, O. V., Drobyshev, V. N., Chernomorets, S. S., McDougall, S., Petrakov, D. A., & Hungr, O. (2009). Catastrophic detachment and high-velocity long-runout flow of Kolka Glacier, Caucasus Mountains, Russia in 2002. *Geomorphology*, 105(3-4), 314–321. <https://doi.org/10.1016/j.geomorph.2008.10.008>
- Frasca, M., Vacha, D., Chicco, J., Troilo, F., & Bertolo, D. (2020). Landslide on glaciers: an example from Western Alps (Cogne - Italy). *Journal of Mountain Science*, 17(5), 1161–1171. <https://doi.org/10.1007/s11629-019-5629-y>
- Gardner, J. S., & Hewitt, K. (1990). A Surge of Bualtar Glacier, Karakoram Range, Pakistan: A Possible Landslide Trigger. *Journal of Glaciology*, 36(123), 159–162. <https://doi.org/10.3189/s002214300009394>
- Geertsema, M., Clague, J. J., Schwab, J. W., & Evans, S. G. (2006). An overview of recent large catastrophic landslides in northern British Columbia, Canada. *Engineering Geology*, 83(1-3), 120–143. <https://doi.org/10.1016/j.enggeo.2005.06.028>
- Guthrie, R. H., Friele, P., Allstadt, K., Roberts, N., Evans, S. G., Delaney, K. B., Roche, D., Clague, J. J., & Jakob, M. (2012). The 6 August 2010 Mount Meager rock slide-debris flow, Coast Mountains, British Columbia: characteristics, dynamics, and implications for hazard and risk assessment. *Natural Hazards and Earth System Sciences*, 12(5), 1277–1294. <https://doi.org/10.5194/nhess-12-1277-2012>
- Huggel, C. (2009). Recent extreme slope failures in glacial environments: effects of thermal perturbation. *Quaternary Science Reviews*, 28(11-12), 1119–1130. <https://doi.org/10.1016/j.quascirev.2008.06.007>
- Jamieson, S. S. R., Ewertowski, M. W., & Evans, D. J. A. (2015). Rapid advance of two mountain glaciers in response to mine-related debris loading. *Journal of Geophysical Research: Earth Surface*, 120(7), 1418–1435. <https://doi.org/10.1002/2015jf003504>
- Jibson, R. W., Harp, E. L., Schulz, W., & Keefer, D. K. (2006). Large rock avalanches triggered by the M 7.9 Denali Fault, Alaska, earthquake of 3 November 2002. *Engineering Geology*, 83(1-3), 144–160. <https://doi.org/10.1016/j.enggeo.2005.06.029>
- Lipovsky, P., Evans, S. G., Clague, J. J., Hopkinson, C., Couture, R., Bobrowsky, P. T., Ekström, G., Demuth, M. N., Delaney, K. B., Roberts, N. J., Clarke, G., & Schaeffer, A. J. (2008). The July 2007 rock and ice avalanches at Mount Steele, St. Elias Mountains, Yukon, Canada. *Landslides*, 5(4), 445–455. <https://doi.org/10.1007/s10346-008-0133-4>
- Małeck, J. (2022). Recent contrasting behaviour of mountain glaciers across the European High Arctic revealed by ArcticDEM data. *The Cryosphere*, 16(5), 2067–2082. <https://doi.org/10.5194/tc-16-2067-2022>
- McSaveney, M. J., & Davies, T. R. H. (2006). Rapid rock mass flow with dynamic fragmentation: Inferences from the morphology and internal structure of rockslides and rock avalanches. In S. G. Evans, G. Scarascia Mugnozza, A. Strom, & R. L. Hermanns (Eds.), *Landslides from Massive Rock*

- Slope Failure, NATO Science Series, vol. 49 (pp. 285–304). Springer. https://doi.org/10.1007/978-1-4020-4037-5_16
- O'Connor, J. E., & Costa, J. E. (1993). Geologic and hydrologic hazards in glacierized basins in North America resulting from 19th and 20th century global warming. *Natural Hazards*, 8(2), 121–140. <https://doi.org/10.1007/bf00605437>
- Post, A. (1967). Effects of the March 1964 Alaska earthquake on glaciers. USGS Professional Paper, 544-D(-), D1–D42. <https://doi.org/10.3133/pp544d>
- Reid, J. R. (1969). Effects of a Debris Slide on “Sioux Glacier”, South-Central Alaska. *Journal of Glaciology*, 8(54), 353–367. <https://doi.org/10.3189/s0022143000026940>
- Rezepkin, A. A., & Popovnin, V. V. (2018). О влиянии поверхностной морены на состояние ледника Джанкуат (Центральный Кавказ) к 2025 г. [Influence of the surface moraine on the state of Djankuat Glacier (Central Caucasus) by 2025]. *Лёд и Снег [Ice and Snow]*, 58(3), 307–321. <https://doi.org/10.15356/2076-6734-2018-3-307-321>. (in Russian).
- Reznichenko, N. V., Davies, T. R. H., & Alexander, D. J. (2011). Effects of rock avalanches on glacier behaviour and moraine formation. *Geomorphology*, 132(3–4), 327–338. <https://doi.org/10.1016/j.geomorph.2011.05.019>
- Reznichenko, N. V., Davies, T. R., Shulmeister, J., & Winkler, S. (2010). Ice insulation by rock avalanche debris: the Mt. Cook (1991) and Beatrice (2004) rock avalanches, Southern Alps, New Zealand. *Geophysical Research Abstracts*, EGU2010-2896, 1.
- Reznichenko, N., Davies, T., Shulmeister, J., & McSaveney, M. (2010). Effects of debris on ice-surface melting rates: an experimental study. *Journal of Glaciology*, 56(197), 384–394. <https://doi.org/10.3189/002214310792447725>
- Schneider, D., Huggel, C., Haeblerli, W., & Kaitna, R. (2011). Unraveling driving factors for large rock-ice avalanche mobility. *Earth Surface Processes and Landforms*, 36(14), 1948–1966. <https://doi.org/10.1002/esp.2218>
- Selbesoğlu, M. O., Bakirman, T., Vassilev, O., & Ozsoy, B. (2023). Mapping of Glaciers on Horseshoe Island, Antarctic Peninsula, with Deep Learning Based on High-Resolution Orthophoto. *Drones*, 7(2), 11. <https://doi.org/10.3390/drones7020072>
- Shreve, R. L. (1966). Sherman Landslide, Alaska. *Science*, 154(3757), 1639–1643. <https://doi.org/10.2307/1720821>
- Shugar, D. H., & Clague, J. J. (2011). The sedimentology and geomorphology of rock avalanche deposits on glaciers. *Sedimentology*, 58(7), 1762–1783. <https://doi.org/10.1111/j.1365-3091.2011.01238.x>
- Shugar, D. H., Rabus, B. T., Clague, J. J., & Capps, D. M. (2012). The response of Black Rapids Glacier, Alaska, to the Denali earthquake rock avalanches. *Journal of Geophysical Research: Earth Surface*, 117(F1), 14. <https://doi.org/10.1029/2011jf002011>
- Shulmeister, J., Davies, T. R., Evans, D. J. A., Hyatt, O. M., & Tovar, D. S. (2009). Catastrophic landslides, glacier behaviour and moraine formation – A view from an active plate margin. *Quaternary Science Reviews*, 28(11–12), 1085–1096. <https://doi.org/10.1016/j.quascirev.2008.11.015>
- Sigurðsson, J. V. (2013). Berghlaup við Morsárjökul. *Náttúrufræðingurinn*, 83(1–2), 25–38. <https://timarit.is/page/6777923#page/n24/mode/2up>. (in Icelandic).
- Sosio, R., Crosta, G. B., Chen, J. Y., & Hungr, O. (2012). Modelling rock avalanche propagation onto glaciers. *Quaternary Science Reviews*, 47(-), 23–40. <https://doi.org/10.1016/j.quascirev.2012.05.010>
- Stark, C. P., Wolovick, M., & Ekström, G. (2012). Glacier surge triggered by massive rock avalanche: Teleseismic and satellite image study of long-runout landslide onto RGO Glacier, Pamirs. *AGU Abstracts*, C32A-07, 1.
- Tadzhibaev, K. T., & Tadzhibaev, D. K. (2005). Deformation Criterion of Stability for Dumps Located on a Glacier (by an Example of the Kumtor Deposit). *Journal of Mining Science*, 41(2), 134–137. <https://doi.org/10.1007/s10913-005-0074-4>

- Tielidze, L. G., Kumladze, R. M., Wheate, R. D., & Gamkrelidze, M. (2019). The Devdoraki Glacier Catastrophes, Georgian Caucasus. *Hungarian Geographical Bulletin*, 68(1), 21–35.
<https://doi.org/10.15201/hungeobull.68.1.2>
- Uhlmann, M., Korup, O., Huggel, C., Fischer, L., & Kargel, J. S. (2012). Supra-glacial deposition and flux of catastrophic rock-slope failure debris, south-central Alaska. *Earth Surface Processes and Landforms*, 38(7), 675–682. <https://doi.org/10.1002/esp.3311>
- Vacco, D. A., Alley, R. B., & Pollard, D. (2010). Glacial advance and stagnation caused by rock avalanches. *Earth and Planetary Science Letters*, 294(1-2), 123–130.
<https://doi.org/10.1016/j.epsl.2010.03.019>
- Van Wyk de Vries, M., Wickert, A. D., MacGregor, K. R., Rada, C., & Willis, M. J. (2022). Atypical landslide induces speedup, advance, and long-term slowdown of a tidewater glacier. *Geology*, 50(7), 806–811. <https://doi.org/10.1130/g49854.1>
- Xie, F. M., Liu, S. Y., Wu, K. P., Zhu, Y., Gao, Y. P., Qi, M. M., Duan, S. M., Saifullah, M., & Tahir, A. A. (2020). Upward Expansion of Supra-Glacial Debris Cover in the Hunza Valley, Karakoram, During 1990 ~ 2019. *Frontiers in Earth Science*, 8(-), 18. <https://doi.org/10.3389/feart.2020.00308>
- Zhang, Y., Gu, J., Liu, S. Y., Wang, X., Jiang, Z. L., Wei, J. F., & Zheng, Y. J. (2022). Spatial pattern of the debris-cover effect and its role in the Hindu Kush-Pamir-Karakoram-Himalaya glaciers. *Journal of Hydrology*, 615(Part A), 13. <https://doi.org/10.1016/j.jhydrol.2022.128613>

Inventories of LSGL (#25)

- Alifu, H., Hirabayashi, Y., Johnson, B. A., Vuillaume, J. F., Kondoh, A., & Urai, M. (2018). Inventory of Glaciers in the Shaxsgam Valley of the Chinese Karakoram Mountains, 1970–2014. *Remote Sensing*, 10(8), 28. <https://doi.org/10.3390/rs10081166>
- Bhardwaj, A., Joshi, P. K., Snehamani, Singh, M. K., Sam, L., & Gupta, R. D. (2014). Mapping debris-covered glaciers and identifying factors affecting the accuracy. *Cold Regions Science and Technology*, 106-107(-), 161–174. <https://doi.org/10.1016/j.coldregions.2014.07.006>
- Deline, P., Hewitt, K., Reznichenko, N., & Shugar, D. (2015). Rock Avalanches onto Glaciers. In J. F. Shroder & T. Davies (Eds.), *Landslide Hazards, Risks, and Disasters* (pp. 263–319). Elsevier.
<https://doi.org/10.1016/b978-0-12-396452-6.00009-4>
- Dokukin, M. D., Kalov, R. K., Chernomorets, S. S., Gyaurgiev, A. V., & Khadzhiev, M. M. (2020). The snow-ice-rock avalanche on Bashkara glacier in the Adyl-Su Valley (Central Caucasus) on April 24, 2019. *Earth's Cryosphere*, 24(1), 55–60. [https://doi.org/10.21782/EC2541-9994-2020-1\(55-60\)](https://doi.org/10.21782/EC2541-9994-2020-1(55-60))
- Evans, S. G., & Clague, J. J. (1999). Rock avalanches on glaciers in the Coast and St. Elias Mountains, British Columbia. In Vancouver Geotechnical Society (Ed.), *Slope Stability and Landslides, Proceedings of the 13th annual Vancouver Geotechnical Society Symposium* (pp. 115–123). Vancouver Geotechnical Society. <https://ostrnrcan-dostnrcan.canada.ca/handle/1845/189232>
- Fleischer, F., Otto, J., Junker, R. R., & Hölbling, D. (2021). Evolution of debris cover on glaciers of the Eastern Alps, Austria, between 1996 and 2015. *Earth Surface Processes and Landforms*, 46(9), 1673–1691. <https://doi.org/10.1002/esp.5065>
- Fountain, A. G., Glenn, B., & McNeil, C. (2023). Inventory of glaciers and perennial snowfields of the conterminous USA. *Earth System Science Data*, 15(9), 4077–4104. <https://doi.org/10.5194/essd-15-4077-2023>
- Frey, H., Paul, F., & Strozzi, T. (2012). Compilation of a glacier inventory for the western Himalayas from satellite data: methods, challenges, and results. *Remote Sensing of Environment*, 124(-), 832–843. <https://doi.org/10.1016/j.rse.2012.06.020>
- Hassan, J., Chen, X., Muhammad, S., & Bazai, N. A. (2021). Rock glacier inventory, permafrost probability distribution modeling and associated hazards in the Hunza River Basin, Western Karakoram, Pakistan. *Science of the Total Environment*, 782(-), 14.
<https://doi.org/10.1016/j.scitotenv.2021.146833>

- Herreid, S., & Pellicciotti, F. (2020). The state of rock debris covering Earth's glaciers. *Nature Geoscience*, 13(9), 621–627. <https://doi.org/10.1038/s41561-020-0615-0>
- Hewitt, K. (2009). Rock avalanches that travel onto glaciers and related developments, Karakoram Himalaya, Inner Asia. *Geomorphology*, 103(1), 66–79. <https://doi.org/10.1016/j.geomorph.2007.10.017>
- Ke, L. H., Ding, X. L., Zhang, L., Hu, J., Shum, C. K., & Lu, Z. (2016). Compiling a new glacier inventory for southeastern Qinghai–Tibet Plateau from Landsat and PALSAR data. *Journal of Glaciology*, 62(233), 579–592. <https://doi.org/10.1017/jog.2016.58>
- Kofler, C., Steger, S., Mair, V., Zebisch, M., Comiti, F., & Schneiderbauer, S. (2020). An inventory-driven rock glacier status model (intact vs. relict) for South Tyrol, Eastern Italian Alps. *Geomorphology*, 350(-), 16. <https://doi.org/10.1016/j.geomorph.2019.106887>
- Liu, J., Wu, Y. M., & Gao, X. (2021). Increase in occurrence of large glacier-related landslides in the high mountains of Asia. *Scientific Reports*, 11(1), 12. <https://doi.org/10.1038/s41598-021-81212-9>
- Mölg, N., Bolch, T., Rastner, P., Strozzi, T., & Paul, F. (2018). A consistent glacier inventory for Karakoram and Pamir derived from Landsat data: distribution of debris cover and mapping challenges. *Earth System Science Data*, 10(4), 1807–1827. <https://doi.org/10.5194/essd-10-1807-2018>
- Paul, F., Baumann, S., Anderson, B., & Rastner, P. (2023). Deriving a year 2000 glacier inventory for New Zealand from the existing 2016 inventory. *Annals of Glaciology*, 64(92), 159–169. <https://doi.org/10.1017/aog.2023.20>
- Pellicciotti, F., Stephan, C., Miles, E., Herreid, S., Immerzeel, W. W., & Bolch, T. (2015). Mass-balance changes of the debris-covered glaciers in the Langtang Himal, Nepal, from 1974 to 1999. *Journal of Glaciology*, 61(226), 373–386. <https://doi.org/10.3189/2015jog13j237>
- Rastner, P., Strozzi, T., & Paul, F. (2017). Fusion of Multi-Source Satellite Data and DEMs to Create a New Glacier Inventory for Novaya Zemlya. *Remote Sensing*, 9(11), 18. <https://doi.org/10.3390/rs9111122>
- Scherler, D., Wulf, H., & Gorelick, N. (2018). Global Assessment of Supraglacial Debris-Cover Extents. *Geophysical Research Letters*, 45(21), 8. <https://doi.org/10.1029/2018gl080158>
- Senese, A., Maragno, D., Fugazza, D., Soncini, A., D'Agata, C., Azzoni, R. S., Minora, U., Ul-Hassan, R., Vuillermoz, E., Khan, M. A., Rana, A. S., Rasul, G., Smiraglia, C., & Diolaiuti, G. A. (2018). Inventory of glaciers and glacial lakes of the Central Karakoram National Park (CKNP – Pakistan). *Journal of Maps*, 14(2), 189–198. <https://doi.org/10.1080/17445647.2018.1445561>
- Shroder, J. F., Bishop, M. P., Copland, L., & Sloan, V. F. (2000). Debris-covered glaciers and rock glaciers in the Nanga Parbat Himalaya, Pakistan. *Geografiska Annaler: Series A, Physical Geography*, 82(1), 17–31. <https://doi.org/10.1111/j.0435-3676.2000.00108.x>
- Tielidze, L. G., Bolch, T., Wheate, R. D., Kutuzov, S. S., Lavrentiev, I. I., & Zemp, M. (2020). Supra-glacial debris cover changes in the Greater Caucasus from 1986 to 2014. *The Cryosphere*, 14(2), 585–598. <https://doi.org/10.5194/tc-14-585-2020>
- Tielidze, L. G., Cicoira, A., Nosenko, G. A., & Eaves, S. R. (2023). The First Rock Glacier Inventory for the Greater Caucasus. *Geosciences*, 13(4), 19. <https://doi.org/10.3390/geosciences13040117>
- Wang, P. Y., Li, Z. Q., Li, H. L., Zhang, Z. Y., Xu, L. P., & Yue, X. Y. (2020). Glaciers in Xinjiang, China: Past Changes and Current Status. *Water*, 12(9), 14. <https://doi.org/10.3390/w12092367>
- Xie, F., Liu, S., Gao, Y., Zhu, Y., Bolch, T., Käb, A., Duan, S., Miao, W., Kang, J., Zhang, Y., Pan, X., Qin, C., Wu, K., Qi, M., Zhang, X., Yi, Y., Han, F., Yao, X., Liu, Q., & Wang, X. (2023). Interdecadal glacier inventories in the Karakoram since the 1990s. *Earth System Science Data*, 15(2), 847–867. <https://doi.org/10.5194/essd-15-847-2023>

Detection of LSGL (#63)

- Alifu, H., Tateishi, R., & Johnson, B. (2015). A new band ratio technique for mapping debris-covered glaciers using Landsat imagery and a digital elevation model. *International Journal of Remote Sensing*, 36(8), 2063–2075. <https://doi.org/10.1080/2150704x.2015.1034886>

- Alifu, H., Vuillaume, J. F., Johnson, B. A., & Hirabayashi, Y. (2020). Machine-learning classification of debris-covered glaciers using a combination of Sentinel-1/-2 (SAR/optical), Landsat 8 (thermal) and digital elevation data. *Geomorphology*, 369(-), 18. <https://doi.org/10.1016/j.geomorph.2020.107365>
- Atwood, D. K., Meyer, F. J., & Arendt, A. A. (2010). Using L-band SAR coherence to delineate glacier extent. *Canadian Journal of Remote Sensing*, 36(supl. 1), S186–S195. <https://doi.org/10.5589/m10-014>
- Azzoni, R. S., Fugazza, D., Zerboni, A., Senese, A., D'Agata, C., Maragno, D., Carzaniga, A., Cernuschi, M., & Diolaiuti, G. A. (2018). Evaluating high-resolution remote sensing data for reconstructing the recent evolution of supra glacial debris. *Progress in Physical Geography: Earth and Environment*, 42(1), 3–23. <https://doi.org/10.1177/0309133317749434>
- Barella, R., Callegari, M., Marin, C., Klug, C., Sailer, R., Galos, S. P., Dinale, R., Gianinetto, M., & Notarnicola, C. (2022). Combined Use of Sentinel-1 and Sentinel-2 for Glacier Mapping: An Application Over Central East Alps. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 15(-), 4824–4834. <https://doi.org/10.1109/jstars.2022.3179050>
- Barella, R., Callegari, M., Marin, C., Notarnicola, C., Zebisch, M., Sailer, R., Klug, C., Galos, S., Dinale, R., & Benetton, S. (2020). Automatic glacier outlines extraction from Sentinel-1 and Sentinel-2 time series. *EGU General Assembly 2020*, EGU2020-13782, 1. <https://doi.org/10.5194/egusphere-egu2020-13782>
- Bhambri, R., Bolch, T., & Chaujar, R. K. (2011). Mapping of debris-covered glaciers in the Garhwal Himalayas using ASTER DEMs and thermal data. *International Journal of Remote Sensing*, 32(23), 8095–8119. <https://doi.org/10.1080/01431161.2010.532821>
- Bolch, T., Buchroithner, M. F., Kunert, A., & Kamp, U. (2007). Automated delineation of debris-covered glaciers based on ASTER data. In M. A. Gomasasca (Ed.), *GeoInformation in Europe, Proceedings of the 27th Symposium of the European Association of Remote Sensing Laboratories (EARSeL)* (pp. 403–410). Millpress. (no doi/link)
- Bolch, T., & Kamp, U. (2006). Glacier Mapping in High Mountains Using DEMs, Landsat and ASTER Data. In Karl-Franzens University (Ed.), *Proceedings of the 8th International Symposium on High Mountain Remote Sensing Cartography*, vol. 41 (pp. 37–48). Grazer Schriften der Geographie und Raumforschung. (no doi/link)
- Bolch, T., Kamp, U., & Olsenholler, J. (2005). Using ASTER and SRTM DEMs for studying geomorphology and glaciation in high mountain areas. In M. Oluic (Ed.), *New Strategies for European Remote Sensing, Proceedings of the 24th Symposium of the European Association of Remote Sensing Laboratories* (pp. 119–127). Millpress. (no doi/link)
- Buchroithner, M. F., & Bolch, T. (2007). An Automated Method to Delineate the Ice Extension of the Debris-Covered Glaciers at Mt. Everest Based on ASTER Imagery. In Karl-Franzens University (Ed.), *Proceedings of the 9th International Symposium on High Mountain Remote Sensing Cartography*, vol. 43 (pp. 71–78). Grazer Schriften der Geographie und Raumforschung. (no doi/link)
- Ganerød, A. J., Lindsay, E., Fredin, O., Myrvoll, T. A., Nordal, S., & Rød, J. K. (2023). Globally vs. Locally Trained Machine Learning Models for Landslide Detection: A Case Study of a Glacial Landscape. *Remote Sensing*, 15(4), 21. <https://doi.org/10.3390/rs15040895>
- Ghosh, S., Pandey, A. C., & Nathawat, M. S. (2014). Mapping of debris-covered glaciers in parts of the Greater Himalaya Range, Ladakh, western Himalaya, using remote sensing and GIS. *Journal of Applied Remote Sensing*, 8(1), 17. <https://doi.org/10.1117/1.jrs.8.083579>
- Holobacă, I. H., Tielidze, L., Ivan, K., Elizbarashvili, M., Alexe, M., Germain, D., Petrescu, S. M., Pop, O., & Gaprindashvili, G. (2021). Multi-sensor remote sensing to map glacier debris cover in the Greater Caucasus, Georgia. *Journal of Glaciology*, 67(264), 685–696. <https://doi.org/10.1017/jog.2021.47>

- Hu, M. C., Zhou, G. S., Lv, X. M., Zhou, L., He, X. H., & Tian, Z. H. (2022). A New Automatic Extraction Method for Glaciers on the Tibetan Plateau under Clouds, Shadows and Snow Cover. *Remote Sensing*, 14(13), 21. <https://doi.org/10.3390/rs14133084>
- Huang, L., Li, Z., Tian, B. S., Han, H. D., Liu, Y. Q., Zhou, J. M., & Chen, Q. (2017). Estimation of supraglacial debris thickness using a novel target decomposition on L-band polarimetric SAR images in the Tianshan Mountains. *Journal of Geophysical Research Earth Surface*, 122(4), 925–940. <https://doi.org/10.1002/2016jf004102>
- Huang, L., Li, Z., Tian, B. S., Zhou, J. M., & Chen, Q. (2014). Recognition of supraglacial debris in the Tianshan Mountains on polarimetric SAR images. *Remote Sensing of Environment*, 145(-), 47–54. <https://doi.org/10.1016/j.rse.2014.01.020>
- Jiang, Z., Liu, S., Wang, X., Lin, J., & Long, S. (2011). Applying SAR interferometric coherence to outline debris-covered glacier. *Proceedings of the 19th International Conference on Geoinformatics*, 1–4. <https://doi.org/10.1109/geoinformatics.2011.5981184>
- Karimi, N., Farokhnia, A., Karimi, L., Eftekhari, M., & Ghalkhani, H. (2012). Combining optical and thermal remote sensing data for mapping debris-covered glaciers (Alamkouh Glaciers, Iran). *Cold Regions Science and Technology*, 71(-), 73–83. <https://doi.org/10.1016/j.coldregions.2011.10.004>
- Kaushik, S., Singh, T., Bhardwaj, A., Joshi, P. K., & Dietz, A. J. (2022). Automated Delineation of Supraglacial Debris Cover Using Deep Learning and Multisource Remote Sensing Data. *Remote Sensing*, 14(6), 19. <https://doi.org/10.3390/rs14061352>
- Keshri, A., Shukla, A., & Gupta, R. P. (2009). ASTER ratio indices for supraglacial terrain mapping. *International Journal of Remote Sensing*, 30(2), 519–524. <https://doi.org/10.1080/01431160802385459>
- Khan, A. A., Jamil, A., Hussain, D., Ali, I., & Hameed, A. A. (2023). Deep learning-based framework for monitoring of debris-covered glacier from remotely sensed images. *Advances in Space Research*, 71(7). <https://doi.org/10.1016/j.asr.2022.05.060>
- Khan, A. A., Jamil, A., Hussain, D., Taj, M., Jabeen, G., & Malik, M. K. (2020). Machine-Learning Algorithms for Mapping Debris-Covered Glaciers: The Hunza Basin Case Study. *IEEE Access*, 8(-), 12725–12734. <https://doi.org/10.1109/access.2020.2965768>
- Khan, A., Naz, B. S., & Bowling, L. C. (2015). Separating snow, clean and debris covered ice in the Upper Indus Basin, Hindukush-Karakoram-Himalayas, using Landsat images between 1998 and 2002. *Journal of Hydrology*, 521(-), 46–64. <https://doi.org/10.1016/j.jhydrol.2014.11.048>
- Kraaijenbrink, P. D. A., Shea, J. M., Pellicciotti, F., Jong, S. M. de, & Immerzeel, W. W. (2016). Object-based analysis of unmanned aerial vehicle imagery to map and characterise surface features on a debris-covered glacier. *Remote Sensing of Environment*, 186(-), 581–595. <https://doi.org/10.1016/j.rse.2016.09.013>
- Lin, R. S., Mei, G., & Xu, N. X. (2022). Accurate and automatic mapping of complex debris-covered glacier from remote sensing imagery using deep convolutional networks. *Geological Journal*, 58(6), 2254–2267. <https://doi.org/10.1002/gj.4615>
- Lindsay, E., Frauenfelder, R., R  ther, D., Nava, L., Rubensdotter, L., Strout, J., & Nordan, S. (2022). Multi-Temporal Satellite Image Composites in Google Earth Engine for Improved Landslide Visibility: A Case Study of a Glacial Landscape. *Remote Sensing*, 14(10), 25. <https://doi.org/10.3390/rs14102301>
- Lippl, S., Vijay, S., & Braum, M. (2018). Automatic delineation of debris-covered glaciers using InSAR coherence derived from X-, C- and L-band radar data: a case study of Yazgyl Glacier. *Journal of Glaciology*, 64(247), 811–821. <https://doi.org/10.1017/jog.2018.70>
- Lu, Y. J., Zhang, Z., & Huang, D. (2020). Glacier Mapping Based on Random Forest Algorithm: A Case Study over the Eastern Pamir. *Water*, 12(11), 3231. <https://doi.org/10.3390/w12113231>
- Lu, Y. J., Zhang, Z., Kong, Y. R., & Hu, K. H. (2022). Integration of optical, SAR and DEM data for automated detection of debris-covered glaciers over the western Nyainqentanglha using a random forest classifier. *Cold Regions Science and Technology*, 193(-), 15. <https://doi.org/10.1016/j.coldregions.2021.103421>

- Lu, Y. J., Zhang, Z., Shang Guan, D. H., & Yang, J. H. (2021). Novel Machine Learning Method Integrating Ensemble Learning and Deep Learning for Mapping Debris-Covered Glaciers. *Remote Sensing*, 13(13), 28. <https://doi.org/10.3390/rs13132595>
- Mihalcea, C., Brock, B. W., Diolaiuti, G., D'Agata, C., Citterio, M., Kirkbride, M. P., Cutler, M. E. J., & Smiraglia, C. (2008). Using ASTER satellite and ground-based surface temperature measurements to derive supraglacial debris cover and thickness patterns on Miage Glacier (Mont Blanc Massif, Italy). *Cold Regions Science and Technology*, 52(3), 341–354. <https://doi.org/10.1016/j.coldregions.2007.03.004>
- Mitkari, K. V., Arora, M. K., Tiwari, R. K., Sofat, S., Gusain, H. S., & Tiwari, S. P. (2022). Large-Scale Debris Cover Glacier Mapping Using Multisource Object-Based Image Analysis Approach. *Remote Sensing*, 14(13), 3202. <https://doi.org/10.3390/rs14133202>
- Mölg, N., Bolch, T., Rastner, P., Strozzi, T., & Paul, F. (2018). A consistent glacier inventory for Karakoram and Pamir derived from Landsat data: distribution of debris cover and mapping challenges. *Earth System Science Data*, 10(4), 1807–1827. <https://doi.org/10.5194/essd-10-1807-2018>
- Nijhawan, R., Das, J., & Balasubramanian, R. (2018). A Hybrid CNN + Random Forest Approach to Delineate Debris Covered Glaciers Using Deep Features. *Journal of the Indian Society of Remote Sensing*, 46(6), 981–989. <https://doi.org/10.1007/s12524-018-0750-x>
- Panwar, R., & Singh, G. (2022). Classification of glacier with supervised approaches using PolSAR data. *Environmental Monitoring and Assessment*, 195(1), 17. <https://doi.org/10.1007/s10661-022-10582-y>
- Paul, F., Huggel, C., & Käab, A. (2004). Combining satellite multispectral image data and a digital elevation model for mapping debris-covered glaciers. *Remote Sensing of Environment*, 89(4), 510–518. <https://doi.org/10.1016/j.rse.2003.11.007>
- Peng, Y. F., He, J., Yuan, Q. Q., Wang, S. X., Chu, X. D., & Zhang, L. P. (2023). Automated glacier extraction using a Transformer based deep learning approach from multi-sensor remote sensing imagery. *ISPRS Journal of Photogrammetry and Remote Sensing*, 202(-), 303–313. <https://doi.org/10.1016/j.isprsjprs.2023.06.015>
- Racoviteanu, A., & Williams, M. W. (2012). Decision Tree and Texture Analysis for Mapping Debris-Covered Glaciers in the Kangchenjunga Area, Eastern Himalaya. *Remote Sensing*, 4(10), 3078–3109. <https://doi.org/10.3390/rs4103078>
- Ranzi, R., Grossi, G., Iacovelli, L., & Taschner, S. (2004). Use of multispectral ASTER images for mapping debris-covered glaciers within the GLIMS project. In IEEE (Ed.), *Proceedings of the IEEE International Geoscience and Remote Sensing Symposium: (Issue -)*, pp. 1144–1147. IEEE Xplore. <https://doi.org/10.1109/igarss.2004.1368616>
- Robson, B. A., Nuth, C., Dahl, S. O., Hölbling, D., Strozzi, T., & Nielsen, P. R. (2015). Automated classification of debris-covered glaciers combining optical, SAR and topographic data in an object-based environment. *Remote Sensing of Environment*, 170(-), 372–387. <https://doi.org/10.1016/j.rse.2015.10.001>
- Sahu, R., & Gupta, R. D. (2018). Conceptual Framework of Combined Pixel and Object-based Method for Delineation of Debris-Covered Glaciers. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 5(5), 173–180. <https://doi.org/10.5194/isprs-annals-IV-5-173-2018>
- Sharda, S., Srivastava, M., Gusain, H. S., Sharma, N. K., Bhatia, K. S., Bajaj, M., Kaur, H., Zawbaa, H. M., & Kamel, S. (2022). A hybrid machine learning technique for feature optimization in object-based classification of debris-covered glaciers. *Ain Shams Engineering Journal*, 13(6), 12. <https://doi.org/10.1016/j.asej.2022.101809>
- Sharma, A., Gupta, M., & Sharma, N. (2023). Glacier facies characterisation in transboundary West Sikkim Himalaya from TerraSAR-X; GLCM based classification approach. *Journal of Spatial Science*, 69(1), 43–59. <https://doi.org/10.1080/14498596.2022.2164085>
- Shukla, A., Arora, M. K., & Gupta, R. P. (2010). Synergistic approach for mapping debris-covered glaciers using optical–thermal remote sensing data with inputs from geomorphometric

- parameters. *Remote Sensing of Environment*, 114(7), 1378–1387.
<https://doi.org/10.1016/j.rse.2010.01.015>
- Shukla, A., Gupta, R. P., & Arora, M. K. (2009a). Estimation of debris cover and its temporal variation using optical satellite sensor data: a case study in Chenab basin, Himalaya. *Journal of Glaciology*, 55(191), 444–452. <https://doi.org/10.3189/002214309788816632>
- Shukla, A., Gupta, R. P., & Arora, M. K. (2010b). Delineation of debris-covered glacier boundaries using optical and thermal remote sensing data. *Remote Sensing Letters*, 1(1), 11–17.
<https://doi.org/10.1080/01431160903159316>
- Shukla, A., Yousuf, B., Bindal, A., Arora, M. K., & Singh Jasrotia, A. (2022). Super-resolution for mapping the debris-covered glaciers, central Himalaya, India. *Advances in Space Research*, 69(8), 3019–3031. <https://doi.org/10.1016/j.asr.2022.01.033>
- Suzuki, R., Fujita, K., & Ageta, Y. (2007). Spatial distribution of thermal properties on debris-covered glaciers in the Himalayas derived from ASTER data. *Bulletin of Glaciological Research*, 27(-), 13–22. http://www.cryoscience.net/pub/pdf/2007bgr_suzuki_a.pdf
- Smith, T., Bookhagen, B., & Cannon, F. (2015). Improving semi-automated glacier mapping with a multi-method approach: applications in central Asia. *The Cryosphere*, 9(5), 1747–1759.
<https://doi.org/10.5194/tc-9-1747-2015>
- Sood, V., Tiwari, R. K., Singh, S., Kaur, R., & Parida, B. R. (2022). Glacier Boundary Mapping Using Deep Learning Classification over Bara Shigri Glacier in Western Himalayas. *Sustainability*, 14(20), 13. <https://doi.org/10.3390/su142013485>
- Taschner, S., & Ranzi, R. (2002). Comparing the opportunities of Landsat-TM and Aster data for monitoring a debris covered glacier in the Italian Alps within the GLIMS project. In IEEE (Ed.), *Proceedings of the IEEE International Geoscience and Remote Sensing Symposium*, vol. 2 (pp. 1044–1046). IEEE Xplore. <https://doi.org/10.1109/igarss.2002.1025770>
- Tian, S. Z., Dong, Y. S., Feng, R. Y., Liang, D., & Wang, L. Z. (2022). Mapping mountain glaciers using an improved U-Net model with cSE. *International Journal of Digital Earth*, 15(1), 463–477.
<https://doi.org/10.1080/17538947.2022.2036834>
- Winsvold, S. H., Kääb, A., Nuth, C., Andreassen, L. M., van Pelt, W. J. J., & Schellenberger, T. (2018). Using SAR satellite data time series for regional glacier mapping. *The Cryosphere*, 12(3), 867–890.
<https://doi.org/10.5194/tc-12-867-2018>
- Xie, Z. Y., Haritashya, U. K., & Asari, V. K. (2018). Glaciernet: a novel convolutional neural network application for debris-covered glacier mapping. *Geological Society of America Abstracts with Programs*, 246-5, 1. <https://gsa.confex.com/gsa/2018AM/webprogram/Paper323052.html>
- Xie, Z. Y., Haritashya, U. K., & Asari, V. K. (2022a). A Progressive Learning Strategy for Large-Scale Glacier Mapping. *IEEE Access*, 10(-), 72615–72627. <https://doi.org/10.1109/access.2022.3188795>
- Xie, Z. Y., Haritashya, U. K., Asari, V. K., Young, B. W., Bishop, M. P., & Kargel, J. S. (2020). GlacierNet: A Deep-Learning Approach for Debris-Covered Glacier Mapping. *IEEE Access*, 8(-), 83495–83510. <https://doi.org/10.1109/access.2020.2991187>
- Xie, Z., Asari, V. K., & Haritashya, U. K. (2021). Evaluating deep-learning models for debris-covered glacier mapping. *Applied Computing and Geosciences*, 12(-), 17.
<https://doi.org/10.1016/j.acags.2021.100071>
- Xie, Z., Haritashya, U. K., Asari, V. K., Bishop, M. P., Kargel, J. S., & Aspiras, T. H. (2022b). GlacierNet2: A hybrid Multi-Model learning architecture for alpine glacier mapping. *International Journal of Applied Earth Observation and Geoinformation*, 112(-), 20.
<https://doi.org/10.1016/j.jag.2022.102921>
- Yan, S. A., Xu, L. L., & Wu, R. (2019). Automatic Classification of Glaciers from Sentinel-2 Imagery Using A Novel Deep Learning Model. In US Association for Computing Machinery (Ed.), *Proceedings of the 2019 3rd International Conference on Advances in Image Processing* (pp. 155–159). US Association for Computing Machinery. <https://doi.org/10.1145/3373419.3373460>
- Yan, S., Xu, L. L., Yu, G. J., Yang, L. S., Yun, W. J., Zhu, D. H., Ye, S. J., & Yao, X. C. (2021). Glacier classification from Sentinel-2 imagery using spatial-spectral attention convolutional model.

International Journal of Applied Earth Observation and Geoinformation, 102(-), 13.

<https://doi.org/10.1016/j.jag.2021.102445>

Yao, G. H., Zhou, X. B., Ke, C. Q., Drolma, L., & Li, H. D. (2022). The Potential of Sentinel-1A Data for Identification of Debris-Covered Alpine Glacier Based on Machine Learning Approach. Remote Sensing, 14(9), 26. <https://doi.org/10.3390/rs14091980>

Zhang, J. X., Jia, L., Menenti, M., & Hu, G. C. (2019). Glacier Facies Mapping Using a Machine-Learning Algorithm: The Parlung Zangbo Basin Case Study. Remote Sensing, 11(4), 38. <https://doi.org/10.3390/rs11040452>