

# ANNALES

*Anali za istrske in mediteranske študije*  
*Annali di Studi istriani e mediterranee*  
*Annals for Istrian and Mediterranean Studies*  
*Series Historia Naturalis, 35, 2025, 1*





# ANNALES

**Anali za istrske in mediteranske študije**  
**Annali di Studi istriani e mediterraneei**  
**Annals for Istrian and Mediterranean Studies**

**Series Historia Naturalis, 35, 2025, 1**

ISSN 1408-533X  
e-ISSN 2591-1783

UDK 5

Letnik 35, leto 2025 številka 1

**UREDNIŠKI ODBOR/  
COMITATO DI REDAZIONE/  
BOARD OF EDITORS:**

Alessandro Acquavita (IT), Nicola Bettoso (IT), Christian Capape (FR), Darko Darovec, Dušan Devetak, Jakov Dulčić (HR), Edy Fantinato (IT), Serena Fonda Umani (IT), Andrej Gogala, Daniel Golani (IL), Danijel Ivajnsič, Hakan Kabasakal (TR), Mitja Kaligarič, Marcelo Kovačič (HR), Petar Kružić (HR), Lovrenc Lipej, Vesna Mačić (ME), Alenka Malej, Borut Mavrič, Patricija Mozetič, Martina Orlando-Bonaca, Michael Stachowitsch (AT), Francesco Tiralongo (IT), Tom Turk, Al Vrezec

**Glavni urednik/Redattore capo/  
Editor in chief:**

Darko Darovec

**Odgovorni urednik naravoslovja/  
Redattore responsabile per le scienze  
naturali/Natural Science Editor:**

Lovrenc Lipej

**Urednica/Redattrice/Editor:**

Martina Orlando-Bonaca

**Prevajalci/Traduttori/Translators:**

Martina Orlando-Bonaca (sl./it.)

**Oblikovalec/Progetto grafico/  
Graphic design:**

Dušan Podgornik, Lovrenc Lipej

**Tisk/Stampa/Print:**

Založništvo PADRE d.o.o.

**Izdajatelj/Editori/Published by:**Zgodovinsko društvo za južno Primorsko - Koper / Società storica del Litorale - Capodistria®  
Inštitut IRRIS za raziskave, razvoj in strategije družbe, kulture in okolja / Institute IRRIS for Research, Development and Strategies of Society, Culture and Environment / Istituto IRRIS di ricerca, sviluppo e strategie della società, cultura e ambiente®**Sedež uredništva/Sede della redazione/  
Address of Editorial Board:**Nacionalni inštitut za biologijo, Morska biološka postaja Piran / Istituto nazionale di biologia, Stazione di biologia marina di Pirano / National Institute of Biology, Marine Biology Station Piran  
SI-6330 Piran /Pirano, Fornače/Fornace 41, tel.: +386 5 671 2900, fax +386 5 671 2901;  
e-mail: annales@mbss.org, internet: www.zdjp.si

Redakcija te številke je bila zaključena 20. 06. 2025.

**Sofinancirajo/Supporto finanziario/  
Financially supported by:**

Javna agencija za znanstveno-raziskovalno in inovacijsko dejavnost Republike Slovenije (ARIS)

*Annales - Series Historia Naturalis* izhaja dvakrat letno.**Naklada/Tiratura/Circulation:**

300 izvodov/copie/copies

Revija *Annales, Series Historia Naturalis* je vključena v naslednje podatkovne baze / La rivista *Annales, series Historia Naturalis* è inserita nei seguenti data base / Articles appearing in this journal are abstracted and indexed in: BIOSIS-Zoological Record (UK); Aquatic Sciences and Fisheries Abstracts (ASFA); Elsevier B.V.: SCOPUS (NL); Directory of Open Access Journals (DOAJ).

To delo je objavljeno pod licenco / Quest'opera è distribuita con Licenza / This work is licensed under a Creative Commons BY 4.0.

Navodila avtorjem in vse znanstvene revije in članki so brezplačno dostopni na spletni strani <https://zdjp.si/en/p/annalesshn/>  
The submission guidelines and all scientific journals and articles are available free of charge on the website <https://zdjp.si/en/p/annalesshn/>  
Le norme redazionali e tutti le riviste scientifiche e gli articoli sono disponibili gratuitamente sul sito <https://zdjp.si/en/p/annalesshn/>

VSEBINA / *INDICE GENERALE* / CONTENTS

BIOTSKA GLOBALIZACIJA <i>GLOBALIZZAZIONE BIOTICA</i> <i>BIOTIC GLOBALIZATION</i>		
<b>Okan AKYOL, Oğuzhan TAKICAK &amp; Hasan TARUN</b> A Fugitive Lessepsian Fish in a Sea-Cage Farm in the Aegean Sea: <i>Stephanolepis diaspros</i> (Monacanthidae) ..... 1 <i>Ubežni lesepski migrant iz ribogojnice v Egejskem morju: Stephanolepis diaspros (Monacanthidae)</i>	1	
<b>Nicola BETTOSO, Lisa FARESI, Valentina TORBOLI &amp; Jose A. CUESTA</b> Additional Record of the Pea Crab <i>Pinnotheres bicristatus</i> (Brachyura: Pinnotheridae) in the Adriatic Sea ..... 7 <i>Dodatni zapis o pojavljanju stražne rakovice vrste Pinnotheres bicristatus (Brachyura: Pinnotheridae) v Jadranskem morju</i>	7	
<b>Alan DEIDUN, Sarah BAUMANN, Bruno ZAVA &amp; Maria CORSINI-FOKA</b> Confirming the Occurrence of the Non-Indigenous <i>Pteragogus trispilus</i> (Actinopterygii: Labridae) within Maltese Waters ..... 13 <i>Potrditev pojavljanja tujerodne ustnače vrste Pteragogus trispilus (Actinopterygii: Labridae) znotraj malteških voda</i>	13	
<b>Deniz ERGÜDEN, Yusuf Kenan BAYHAN, Sibel ALAGÖZ ERGÜDEN &amp; Deniz AYAS</b> A New Ichthyological Record and Distributional Update for <i>Epigonus denticulatus</i> Dieuzeide, 1950 in Turkish Mediterranean Waters ..... 21 <i>Nov ihtiološki zapis in podatki o razširjenosti rjavega veleokca, Epigonus denticulatus Dieuzeide, 1950 v turških sredozemskih vodah</i>	21	
<b>Sara LADOUL, Farid HEMIDA, Christian REYNAUD &amp; Christian CAPAPÉ</b> On the Occurrence of Cornish Blackfish <i>Schedophilus medusophagus</i> (Osteichthyes: Centrolophidae) from the Maghreb Shore (Southwestern Mediterranean Sea) ..... 27 <i>Potrjena prisotnost meduzojeda Schedophilus medusophagus (Osteichthyes: Centrolophidae) z magrebske obale (jugozahodno Sredozemsko morje)</i>	27	
<b>Christina MICHAIL &amp; Francesco TIRALONGO</b> First Occurrence of Ariidae in Cypriot Waters – a Major Contribution to Biodiversity ..... 35 <i>Prvo pojavljanje predstavnikov iz družine Ariidae v ciprskih vodah – velik prispevek k biodiverziteti</i>	35	
SREDOZEMSKA HRUSTANČNICE SQUALI E RAZZE MEDITERRANEE <i>MEDITERRANEAN SHARKS AND RAYS</i>		
<b>Lovrenc LIPEJ, Riccardo BATTISTELLA, Borut MAVRIČ &amp; Danijel IVAJNŠIČ</b> An Insight into the Diet of the Bull Ray, <i>Aetomylaeus bovinus</i> (Geoffroy Saint-Hilaire, 1817) in the Northern Adriatic Sea ..... 43 <i>Vpogled v prehranjevalne navade kljunatega morskega goloba, Aetomylaeus bovinus (Geoffroy Saint-Hilaire, 1817) v severnem Jadranu</i>	43	
<b>Cem ÇEVİK, Deniz ERGÜDEN &amp; Deniz AYAS</b> A New Capture Record of <i>Alopias superciliosus</i> Lowe, 1841 from the Turkish Coast (Northeastern Mediterranean) ..... 55 <i>Nov ulov velikooke morske lisice Alopias superciliosus Lowe, 1841 iz turške obale (severovzhodno Sredozemlje)</i>	55	

- Cem DALYAN, N. Bikem KESİCİ, Elif YÜCEDAĞ BAKIR, Yunus GÖNÜL & Hakan KABASAKAL**  
No Longer as Common as its Name: a Review of the Occurrence of *Torpedo torpedo* (Linnaeus, 1758) (Chondrichthyes: Elasmobranchii) in Turkish Waters, with Photographic Evidence ..... 65  
*Ni več tako pogost kot njegovo ime: pregled pojavljanja okatega električnega skata Torpedo torpedo (Linnaeus, 1758) (Chondrichthyes: Elasmobranchii) v turških vodah s fotografskimi dokazi*
- Deniz ERGÜDEN, Cemal TURAN, Servet Ahmet DOĞDU & Deniz AYAS**  
Disc Deformity in a Juvenile Female Brown Ray, *Raja miraletus* (Family: Rajidae), from Northeastern Mediterranean (Türkiye) ..... 73  
*Deformacija diska pri juvenilni samici modropege raže, Raja miraletus (družina: Rajidae), iz severovzhodnega Sredozemskega morja (Turčija)*
- Farid HEMIDA, Christian REYNAUD & Christian CAPAPÉ**  
On an Old Record of the Smalltooth Sand Tiger Shark *Odontaspis ferox* (Chondrichthyes: Odontaspidae) from the Algerian Coast (Southwestern Mediterranean Sea) ..... 83  
*O starem zapisu o drobnozobem morskem biku Odontaspis ferox (Chondrichthyes: Odontaspidae) z alžirske obale (jugozahodno Sredozemsko morje)*
- Hakan KABASAKAL, Uğur UZER & F. Saadet KARAKULAK**  
Plastic Debris-Induced Fin Damage in the Smoothhound, *Mustelus mustelus* ..... 91  
*Poškodbe plavuti pri navadnem morskem psu, Mustelus mustelus, zaradi plastičnih odpadkov*
- Nicolas ZIANI, Florane TONDU, Rémi BRU, Chloé MOSNIER, Sarah FOXONET, Ruben Bao GALLIEN, Mathias POULY, Modan Lou TONIETTO, Lucille VERDON, Eloïse DEYSSON, Alessandro DE MADDALENA & Hakan KABASAKAL**  
Bite Marks Observed on a Large Female White Shark *Carcharodon carcharias* Off Camargue, France Provide Potential Insights into the Reproduction of the Mediterranean Population ..... 97  
*Sledovi ugrizov na veliki samici belega morskega volka Carcharodon carcharias pri Camargu (Francija) kažejo na možno razmnoževanje sredozemske populacije*
- MORSKA FAVNA  
FAUNA MARINA  
MARINE FAUNA**
- Sihem RAFRAFI-NOUIRA, RIMEL BENMESSAOUD, Mourad CHÉRIFF, Christian REYNAUD & Christian CAPAPÉ**  
Morphological Deformities in a Common Two-Banded Sea Bream, *Diplodus vulgaris* (Osteichthyes: Sparidae), from Northern Tunisian Waters (Central Mediterranean Sea) ..... 109  
*Morfološke deformacije pri fratru, Diplodus vulgaris (Osteichthyes: Sparidae), iz severnih tunizijskih vod (osrednje Sredozemsko morje)*
- Abdelkarim DERBALI, Aymen HADJ TAIEB & Wassim KAMMOUN**  
The Current Status of *Polititapes aureus* (Mollusca: Bivalvia) in the Coastal Zone of Sfax, Tunisia (Central Mediterranean) ..... 117  
*Trenutno stanje vrste Polititapes aureus (Mollusca: Bivalvia) na obalnem območju Sfaksa v Tuniziji (osrednje Sredozemlje)*
- Neža LEBAN & Valentina PITACCO**  
Current Knowledge on the Distribution of the Poorly Known Echiurid Species *Maxmuelleria gigas* (M. Müller, 1852) in the Slovenian Sea ..... 125  
*Trenutno poznavanje prostorske razporeditve manj poznane vrste zvezdaša Maxmuelleria gigas (M. Müller, 1852) v slovenskem morju*
- Jan MALEJ, Tjaša KOGOVIŠEK, Martin VODOPIVEC, Janja FRANČE, Patricija MOZETIČ, Matevž MALEJ & Alenka MALEJ**  
Long-Term Study of Zooplankton Biomass in the Gulf of Trieste (Adriatic Sea) ..... 133  
*Dolgoročna študija zooplanktonske biomase v Tržaškem zalivu (Jadransko morje)*
- Sihem RAFRAFI-NOUIRA, Rimel BENMESSAOUD, Mourad CHÉRIFF, Christian REYNAUD & Christian CAPAPÉ**  
Occurrence of the Longjaw Snake Eel, *Ophisurus serpens* (Ophichthidae), in Tunisian Waters (Central Mediterranean Sea) ..... 145  
*Pojavljanje zobate jegulje, Ophisurus serpens (Ophichthidae), iz tunizijskih voda (osrednje Sredozemsko morje)*

FLORA  
 FLORA  
 FLORA

**Martina ORLANDO-BONACA, Artur BONACA,  
 Diego BONACA & Ana ROTTER**

Seagrasses: a Promising Source of  
 Bioactive Compounds for Human  
 Health Applications ..... 153  
*Morske cvetnice: obetaven vir  
 bioaktivnih spojin za uporabo  
 v zdravstvu*

OCENE IN POROČILA  
 RECENSIONI E RELAZIONI  
 REVIEWS AND REPORTS

**Shin-ichi Uye**

Book review: Mirrors of the Sea: When  
 Science and Art Meet. 30 Years of the  
 Unesco Intergovernmental Oceanographic  
 Commission in Slovenia ..... 167  
 Kazalo k slikam na ovitku ..... 169  
***Index to images on the cover*** ..... 169

## FIRST OCCURRENCE OF ARIIDAE IN CYPRIOT WATERS – A MAJOR CONTRIBUTION TO BIODIVERSITY

*Christina MICHAÏL*

Marine and Environmental Research (MER) Lab Ltd., Parekkklisia, Limassol, Cyprus  
e-mail: cmichail@merresearch.com

*Francesco TIRALONGO*

Department of Biological, Geological and Environmental Sciences, University of Catania, Catania, Italy  
Ente Fauna Marina Mediterranean, Scientific Organization for Research and Conservation of Marine Biodiversity, Avola, Italy  
e-mail: francesco.tiralongo@unict.it

### ABSTRACT

*The Ariidae family (order Siluriformes) comprises over 160 species primarily distributed in tropical and subtropical marine and brackish waters. Herein we report the first occurrence of an Ariidae fish in Cypriot waters and the third record of this family in the Mediterranean. On 7 January 2025, a recreational fisher captured an unidentified fish near Limassol, Cyprus, at a depth of ~4 m. The fish was photographed and filmed before release. Available evidence confirmed its taxonomic classification within the Ariidae family. This record is particularly significant, as it represents the first documentation of an Ariidae and so another alien fish in Cypriot waters, expanding knowledge of Mediterranean ichthyofauna. It underscores the need for continued monitoring and further taxonomic investigations to assess the implications of this presence for local biodiversity and ecosystem dynamics.*

**Key words:** Siluriformes, catfish, alien species, Mediterranean Sea, early detection

## PRIMA COMPARSA DI ARIIDAE NELLE ACQUE CIPRIOTE – UN CONTRIBUTO SIGNIFICATIVO ALLA BIODIVERSITÀ

### SINTESI

*La famiglia Ariidae (ordine Siluriformes) comprende oltre 160 specie distribuite principalmente nelle acque marine e salmastre tropicali e subtropicali. Qui riportiamo la prima occorrenza di un pesce della famiglia Ariidae nelle acque cipriote, rappresentando la terza segnalazione per questa famiglia nel Mediterraneo. Il 7 gennaio 2025, un pescatore ricreativo ha catturato un pesce non identificato vicino a Limassol, Cipro, a una profondità di circa 4 m. Il pesce è stato fotografato e filmato prima di essere rilasciato. Le prove disponibili hanno confermato la sua appartenenza alla famiglia Ariidae. Questa segnalazione ha un'importanza significativa, in quanto rappresenta la prima documentazione di un pesce della famiglia Ariidae e quindi di una nuova specie aliena nelle acque cipriote, ampliando le conoscenze sull'ittiofauna mediterranea. Si sottolinea inoltre la necessità di un monitoraggio continuo e di ulteriori indagini tassonomiche per valutare le implicazioni di questa presenza sulla biodiversità locale e sulle dinamiche dell'ecosistema.*


**Parole chiave:** Siluriformes, pesce gatto, specie aliena, Mar Mediterraneo, rilevazione precoce

## INTRODUCTION

The Ariidae family (Siluriformes) encompasses 160 species across 30 genera with global distribution but a notable preference for tropical and subtropical regions (Froese & Pauly, 2023). Though primarily found in marine environments, they can also inhabit brackish waters in estuaries and coastal lagoons (Simier *et al.*, 2021). Species in the Ariidae family range from medium to large in size, with some exceeding 1 m in total length (TL). The head is large, rounded to depressed, and covered by a bony shield that is often rugose and visible beneath thin skin, although in certain species it may be obscured by thicker skin and muscles. While paired maxillary and mandibular barbels, totalling four or six, represent a distinctive and consistent feature across the family, the presence of a supraoccipital process extending backward medially to connect with the pre-dorsal plate is an identifying characteristic for many species. Ariid fishes lack scales and have a complete lateral line that branches posteriorly onto the upper and lower lobes of the caudal fin. The dorsal fin is short, with a serrated spine followed by soft rays. An adipose fin is always present opposite the anal fin, and the caudal fin is deeply forked (Nelson *et al.*, 2016). The pectoral fins have serrated spines and soft rays, while the pelvic

fins are equipped with six soft rays, modified in mature females. Coloration is typically grey, yellow, or brown, sometimes with black patches or a silvery lateral stripe, and the ventral side is paler or white (Acero, 2002).

Within the Mediterranean Sea, only two representatives of this family have been recorded to date. The Guinean Sea catfish, *Carlarius parkii*, was reported only once, in 1983, in the shallow waters of Haifa Bay, Israel (Golani & Ben-Tuvia, 1986). Its natural range includes the eastern Atlantic, from Cape Blanc to Angola, with occasional sightings along the Atlantic coasts of Morocco (Acero & Betancur-R., 2016). While the species was initially thought to have naturally entered the Mediterranean via the Strait of Gibraltar, its prolonged absence from intermediate locations has led some researchers to consider it cryptogenic (Zenetos *et al.*, 2022). More recently, in 2022, another species, *Ariopsis felis*, was recorded in Palestinian waters off the Gaza Strip on a single occasion, at a depth of 25 m on a muddy bottom (Salah *et al.*, 2024). The natural distribution range of *A. felis* encompasses the western Atlantic coast, from Massachusetts and the northern Gulf of Mexico to southern Florida (USA) and into Mexico (Froese & Pauly, 2023). The detection of this species in the Mediterranean raises questions regarding its introduction pathway and potential for establishment.



**Fig. 1:** Distribution map of Ariidae fish records in the Mediterranean Sea. Black circles indicate historical records, the reddish star denotes the new record.

**Sl. 1:** Zemljevid razširjenosti morskih somov v Sredozemskem morju. Črni krogi kažejo zgodovinske podatke, rdeča zvezdica pa ponazarja novi zapis o pojavljanju.



**Fig. 2:** Ariidae specimen observed in Limassol, Cyprus, on 7 January 2025 (©Antonis Pourgouris). Original video footage available at [\[link\]](#).

**Sl. 2:** Primerek morskega soma pri Limassolu na Cipru, posnet 7 januarja 2025 (Foto: Antonis Pourgouris). Originalni videozapis je razpoložljiv na [\[link\]](#).

Here, we report for the first time the presence of a member of the Ariidae family in Cyprus, marking the third documented occurrence of this group in the Mediterranean Sea. We also discuss potential introduction pathways and the implications for Mediterranean biodiversity.

#### MATERIAL AND METHODS

On 7 January 2025, an individual belonging to the Ariidae family was caught by a recreational fisher using a fishing rod from the shore, in Limassol, Cyprus (34.664056 N, 33.029972 E, Fig. 1), at a depth of ~4 m on a sandy bottom with seagrass patches. The capture site is located between Limassol New Port (~1.5 km away) and Limassol Marina (~0.6 km away). The fisher used fly larvae (*bigattini*) as bait. The fish was photographed and filmed before being released. Despite the lack of

a physical specimen, diagnostic features were assessed using available evidence.

#### RESULTS AND DISCUSSION

The photographs and video footage depicted a specimen with an estimated total length of about 20 cm displaying general characteristics consistent with the Ariidae family, including body shape, a distinct supraoccipital process, and a dark adipose fin (Fig. 2). However, key diagnostic features required for genus and species-level identification, such as serrated dorsal and pectoral fin spines and close-set nostrils, were neither clearly visible nor adequately evaluable. The absence of a physical specimen precluded examination of other critical taxonomic characters, such as tooth morphology and dorsal bony shield characteristics.

Despite previous Mediterranean reference records of Ariidae species, which include *Ariopsis felis* and *Carlarius parkii*, the possibility that the observed specimen belongs to a third, unreported species of this family cannot be excluded. This taxonomic uncertainty prevents a definitive identification of the specimen and consequently limits speculation about introduction pathways. However, the proximity of the capture site to Limassol's major port suggests potential human-mediated introduction through ballast water discharge.

While this pathway remains unconfirmed, the record is nonetheless significant, as it represents Cyprus's first documented Ariidae occurrence (considered alien in all Mediterranean contexts). Such findings reveal dynamic marine biodiversity patterns in the region, potentially driven by changing environmental conditions, anthropogenic influences, or biogeographic shifts. Given the identification challenges and uncertainties regarding potential establishment, further targeted studies are required to assess the species' population in the area and facilitate a more

detailed taxonomic characterisation. Enhanced monitoring efforts combining systematic scientific surveys with citizen science initiatives could be instrumental for detecting additional specimens and acquiring improved morphological and genetic data. The active involvement of local fishers, divers, and other stakeholders in reporting unusual catches or sightings will be essential for enhancing our understanding of the species' distribution and potential ecological impact. Furthermore, strengthening collaboration among researchers, environmental agencies, and maritime authorities will enable a more comprehensive and coordinated response to marine biological invasions, helping to mitigate the potential risks associated with the introduction of non-native species (Tiralongo *et al.*, 2020).

#### ACKNOWLEDGEMENTS

The authors would like to warmly thank Antonis Pourgouris for reporting the observation of the fish belonging to the Ariidae family.

## PRVO POJAVLJANJE PREDSTAVNIKOV IZ DRUŽINE ARIIDAE V CIPRSKIH VODAH – VELIK PRISPEVEK K BIODIVERZITETI

*Christina MICHAIL*

Marine and Environmental Research (MER) Lab Ltd., Parekklesia, Limassol, Cyprus  
e-mail: cmichail@merresearch.com

*Francesco TIRALONGO*

Department of Biological, Geological and Environmental Sciences, University of Catania, Catania, Italy  
Ente Fauna Marina Mediterranean, Scientific Organization for Research and Conservation of Marine Biodiversity, Avola, Italy  
e-mail: francesco.tiralongo@unict.it

### POVZETEK

*Morski somi (družina Ariidae, red Siluriformes) štejejo 160 vrst, ki so primarno razširjene v tropskih in subtropskih morskih in brakičnih vodah. Avtorja poročata o prvem zapisu o pojavljanju vrste iz družine morskih somov v ciprskih vodah in tretji zapis o pojavljanju vrst iz te družine v Sredozemlju. Sedmega januarja 2025 je rekreativni ribič pri Limassolu na Cipru na globini približno 4 m ujel neidentificirano ribo, ki jo je pred izpustom fotografiral in posnel. Izkazalo se je, da gre za vrsto iz družine Ariidae. Ta zapis o pojavljanju je pomemben, saj gre za prvi primer pojavljanja morskega soma kot tujerodne vrste v ciprskih vodah, in dopolnjuje vedenje o sredozemski ihtiofauni. Hkrati poudarja potrebo po nadaljnem spremljanju in nadaljnjih taksonomskih preiskavah za oceno posledic prisotnosti te vrste za lokalno biotsko raznovrstnost in dinamiko ekosistemov.*

**Ključne besede:** Siluriformes, morski somi, tujerodne vrste, Sredozemsko morje, zgodnje odkrivanje

## REFERENCES

- Acero, A. (2002):** Order Siluriformes: Ariidae. Sea catfishes. p. 831–852. In: *FAO species identification guide for fishery purposes. The living marine resources of the western central Atlantic. Volume 2 Bony fishes part 1 (Acipenseridae to Grammatidae)*. Carpenter, K. E. (Ed.). FAO, Rome.
- Acero, A. & R. Betancur (2016):** Siluriformes: Ariidae. p. 1742-1750. In: *FAO species identification guide for fishery purposes. The living marine resources of the eastern Central Atlantic*, Vol. 3 bony fishes part 1 (Elopiiformes to Scorpaeniformes). Carpenter, K.E., De Angelis, N. (Eds). FAO, Rome.
- Froese, R. & D. Pauly (2024):** *FishBase*. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org) (10/2024) (Accessed on 17-01-2024).
- Golani, D. & A. Ben-Tuvia (1986):** New records of fishes from the Mediterranean coast of Israel including Red Sea immigrants. *Cybium*, 10(3), 285-291.
- Marceniuk, A.P., A. Acero, R. Cooke & R. Betancur-R. (2017):** Taxonomic revision of the New World genus *Ariopsis* Gill (Siluriformes: Ariidae), with description of two new species. *Zootaxa*, 4290(1), 1-42.
- Nelson, J.S., T.C. Grande & M.V.H. Wilson (2016):** *Fishes of the World: Fifth Edition*. Hoboken, New Jersey: John Wiley & Sons, Inc.
- Salah, J.Y., M.A. Abutair, S.A.A. Al Mabruk, B. Zava, M. Corsini-Foka, A. Deidun, A. Natale, V. Crobe & F. Tinti (2024):** First record of the West Atlantic *Ariopsis felis* (Linnaeus, 1766) (Actinopterygii: Siluriformes: Ariidae) in the Mediterranean Sea. *Mediterranean Marine Science*, 25(2), 263-271.
- Simier, M., O.J.F. Osse, O. Sadio & J-M. Ecoutin (2021):** Biology and ecology of sea catfish (Ariidae) of estuarine, lagoon and coastal ecosystems in West Africa. *Journal of Fish Biology*, 99, 629-643.
- Tiralongo, F., F. Crocetta, E. Riginella, A.O. Lillo, E. Tondo, A. Macali, E. Mancini, F. Russo, S. Coco, G. Paolillo & E. Azzurro (2020):** Snapshot of rare, exotic and overlooked fish species in the Italian seas: A citizen science survey. *Journal of Sea Research*, 164, 101930.
- Zenetos, A., P.G. Albano, E. López Garcia, N. Stern, K. Tsiamis & M. Galanidi (2022):** Established non-indigenous species increased by 40% in 11 years in the Mediterranean Sea. *Mediterranean Marine Science*, 23(1), 196-212.